

EXCLUSIVE TECHNOLOGY FOR RECREATIONAL VEHICLES 2026





QUALITY AND RELIABILITY

Since 2000, the CARBEST brand from REIMO REISEMOBIL-CENTER GmbH has stood for high-quality technical products for motorhomes, vans, and caravans.

Comprehensive testing in our in-house development department in Germany—conducted by our engineers, technicians, and experienced camping professionals—ensures that CARBEST products are optimally tailored in terms of quality and function for use in recreational vehicles.

When developing all products, we place particular emphasis on ensuring that they not only perform well while camping but also meet the high standards required for components in motorhome manufacturing and camper van conversions.

GUARANTEED SATISFACTION WITH A 3- OR 7-YEAR WARRANTY

To underscore the high standards of quality for our CARBEST products, we offer a 3-year warranty—and even a 7-year warranty on select items.

(* see page 137 for our warranty terms.)



INDEX

ELECTRICAL

Flexible / Rigid solar modules	5-8	Universal safety glass windows + accessories	74-75
Solar charge controller + solar accessories	9	Universal acrylic glass window + accessories	75-82
Foldable solar panels + accessories	10-11	Window protection	82
Mobile LiFePO4 power supply	12-13	Universal window inner frame	83
Batteries + Accessories	14-16	Roof vents / roof ventilation systems	84-87
Battery chargers	17	mosquito nets	88-91
Voltage converter + charging booster	18-19	Curtains	92-93
Inverter	20-22	window tinting	93
Gas detector / Smoke detector	23	Thermal mats	94-98
12V / 24V displays/charging sockets	24	Thermal insulation + cab insulation	99-102
12V / 24V power distribution	25-26		
230 V power distribution	27		
CEE plug / adapter / cable	28-29		
Vehicle interior lights	30-35		
Light bulbs / LED flexible strips + accessories	36-37		
Outdoor lights	38		
Multifunctional lighting	38-39		

COOLING / HEATING

Compressor built-in refrigerators + accessories	41-45		
Compressor cool boxes + accessories	46-51		
Split air conditioning system	52		
Diesel parking heaters + accessories	53		
Hot water systems / hot water boilers	54-55		
230V electric fan heaters / fans	56		

GAS TECHNOLOGY

Built-in / surface-mounted gas hobs	58-59		
Gas hob-sink combinations	59		
Gas cookers / Gas cooker-sink combinations			
with glass cover	60-61		
stainless steel sink	62		

WATER / SANITARY

Faucets / Showers / Sinks	64		
water pumps	65		
Fresh water pipe system	66		

WINDOWS / DOORS

Vehicle-specific safety glass windows	68-71		
Safety glass windows for maxivans	71-72		
Ventilation grilles for sliding windows	72		
Safety glass casement windows	73 / 81		

MULTIMEDIA

Smart TVs + Holder	104-106
Satellite systems + accessories	107-110
Reversing camera systems + accessories	111

VEHICLE TECHNOLOGY

Car lift leveling systems	114
Additional air suspension	115
Caravan maneuvering system	116
Caravan trailer electrics	117
Support wheels + drawbar accessories	117
Anti-theft device / support load scales	118
Caravan mirrors	119
Crank supports / jack stands + accessories	120
Levelling wedges / sand ladders	121
Mirror protectors / protective covers	122
Door sill protection / loading edge protection	123
Extra beds / drop-down beds	125
Seat covers / Organizer	126-128
Cab carpets	128-130
Vacuum cleaner / Hair dryer / Washing machine	131
Steps / Ladders	132-133
Useful accessories for on the go	134
Louvered doors / roller shutter doors	135
Inspection hatches	136
Lifting table frame / table column	136
Under-cabinet extractor hood	136

ELECTRICAL



DC

AC

Type-C 60W

Type-C 18V

Anderson Input

Phantom Flexx

NEW

THE NEXT GENERATION HIGH PERFORMANCE HPBC SOLAR PANELS

HPBC
TECHNO-
LOGY

BACK
CONTACT
DESIGN

FLEXX
PROTECT
FILM
(2-LAYER)

2
BYPASS
DIODES

ETFE
UPPER-
SURFACE

TPT
SUPPORT
PLATE

6 m
CABLE
2x 2,5
mm²



Latest
HPBC cell technology
for maximum efficiency



ETFE surface -
Durable & very robust



UV-resistant solar cable
(6 m)


TPT backing plate (black)

HPBC cell structure (monocrystalline cells)

FlexxProtect protective film (2 layers):

An elastic protective layer applied above and below the HPBC cells, which relieves stress on the cells and cell structures and prevents the formation of microcracks.

ETFE top layer



HPBC (Hybrid Passivated Back Contact)
Back contact technology: No front conduc-
tor tracks – higher efficiency, more energy

FlexxProtect protective layers reduce module
failures and extend service life

Completely black, high-quality appearance
No visible conductor tracks



Flexible solar modules with HPBC technology

• Reduced power loss in partial shade

The back-contact technology ensures that shading has only a minimal impact on the overall current flow. Thanks to the optimized cell structure, the effects of partial shading are compensated for much better than with conventional cells.

• Improved performance in low light conditions

Optimized cell architecture ensures higher power output even in diffu-
se light, cloudy conditions, or in the morning/evening hours

• Higher efficiency

Thanks to rear contact technology, there is no shading from conductor tracks on the front of the cell - more incident light, higher energy yield

• 2 integrated bypass diodes

Minimize power losses in partial shading

• Longer service life and reliability

Thanks to the double FlexxProtect protective layer, the modules are better protected against mechanical stress, microcracks, and fractures. This extends their lifespan and reduces the risk of module failure.

PhantomFlexx	HP120	HP165	HP240
Power / Cell type	120 W/Mono HPBC	165 W/Mono HPBC	240 W/Mono HPBC
Top layer material	ETFE	ETFE	ETFE
Material Carrier plate	TPT	TPT	TPT
Cell efficiency	approx. 25%	approx. 25%	approx. 25%
Short-circuit current (Isc)	5.84 A	5.94 A	6.52 A
Open-circuit voltage (Voc)	25,20 V	33,60 V	45,50 V
Nominal voltage (Vmp)	21,60 V	28,80 V	39,00 V
Nominal current (Imp)	5.56 A	5.72 A	6.16 A
Integrated bypass diodes	2	2	2
Number of busbars	19	19	19
Dimensions (LxWxH) mm	1110x580x3/26	1490x580x3/26	1350x950x3/26
Cable (2 x 2.5 mm ²)	6 m	6 m	6 m
Weight w/o cable/incl. cable	1,8 / 2,7 kg	2,4 / 3,3 kg	3,6 / 4,5 kg
Item no.	853162	853164	853165
Price	279,-	359,-	449,-

Expected delivery from Q3/2026



Product update:
Reinforced cell
connection design
for reduced power
loss and extended
service life.

PowerPanel Flex – Output from 120 to 150 watts

ETFE UPPER- SURFACE	FIBER- GLASS SUPPORT PLATE	SUN POWER CELLS	INCL. CABLE 2x 2,5 mm ²	ONLY 3 mm THICK
---------------------------	-------------------------------------	-----------------------	---	-----------------------

- **Sunpower cells:**
Significant increase in power yield even at suboptimal angles to the sun
- **Walkable when bonded over the entire surface**
- **Compact connection with pre-installed cable (2 x 2.5 mm²)**

Thanks to the high-quality ETFE surface, a significant performance increase is achieved in twilight and cloudy conditions. Especially at high temperatures, performance is considerably higher than comparable modules. This means maximum efficiency without any loss of power. **ETFE top layer:** Very hard and thin (approx. 0.025 mm) material with high light transmittance of approx. 95%. Heat resistant up to approx. 150°C. Very high weather resistance, also suitable for saltwater. **Fiberglass backing plate:** Very strong material for the best possible protection of the solar cells.

Similar to illustrations

	PowerPanel Flex 120 Pro	PowerPanel Flex 135 Pro Square	PowerPanel Flex 150 Pro
Power / Cell type	120 W / Sunpower	135 W / Sunpower	150 W / Sunpower
Top layer material	ETFE	ETFE	ETFE
Material Carrier plate	Fiberglass	Fiberglass	Fiberglass
Cell efficiency	Approx. 22.5%	Approx. 22.5%	Approx. 22.5%
Short-circuit current (Isc)	6.42	6.42	6.41 A
Open-circuit voltage (Voc)	23,3 V	26,2 V	29,2 V
Nominal voltage (Vmp)	19,8 V	22,3 V	24,8 V
Nominal current (Imp)	6.07 A	6.06 A	6.05 A
Dimensions mm LxWxH (box H)	1110x540x3 (22)	855x800x3 (22)	1360 x 540 x 3 (22)
Cable (2 x 2.5mm ²)	6 m	6 m	6 m
Weight incl. cable	Approx. 3.8 kg	Approx. 4.2 kg	approx. 5 kg
Item no.	853160	853161	853176
Price	279,-	299,-	329,-



Product update:
Reinforced cell
connection design
for reduced power
loss and extended
service life.

PowerPanel SFX135 Solar module – Extremely robust with ETFE coating

135 WATTS	EXTRE- MELY ROBUST	FIBER- GLASS SUPPORT- PLATE	SUN POWER CELLS	ETFE- COATED	6 m CABLE 2x 2,5 mm ²
--------------	--------------------------	--------------------------------------	-----------------------	-----------------	---

- **Highly resistant thanks to ETFE front and back foil with welded outer edges**
- **Sunpower high-performance cells**
- **Compact connection with pre-installed 6 m cable (2 x 2.5 mm²)**


The SUNPOWER high-performance cells are mounted on a stable, black fiberglass substrate, which is encased in a highly resistant ETFE layer. This ETFE film is present on both the front and back of the module and is welded together at the edges. This construction ensures optimal protection of the internal cells and makes the PowerPanel SFX135 extremely robust against scratches, heat, high humidity, and seawater.



Fiberglass panel, ETFE-coated



Connection box (H: 22 mm)



SUNPOWER cells

Power / Cell type	135 W/Sunpower
Cover layer material Front and back	ETFE
Material Carrier plate	Fiberglass (black)
Cell efficiency	Approx. 22.5%
Short-circuit current (Isc)	6.42
Open-circuit voltage (Voc)	26.3 volts
Nominal voltage (Vmp)	22.3 volts
Nominal current (Imp)	6.06 A
Dimensions mm LxWxH (height of connection box)	1235x540x4 (approx. 22)
Cable (2 x 2.5mm ²)	6 m
Weight incl. cable	approx. 4.7 kg
Item no.	84031
Price	379,-

Phantom Core

NEW

THE NEXT GENERATION HIGH PERFORMANCE HPBC SOLAR PANELS WITH ALUMINUM FRAMES

HPBC
TECHNO-
LOGY

BACK
CONTACT
DESIGN

ALUMINUM-
FRAME

SAFETY
GLASS

6 m
CABLE
2x 2,5
mm²

Solar modules with aluminum frames and HPBC technology

• Reduced power loss in partial shade

The back-contact technology ensures that shading has only a minimal impact on the overall current flow. Thanks to the optimized cell structure, the effects of partial shading are compensated for much better than with conventional cells.

• Improved performance in low light conditions

Optimized cell architecture ensures higher power output even in diffuse light, cloudy conditions, or in the morning/evening hours

• **Higher efficiency** Thanks to rear contact technology, there is no shading from conductor tracks on the front of the cell - more incident light, higher energy yield

• Integrated bypass diodes

Minimize power losses in partial shading

• Long service life & reliability

Thanks to the corrosion-resistant aluminum frame and real glass cover layer, the modules are optimally protected from environmental influences.

• 25-year performance warranty (on the solar module)

After 25 years, the solar module still delivers 80% of its power*



HPBC (Hybrid Passivated Back Contact)
Back contact technology: No front conductor tracks – higher efficiency, more energy

Completely black, high-quality appearance
No visible conductor tracks



Sturdy aluminum frame
– extra protection and
long service life



Protected junction box
on the back



UV-resistant solar cable
(6 m)

PhantomCore	HP120	HP120 SLIM	HP160	HP195
Power / Cell type	120 W / Mono HPBC	120 W / Mono HPBC	160 W / Mono HPBC	195 W / Mono HPBC
Frame material (black coated)	Aluminum	Aluminum	Aluminum	Aluminum
Top layer	Tempered glass	Tempered glass	Tempered glass	Tempered glass
Cell efficiency	approx. 25%	approx. 25%	approx. 25%	approx. 25%
Short-circuit current (Isc)	5.41 A	6.02 A	5.62 A	6.01 A
Open-circuit voltage (Voc)	27,30 V	25,20 V	35,70 V	39,20 V
Nominal voltage (Vmp)	23,40 V	21,60 V	30,60 V	33,60 V
Nominal current (Imp)	5.13 A	5.56 A	5.23 A	5.81 A
Integrated bypass diodes	2	1	2	2
Number of busbars	19	18	18	19
Dimensions (LxWxH) mm	1135x545x35	1560x410x35	1475x545x35	1220x770x35
Cable (2 x 2.5 mm ²)	6 m	6 m	6 m	6 m
Weight without cable / incl. cable	6,5 / 7,4 kg	6,7 / 7,6 kg	8,6 / 9,5 kg	9,9 / 10,8 kg
Item no.	852372	852371	852373	852374
Price	147,95	149,95	184,95	194,95



155 W

High-performance solar module with aluminum frame

Aluminum
FRAME

SAFETY-
SAFETY
GLASS

MONO
CELLS

INCL.
CABLE
2x 2,5
mm²

- Solid aluminum frame (silver color)
- Monocrystalline cells under tempered glass
- Protected cable connection (2x 2.5 mm²)
- 25-year performance guarantee (on the solar panel)
80% performance after 25 years*


	CB-155
Power / Cell type	155 W / Monocrystalline
Cell efficiency	Approx. 22%
Short-circuit current (Isc)	8.3 A
Open-circuit voltage (Voc)	23,96 V
Nominal voltage (Vmp)	19,8 V
Nominal current (Imp)	7.83 A
Dimensions in mm LxWxH	1640x545x35
Cable (2x 2.5 mm ²)	6m
Color Aluminum frame	Silver
Weight approx.	10,5 kg
Art. No.	852389
Price	175,-



150 W

120 W

Shingle technology



Solar modules with shingle cell technology for more power from the same surface area

BLACK
Aluminum
FRAME

SAFETY-
SAFETY
GLASS

SHINGLE
TECHNO-
LOGY

MONO
CELLS


INCL.
CABLE
2x 2,5
mm²

- More power from the same surface area
- Less power loss in partial shade
- 10% higher area efficiency compared to standard cells

State-of-the-art shingle technology:

Narrow, overlapping cell strips without gaps instead of individual cells. This special design reduces internal losses and increases module performance.

	CBS-120 Shingle	CBS-150 Shingle
Power / Cell type	120 W / monocrystalline	150 W / monocrystalline
Cell efficiency	Approx. 22.70%	Approx. 22.70%
Short-circuit current (Isc)	6.28 A	6.24 A
Open-circuit voltage (Voc)	24 V	30,1 V
Nominal voltage (Vmp)	20,3 V	25,5 V
Nominal current (Imp)	5.92 A	5.89 A
Operating	-40°C ~ +85°C	-40°C ~ +85°C
Dimensions in mm LxWxH	1165x540x35	1450x540x35
Cable (2x 2.5 mm ²)	6 m	6 m
Weight	Approx. 7 kg	approx. 9.5 kg
Color Aluminum frame	Black	Black
Art. No.	8523899	8523900
Price	149,95	189,95




①



Bluetooth-enabled MPPT solar charge controllers with two battery outputs

- Bluetooth function only in conjunction with Bluetooth module 851007 (free app for Android and iOS)
- Adjustable battery type: GEL, lead-acid, AGM, LiFePO4 batteries
- Max. input voltage is 50V

- ① Solar charge controller, Dimensions: LxWxH 150x80x40 mm
- | | | |
|-----------------------|--------|-------|
| 12 V, 12 A max. 165 W | 851005 | 69,90 |
| 12 V, 25 A max. 350 W | 851006 | 99,90 |



②



For charging batteries with different voltages (12/24V) or different types (e.g. AGM/LiFePO4)

Bluetooth-enabled MPPT solar charge controller for charging batteries of varying sizes Voltage (12/24V) or different types (e.g. AGM/LiFePO4)

- Bluetooth function only in conjunction with Bluetooth module 851007 (free app for Android and iOS)
- Adjustable battery type: GEL, lead-acid, AGM, LiFePO4 batteries

- ② Solar charge controller 12 V / 24 V, 30 A max. 390 W / 780 W
Batteries with different voltages (12/24 V) or different types (e.g., AGM/LiFePO4) can be connected together. Dimensions: LxWxH 155x147x43 mm
- | | |
|--------|--------|
| 851010 | 169,-- |
|--------|--------|

Optional accessories



- ① Bluetooth module with 3 m cable (compatible with 851005, 851006, 851010)
- | | |
|--------|-------|
| 851007 | 24,90 |
|--------|-------|
- ② Temperature sensor with 3 m cable (suitable for 851005, 851006, 851010)
- | | |
|--------|-------|
| 851004 | 10,30 |
|--------|-------|
- ③ Separate oval solar monitor, (Suitable for solar charge controllers 851005, 851006). Surface or flush mounting possible. Consists of solar monitor, surface mounting frame and 5m cable with connector. Dims: WxHxD 105x94x36 cm.
- | | |
|--------|-------|
| 851011 | 79,95 |
|--------|-------|

Universal Solar panel holder made of high-quality V2A stainless steel



- With integrated cable gland
- UV resistant and absolutely weatherproof
- Material thickness: 1.5 mm
- Mounting: Screwing or gluing

- ① Module main bracket (length 500 mm)
For mounting solar modules with a width of 450 to 800 mm.

Set of 2. 850750 55,--

- ② Side reinforcement bracket (length 80 mm) for large solar modules
This holder allows large solar panels to be supported in the middle.

Set of 2. 850751 29,50



Aluminum spoiler profile

- Can be shortened as needed; fastening: gluing and/or screwing
- Scope of delivery: Aluminum spoiler, plastic caps, self-tapping screws

Aluminum spoiler profile 410 mm

Color: white 850900 49,95

Aluminum spoiler profile 550 mm

(compatible with all Carbest modules with a width of 540/545 mm)


Color: white 850906 56,90

Color: Black 850909 56,90

Aluminum spoiler profile 770 mm

(suitable for all Carbest modules with a width of 770 mm)

Color: Black 850912 64,90



① Corner profile set of 4

Made of ABS plastic, 150/150 mm,
85162 35,--

② Connection set

Made of ABS plastic, 180 mm, for connecting solar modules.
85163 19,95

50 A High Current Battery Connector Set

Maximum current 50A. Includes 12 sockets for Cable cross-sections: 4x 4-6 mm², 4x 5-10 mm², 4x 8-16 mm², dims (L x W x H): 48 x 35 x 15.9 mm.

Carbest Set, grey 850920 7,95



① MC4 Solar plug set


For single-core cables 2.5 - 6mm². Set consisting of: 1 x plug and 1 x socket. IP2X unplugged, IP67 plugged in. Voltage up to max. 1000 V. Current up to max. 30 A

84052 3,95

② Assembly wrench for MC4 connectors

Set of two assembly tools. Material: Polyamide.

850919 4,90



Roof cable bushings

For safe cable routing through roofs or walls. Small, compact, waterproof. For bonding with Sikaflex, including PG 13.5 cable gland for cables Ø 6-12 mm.

① Single, white (LxDxH approx. 12.0 x 6.5 x 3.8 cm) 85049 8,95

② 1-way, black (LxDxH approx. 12.0 x 6.5 x 3.8 cm) 850493 9,95

③ 2-way, white (LxDxH approx. 12.4 x 9.3 x 3.8 cm) 850491 10,95

④ 2-way, black (LxDxH approx. 12.4 x 9.3 x 3.8 cm) 850494 11,95



Foldable Power Solar Panel SC100

100 WATT	MONO-CRYSTAL-LINE CELLS	SHINGLE PERC CELLS	ETFE UPPER-SURFACE	3x USB	PROTECTIVE-BAG
----------	-------------------------	--------------------	--------------------	--------	----------------

- Shingle PERC solar cells (monocrystalline) for more power on the same surface area and less loss in partial shade
- ETFE surface: Very robust with high light transmission
- Suitable for standing or hanging
- Sewn-on bag with integrated cable connection and 3x USB 1x USB-A (5V/3A max.) 1x USB-QC 3.0 (5V/3A, 9V/2A, 12C/1.5A max.) 1x USB-C PD 3.0 (5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3A max.)
- Includes 2 cables for connecting to mobile power systems*:
 - 1x 5m extension cable (2x 2.5 mm²) with Anderson Mini on both sides
 - 1x 1m adapter cable (2x 2.5 mm²) with Anderson Mini / Anderson 50 A
- Additional protective cover with attached pocket for storing the connection cables

Power	100 watts
Cell type	Monocrystalline cells
Nominal voltage (Vmp)/nominal current (Imp)	19.4 V / 5.16 A
Open-circuit voltage (Voc)	22,9 V
Short-circuit current (Isc)	5.46 A
Max. system voltage (V)	100 VDC
Cell efficiency	22 %
Dimensions open in mm	1100x615x16
Dimensions when closed in mm	615x550x32
Weight incl. accessories approx.	4,5 kg
Item no.	82510
Price	209,95

*Prerequisite: Solar charge controller already pre-installed in the device. When connecting to a car battery or an energy system without an integrated solar charge controller, a separate solar charge controller and a fuse must be connected.



Foldable Power Solar Panel SC200

200 WATT	MONO-CRYSTAL-LINE CELLS	SHINGLE PERC CELLS	ETFE UPPER-SURFACE	3x USB	PROTECTIVE-BAG
----------	-------------------------	--------------------	--------------------	--------	----------------

- Shingle PERC solar cells (monocrystalline) for more power on the same surface area and less loss in partial shade
- ETFE surface: Very robust with high light transmission
- Suitable for standing or hanging
- Sewn-on bag with integrated cable connection and 3x USB 1x USB-A (5V/3A max.) 1x USB-QC 3.0 (5V/3A, 9V/2A, 12C/1.5A max.) 1x USB-C PD 3.0 (5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3A max.)
- Includes 2 cables for connecting to mobile power systems*:
 - 1x 5m extension cable (2x 4 mm²) with Anderson Mini on both sides
 - 1x 1m adapter cable (2x 4 mm²) with Anderson Mini / Anderson 50 A
- Additional protective cover with attached pocket for storing the connection cables

Power	200 watts
Cell type	Monocrystalline cells
Nominal voltage (Vmp)/nominal current (Imp)	19.4 V / 10.31 A
Open-circuit voltage (Voc)	22,9 V
Short-circuit current (Isc)	10.93 A
Max. system voltage (V)	100 VDC
Cell efficiency	22 %
Dimensions open in mm	2040x615x16
Dimensions when closed in mm	615x550x32
Weight incl. accessories approx.	7,5 kg
Item no.	82509
Price	399,--

*Prerequisite: Solar charge controller already pre-installed in the device. When connecting to a car battery or an energy system without an integrated solar charge controller, a separate solar charge controller and a fuse must be connected.



Foldable solar case Power Solar Panel HC130



- High-quality monocrystalline cells
- ETFE surface: Very robust with high light transmission
- Narrow aluminum frame with corner protectors
- Completely black design
- Fold-out feet for setting up
- Includes 2 cables for connecting to mobile power systems*:
 - 1x 5m extension cable (2x 2.5 mm²) with Anderson Mini on both sides
 - 1x 1m adapter cable (2x 2.5 mm²) with Anderson Mini / Anderson 50 A
- Additional protective cover with attached pocket for storing the connection cables

Power	130 watts
Cell type	Monocrystalline cells
Nominal voltage (V _{mp})/nominal current (I _{mp})	20.5 V / 6.35 A
Open-circuit voltage (V _{oc})	24 V
Short-circuit current (I _{sc})	6.66 A
Max. system voltage (V)	100 VDC
Cell efficiency	22,70 %
Dimensions open in mm	1193x635x25
Dimensions when closed in mm	635x595x50
Color	Black
Weight approx.	7,5 kg
Item no.	82508
Price	279,95

*Prerequisite: Solar charge controller already pre-installed in the device.
When connecting to a car battery or an energy system without an integrated solar charge controller, a separate solar charge controller and a fuse must be connected.

Optional accessories for all solar systems on this double page

① Connection cables for power units

XT60 adapter cable For connection to a lithium energy system with XT60 connector (e.g. Ecoflow). Anderson Mini / XT60. Cable length: 1m, (2x 2.5 mm²).

850923

19,90



Ecoflow adapter cable

Pre-assembled cable sets for connecting a solar charge controller (solar charge controller not included)


② Cable set with battery clamps

Cable 1: Battery terminals with fuse / open cable end. Cable length: 1m, (2x 2.5 mm²).

Cable 2: Anderson Mini / open cable end. Cable length: 40 cm, (2 x 2.5 mm²).

850924

24,60



Open cable ends for connection to a solar charge controller

③ Cable set with cigarette lighter plug

Cable 1: Cigarette lighter plug with integrated fuse / open cable end. Cable length: 1m, (2x 2.5 mm²).

Cable 2: Anderson Mini / open cable end. Cable length: 40 cm, (2 x 2.5 mm²).

850925

21,90



Open cable ends for connection to a solar charge controller


④ Cable set with Anderson 50A plug

Cable 1: Anderson 50 A / open cable end. Cable length: 1m, (2x 2.5 mm²).

Cable 2: Anderson Mini / open cable end. Cable length: 40 cm, (2 x 2.5 mm²).

850926

21,90



Open cable ends for connection to a solar charge controller

Detailed view of the different plugs (image similar):



Mini Anderson



Anderson 50 A



XT60

80 Ah LiFePO4 BATTERY	1024 Wh	SINE WAVE INVERTER 1000 W	MPPT- SOLAR- CONTROLLER	BATTERY MANAGE- MENT SYSTEM	LCD- DISPLAY	ROBUST HOUSING OFF ABS
-----------------------------	---------	---------------------------------	-------------------------------	--------------------------------------	-----------------	------------------------------




Mobile LiFePO4 power supply LithPowerUnit 80


LiFePO4 battery with BMS	80 Ah (12.8 V), 1024 Wh
Integrated sine wave inverter	1000 W (max. 2000 W for short periods)
Integrated MPPT solar charge controller	max. 120 W / 50 V / 15 A
Connection options	① 1x 230 V socket ② 2x 12V cigarette lighter connection ③ 2x USB port (5 V/3.1 A) ④ 4x Anderson connector (50 A) ⑤ 1x Anderson connector (175 A)
Rechargeable via	- 230 V mains power supply via charger - Solar module (solar module voltage max. 120 W / 50 V / 15 A)
Dimensions LxWxH / Weight approx.	455x250x330 mm / 15 kg
Item no. Price	814136 799,-

Scope of delivery:

① LithPowerUnit 80, ② Mains charger (input: 200-240 V / output: 14.6 V, 20 A), ③ Jumper cables (2 m, cable Ø 16 mm²) with 1 x 175 A Anderson plug and battery crocodile clips, ④ Solar cable (1.5 m, cable Ø 6 mm²) with 2 x 50 A Anderson plugs, ⑤ universal cable (1.5 m, cable Ø 6 mm²) with 1 x 50 A Anderson plug and 1 x open cable end, ⑥ 50 A Anderson plug incl. 2x crimp contacts (for cable Ø 6 mm²), ⑦ Various cover caps for the Anderson connectors, ⑧ Fastening material (including 2 lashing eyes and 1 tensioning strap).



3 charging options



Mobile LiFePO4 power supply LithPowerUnit 48

LiFePO4 BATTERY	614 Wh	48 Ah (12.8 V)	SINE WAVE INVERTER 500 W	MPPT- SOLAR- CONTROLLER	BATTERY MANAGE- MENT SYSTEM	LCD- DISPLAY
--------------------	--------	-------------------	--------------------------------	-------------------------------	--------------------------------------	-----------------


- Rechargeable from various sources
- Wide range of connection options for various end users
- Small, handy, mobile

LiFePO4 battery with BMS	48 Ah (12.8 V), 614 Wh
Integrated sine wave inverter	500 W (max. 1000 W for short periods)
Integrated MPPT solar charge controller	max. 120 W / 26 V
Connection options	2x 230 V socket (on the rear) 2x 12 V 5.5 mm (5 A, max. 60 W) 1x 12 V cigarette lighter connection (10 A, max. 120 W) 2x USB (5 V/3.1 A) 1x USB QC (5-20 A, max. 18 W) 1x USB-C (5-20 A, max. 60 W)
Rechargeable via	- 230 V mains power supply via charger - 12 V car power supply - Solar module (solar module voltage max. 120 W / 26 V)
Dimensions LxWxH approx.	324x198x186/254 mm
Weight approx.	8 kg
Item no.	814135
Price	462,-

Scope of delivery: LithPowerUnit 48, 230 V cable with Schuko plug, solar cable with 50 A Anderson connector (solar module voltage max. 26 V), 12 V cable with cigarette lighter connector.

Mobile LiFePO4 power supply EnergyQube 800 + EnergyCube 1600


HIGH
LIGHT




- Rechargeable from various sources
- Versatile connection options for various end users
- Compact design with integrated handles in the housing - requires minimal storage space
- Robust aluminum housing with an elegant look

	EnergyQube 800	EnergyCube 1600
LiFePO4 battery with BMS	approx. 768 Wh	approx. 1536 Wh
Integrated sine wave inverter	1000 W (max. 2000 W for short periods)	2000 W (max. 4000 W for short periods)
Integrated MPPT solar charge controller	max. 200 W, max. 10 A, 18-29 V	max. 500 W, max. 20 A, 20-59 V
Connection options		
Output	2x 230 V socket 1x 12 V cigarette lighter socket (10 A) 1x USB-C (20V/3A, 60W) 1x USB-C (12V/1.5A, 18W) 1x USB-A (5V/2A, 9V/2A, 12V/1.5A, 18 W)	
Input	1x Anderson Mini (12-30V/10A) 1x DC7909 (10 A)	1x Anderson Mini (12-59V/20A) 1x DC7909 (10 A)
Rechargeable via	230 V mains power via charger 12V vehicle electrical system, solar panel	
Dimensions LxWxH approx.	355x193x195 mm	505x193x195 mm
Weight approx.	11,4 kg	22,1 kg
Item no.	814138	814139
Price	699,-	999,-


Scope of delivery:
EnergyQube 800 or EnergyCube 1600




230V charging cable:
DC7909 / 230V Schuko plug



12V charging cable:
DC7909 / 12V cigarette lighter plug



Solar charging cable:
DC7909 / MC4 plug



7*
YEARS
WARRANTY

50
Ah

HEATING-FUNCTION

BLUE TOOTH

M6 THREAD




100
Ah

HEATING-FUNCTION

BLUE TOOTH

M8 THREAD



Battery, charge status and more available at any time via smartphone or tablet via the Carbest app.

LiFePO4 batteries with Bluetooth technology

12V **BLUE TOOTH** **BMS** **VERY LONG-LONG** **INSTALLATION HORIZONTAL POSSIBLE** **FREE CARBEST APP**

- Battery status can be read via smartphone/tablet
- Series connection (max. 4 batteries), parallel connection (max. 2 batteries)
- Cycle life ≥ 3000 at 90% DOD or max. 7-year warranty*
- Integrated heating function for effective charging even at sub-zero temperatures
- LED display with charge status indicator

How the heating function works: The internal BMS continuously monitors the ambient battery temperature and automatically controls the integrated heating function. If a temperature of $\leq 0^{\circ}\text{C}$ is measured during charging, the BMS immediately stops the battery charging and simultaneously activates the battery heating function. Once $+5^{\circ}\text{C}$ is reached, the charging process resumes automatically. If the temperature rises above 10°C , the heating function is deactivated again.

Battery	Volt (V)	Ah	Max. Discharge current, short-term	Dims approx. LxWxH mm (including poles)	Weight approx. kg	Item.	Price
Li50BT-H	12	50	100 A (<5 sec.)	195x132x183	7.5	814100	349,--
Li100BT-H	12	100	150 A (<4 min.)	330x170x210	14	814131	699,--



Free Carbest app!

For Carbest LiFePO4 batteries:
Li50BT-H / Li100BT-H / Li100BH6 / Li200BHD




7*
YEARS
WARRANTY

100
Ah

HEATING-FUNCTION



Under-seat installation VW T6.1 / 6 / 5




LiFePO4 battery specifically designed for under-seat mounting in campervans

12V **BLUE TOOTH** **BMS** **COMPACT DESIGN** **VERY LONG-LONG** **INSTALLATION HORIZONTAL POSSIBLE** **HEATING-FUNCTION**

STANDARD BATTERY-TERMINALS **DIN H6 HOUSING** **FREE CARBEST APP**

- DIN H6 housing, specially designed for mounting under the driver's seat in Volkswagen Transporters
- Standard automotive battery terminals
- Series connection possible: up to 4 batteries
- Parallel connection possible: up to 2 batteries

Battery	Volt (V)	Ah	Max. Discharge-current	Max. Discharge current, short-term	Weight kg	Item.	Price
Li100BH6	12	100	100 A	350 A (< 3s.)	12,5	81452	749,--



Free Carbest app!

For Carbest LiFePO4 batteries:
Li50BT-H / Li100BT-H / Li100BH6 / Li200BHD




LiFePO4 battery specifically for under-seat mounting in the Fiat Ducato



- Metal housing with special dimensions, suitable for under-seat installation in the Fiat Ducato
- M8 screw thread on the front of the battery
- Series connection possible: up to 4 batteries
- Parallel connection possible: up to 4 batteries

Battery	Volt (V)	Ah	Max. Discharge-current	Max. Discharge current, short-term	Weight approx. kg	Item.	Price
Li200BHD	12	200	150A	350 A (< 3s.)	25	81453	1099,-



Free Carbest app!

For Carbest LiFePO4 batteries:
Li50BT-H / Li100BT-H /
Li100BH6 / Li200BHD



Long Life Deep-Cycle AGM Batteries



- Maintenance-free service battery for campervans and motorhomes
- High vibration resistance and leak-proof
- Can be installed in any position
- High cycle stability, also ideal for use in combination with a solar system
- Low self-discharge

Carbest AGM batteries were specially developed for use in motorhomes. Thanks to AGM technology (Absorbent Glass Mat), the batteries are completely maintenance-free and can be installed in any orientation, either upright or on their side. (Do not install upside down, with the battery terminals facing downwards). The T100 battery can be installed under the front seat in the Volkswagen Transporter 6/5 and Fiat Ducato.

Their high vibration resistance, excellent cycle stability, and low self-discharge rate make these batteries the perfect energy storage solution for campervans and motorhomes. Thanks to their compact dimensions, they fit into standard battery compartments or storage areas. AGM batteries are frost-resistant down to -40°C.

Battery	Volt (V)	Ah	Dimensions LxWxH (mm)	Battery terminal thread	Weight (kg)	Item.	Price
① AGM 60	12	60	259x166x213*	M6	23,5	850534	219,-
② AGM 80	12	80	350x167x179*	M6	22,5	850529	234,-
③ AGM 90	12	90	306x168x215*	M6	29,0	850535	269,-
④ AGM 100	12	100	330x171x222*	M8	29,0	850531	229,-
⑤ AGM T100	12	100	353x175x190	---	27,0	850530	239,-
⑥ AGM 120	12	120	329x173x219*	M8	33,5	850536	329,-
⑦ AGM 134	12	134	339x175x285*	M8	40,0	850537	369,-

* plus height of battery terminal screws

Included in delivery:

(except for AGM battery 850530)

Battery terminal adapter set

For converting M6 or M8 internal threaded poles to a standard SAE conical pole (+/-). Scope of delivery: Set of terminals (+/- pole) including screws.



* Our warranty conditions can be found on page 137.





Replacement cables for all Carbest inverters from 1000 W to 3000 W. Includes +/- cables in a set. Cable length: 2 m. Each cable has 2 ring terminals.

① ±25 mm²	81940	39,95
② ±50 mm²	81941	76,90



Battery terminal covers Suitable for all batteries with M8 internal battery terminal threads. Simply pushes on. 2 pieces per set (+/-). Ø 23 mm, material: plastic.

812763	2,50
--------	------



Battery terminal adapter set

For converting batteries with M6 or M8 internal pole threads to a standard SAE conical pole (+/-)

M6 thread	812761	4,50
M8 thread	812762	4,50



Battery terminal protection set

① 2 pieces Material: plastic.	81276	0,80
② 2 pieces For lithium batteries with M8 threaded screws. Plastic.	812760	0,80



NEW



Installation accessories

① **5-way high-load fuse holder, fuse combination for large consumers and charging sources** 1x High-current fuse (MEGA) with M8 threaded stud and 4x automotive screw-in fuses (MIDI) with M5 threaded studs. For protecting large loads or high-current circuits. Includes cover. Fuses not included.

810222	21,95
--------	-------

② **Transfer point M8 - Set (+/-)**

Material: Plastic/Metal. 2 pieces per set.

812765	14,90
--------	-------

EnergyStation battery box

Turns a standard battery into a multifunctional power station

- Digital voltmeter for battery monitoring
- 2x USB (2.4 A), 2x 12 V socket
- 2x 50 A high-current battery connectors
- For batteries up to a size of LxWxH 320x180x220 mm

① **The EnergyStation** Made of robust plastic, this enclosure offers a variety of connection options. Integrated into the lid are: external terminals (+/-), one dual USB socket (2 x 2.4A), two 12V sockets, one battery voltmeter, and two high-current battery connectors for connecting solar panels and other accessories. Fuses are pre-installed. The package includes a tension strap for securing the lid and strap eyelets; battery not included.

813740	63,50
--------	-------

② **Universal adapter cable, length 3 m**

For connection to an EnergyStation to charge the battery or to connect various devices. Cable length 3m, cable cross-section red/black 10mm² 1x open cable ends, 1x 50 A high-current battery connector.

850922	29,95
--------	-------



For batteries up to a size of LxWxH 320x180x220 mm



Smart battery charger 6 V / 12 V

- LCD display
- Diagnostic & recovery function
- For 6/12V batteries (AGM, gel, wet)
- 5-stage charging program
- Controlled trickle charging

Microprocessor-controlled charger with 4.0 amp charging power.

Technical data: Protection class IP65, battery capacity: max. 120 Ah. Input voltage: 220-240 V AC/ 50 Hz, max. 70 W. Output voltage: max. 14.7 V DC/4.0 A. Dimensions: (LxWxH) 18 x 8 x 5 cm. Weight: 0.5 kg.

819010

29,99



6 V
12V

IP65

PowerLoad Charger –

Latest generation battery chargers



- For charging GEL / AGM / lead-acid / LiFePO4 batteries
- DIP switch for selecting the battery type
- 3-stage charging program
- Integrated protection mechanisms
- Particularly quiet and efficient fan mechanism, temperature-controlled
- Aluminum housing in an elegant design (matt anthracite)

Scope of delivery: PowerLoad charger, connection cable, operating instructions


Model	① 10A	② 20A	③ 40A	④ 60A
Charging current	10 A	20 A	40 A	60 A
Input voltage	180-240 V	180-240 V	180-240 V	180-240 V
Output voltage	max. 14.6 V	max. 14.6 V	max. 14.6 V	max. 14.6 V
Charging algorithm	3-stage	3-stage	3-stage	3-stage
Charging outputs	1	1	1	1
Status indicator	4 LEDs	4 LEDs	4 LEDs	4 LEDs
Connection cable included.	4mm ²	4mm ²	6mm ²	10mm ²
Housing dimensions LxWxH (mm)	135x150x80	190x150x85	265x150x80	255x222x85
Overall dimensions LxWxH (mm)	165x150x80	220x150x85	295x150x80	285x222x85
Weight approx.	1,8 kg	2,3 kg	3,2 kg	4,5 kg
Art. No.	802801	802802	802803	802804
Price	89,--	109,--	129,--	199,--

HIGH
LIGHT



Housing dimensions plus approx. 30 mm length for the battery connection terminals

Intelligent 7-stage battery chargers



- For charging GEL / AGM / lead-acid / LiFePO4 batteries
- 2 charging outputs 12 V
- The automatic 7-stage charging algorithm delivers a much faster, more efficient and more complete charge, without voltage drops.
- Can be used as a constant power supply for accessories that require a stable and clean DC voltage
- Device cooling is provided by an integrated fan
- Connection cable included

Model	Battery capacity	Connection cable	Dims. (mm)	Approx. kg.	Item.	Price
① 10 A	15-100 Ah	4 mm ²	176x175x95	1,3	80286	129,--
② 15 A	20-150 Ah	4 mm ²	176x175x95	1,3	80287	189,--
③ 20 A	25-200 Ah	4 mm ²	176x175x95	1,3	80288	219,--
④ 40 A	50-400 Ah	10 mm ²	276x175x95	3,0	80289	329,--



Voltage converter

① 8-40 V to 12 V

Prevents, for example, LED lights from flickering due to voltage fluctuations. Input voltage: 8-40 V. Output voltage: 12 V/3 A. IP68. Dimensions: approx. 64 x 58 x 22 mm, Weight: 130 g.

821830 19,90


② 12V to 24V

Input voltage: 12 volts. Output voltage: 24V/10A. IP68. Dimensions: 74x74x32mm, Weight: 280g.

82183 29,95

PowerPeak Booster –

Latest generation battery charging booster



12V

25 A
40 A

**MPPT SOLAR
CHARGE CONT-
ROLLER**

**GEL
AGM
LEAD ACID
LiFePO4**

IUOU

- Suitable for GEL / AGM / lead-acid / LiFePO4 batteries
- Integrated MPPT solar charge controller
- Charging characteristic: IUoU
- Particularly quiet fan for optimum performance even at high temperatures
- Status LEDs and integrated protection mechanisms

① PowerPeak Booster 25 A

Input voltage: 12-16 V, MPPT solar charge controller (12-30V/400W max.), Dimensions: 205x105x52 mm, Weight: approx. 1 kg.

821825 129,-

② PowerPeak Booster 40 A


Input voltage: 12-16 V, MPPT solar charge controller (12-30V/650W max.), Dimensions: 205x135x57 mm, Weight: approx. 1.4 kg.

821826 189,-





Battery charging booster with integrated 18 A refrigerator output




- Suitable for GEL / AGM / lead acid / LiFePO4 batteries
- For vehicles with intelligent alternators (Euro 5/6)
- Operation with or without D+ signal possible
- Built-in fuses (B1, B2, and refrigerator)
- Uncomplicated plug & play installation

The 40A battery charging booster charges your on-board or secondary battery quickly and reliably while driving.

The IUoU charging characteristic supplies the battery with a constant current and a correspondingly adjusted voltage. Once the final charging voltage is reached, the system switches to trickle charging. This compensates for the battery's self-discharge.

The dedicated, integrated 18A refrigerator output allows an absorption or compressor refrigerator to be powered directly from the charging booster. When the engine is running and/or the starter battery B1 is relatively charged, the refrigerator output is powered directly from B1. When the engine is off and/or the starter battery B1 is relatively low, the refrigerator output is either switched off or powered from B2, depending on the DIP switch setting. Operating temperature range: +10°C to +50°C. Integrated undervoltage and overvoltage protection as well as reverse polarity protection. Dimensions: L x W x H 200 x 142 x 72.5 mm, Weight: 1.1 kg




DC-DC Booster 40 A

821821

299,-

Connection diagram



Power inverter with near-sinusoidal voltage



- Use of many common household appliances
- USB port 5 V ~ 2.1 A
- Battery protection through undervoltage/overvoltage shutdown
- Reverse polarity protection
- Integrated overload protection
- Overtemperature shutdown ($> 75^{\circ}\text{C}$)



Figure	①	②	③	④
Inverter	Power Inverter 200 W	Power Inverter 400 W	Power Inverter 600 W	Power Inverter 1000 W
Input voltage DC	12 V	12 V	12 V	12 V
Input voltage range	10,5 V-16 V	10,5 V-16 V	10,5 V-16 V	10,5 V-16 V
Rated power	200 W	400 W	600 W	1000 W
Peak power for short periods (2S)	400 W	800 W	1200 W	2000 W
Output voltage ($\pm 5\%$)	220 - 240 V	220 - 240 V	220 - 240 V	220 - 240 V
Shutdown threshold/undervoltage	10.0 $\pm$ 0.5 V	10.0 $\pm$ 0.5 V	10.0 $\pm$ 0.5 V	10.0 $\pm$ 0.5 V
Quiescent current	<0.17 A	<0.21 A	<0.3 A	<0.33 A
Efficiency	>90	>90	>90	>90
Cooling	Fan	Fan	Fan	Fan
Fuse protection	Yes	Yes	Yes	Yes
Connection for remote control	no	no	no	no
USB 5 V ~ 2.1 A	Yes	Yes	Yes	Yes
Socket	1	1	1	1
Housing dimensions approx. (LxWxH) mm	120 x 100 x 50	120 x 100 x 50	150 x 100 x 50	210 x 150 x 70
Overall dimensions approx. (LxWxH) mm	150 x 100 x 50	150 x 100 x 50	180 x 100 x 50	240 x 150 x 70
Weight	Approx. 0.6 kg	Approx. 0.7 kg	Approx. 1 kg	Approx. 2 kg
Art. No.	82291	82292	82293	82294
Price	37,95	44,95	64,90	99,90



Sine wave power Inverter for sensitive 230V devices




- Convert 12 V battery power to 230 V
- Also suitable for microwave ovens, for example
- **Switch-Mode Technology:** Pleasantly quiet, lightweight and compact
- Battery protection through undervoltage shutdown
- Over-temperature shutdown (approx. 60°C)
- Reverse polarity protection
- Integrated overload protection

Automatic load detection – The inverter switches to an energy-saving mode if no power is drawn for one minute. In case of excessively high temperatures, the built-in temperature-controlled fan automatically switches on for cooling.
Aluminum housing – Suitable for floor and wall mounting.

Model	① PS1000U	② PS2000U	③ PS3000U
Input voltage DC	12 V	12 V	12 V
Output voltage (±5%)	230 V	230 V	230 V
Continuous power	1.000 W	2.000 W	3.000 W
Rated power	1.000 W	2.000 W	3.000 W
Peak power short-term.	3.000 W	6.000 W	9.000 W
Shutdown threshold/undervoltage	10.0±0.5 V	10.0±0.5 V	10.0±0.5 V
Quiescent current	≤0.4 A	≤0.6 A	≤0.8 A
Efficiency	≥90%	≥90%	≥90%
Remote control connection	Yes	Yes	Yes
USB connection/amperes	Yes/2.1 A	Yes/2.1 A	Yes/2.1 A
Sockets	1		
3 connection cables included	2x 2m & 1x 0,4m (25mm²)	2x 2m & 1x 0,4m (50mm²)	2x 2m & 1x 0,4m (50mm²)
Housing dims (LxWxH) mm	317x186x90	320x152x105	475x250x110
Overall dims (LxWxH) mm	367x186x90	350x152x105	505x250x110
Weight	3,0 kg	4,8 kg	6,5 kg
Art. No.	82282	82283	82284
Price	349,-	549,-	864,-




Suitable cable remote controls
with 5 m cable
81947 **24,90**



NOTE: Required fuse

We recommend a 12V fuse for installing the inverters on this page.
1000W=100A / 2000W=200A / 3000W=300A.

**Not designed for simultaneous operation!



PowerWave Inverter – Sine wave inverter with automatic transfer switch of the latest generation



• Integrated 230 V automatic transfer switch:

As soon as 230 V shore power is available, the inverter operation automatically interrupted. The inverter operation is resumed immediately as soon as no external power is available.

- Conversion of 12 V to 230 V pure sine wave voltage
- Integrated protection mechanisms
- Temperature-controlled fan
- USB-C port
- Connection cable included
- High-quality aluminum housing (matte anthracite)

Integrated
automatic
transfer
switch

Includes 3
connection
cables



View connection poles

	①	②	③	④
Model	PowerWave 500 W	PowerWave 1000 W	PowerWave 2000 W	PowerWave 3000 W
Input voltage DC	12 V	12 V	12 V	12 V
Output voltage (±5%)	230 V	230 V	230 V	230 V
Continuous power	500 W	1000 W	2000 W	3000 W
Rated power	500 W	1000 W	2000 W	3000 W
Peak power for short periods	1000 W	2000 W	4000 W	6000 W
Shutdown threshold/undervoltage	10.5±0.2 V	10.5±0.2 V	10.5±0.2 V	10.5±0.2 V
Quiescent current	0.6 A	0.8 A	1.1 A	1.3 A
Efficiency	91%	91%	91%	91%
Switching time (230 to 12 V (app.))	< 16 ms	< 16 ms	< 16 ms	< 16 ms
Sockets	1x Schuko	1x Schuko	2x Schuko**	1x Schuko
3 connection cables included	2x 2m & 1x 0,4m (10mm²)	2x 2m & 1x 0,4m (25mm²)	2x 2m & 1x 0,4m (50mm²)	2x 2m & 1x 0,4m (50mm²)
Color	Matte anthracite	Matte anthracite	Matte anthracite	Matte anthracite
Housing dims LxWxH (mm)	245 x 150 x 80 mm	295 x 150 x 80 mm	355 x 220 x 85 mm	355 x 220 x 120 mm
Overall dims LxWxH (mm)	275 x 150 x 80 mm	325 x 150 x 80 mm	385 x 220 x 85 mm	415 x 220 x 120 mm
Weight	Approx. 2.5 kg	Approx. 3 kg	Approx. 7 kg	Approx. 8 kg
Art. No.	82261	82262	82263	82264
Price	209,-	369,-	624,-	769,-

Optional accessories:




PowerDisplay cable remote control

For all PowerWave inverters. The digital display with switchable backlight shows all important inverter data. Cable length: 5 m. Dimensions: 101 x 71 mm, color: black.


82265 34,90

Replacement cable



For all Carbest inverters from 1000 W to 3000 W. +/- cables included. Cable length: 2 m. Each cable has 2 ring terminals.

① ±25 mm² 81940 39,95
② ±50 mm² 81941 76,90



NOTE: Required fuse


For installing the inverters on this page, we recommend a 12 V fuse.
500W=80A / 1000W=100A /
2000W=200A / 3000W=300A.

① GasStick – USB gas detector

- Warns against propane/butane gas (LPG) and anesthetic gases
- Installation is easy via USB port in the vehicle
- Very low power consumption: Standby: 20 mA / Alarm: 22 mA

The extra-compact GasStick is powered via a USB port (USB 2.0) in the vehicle and, thanks to extremely high-quality and small MEMS (Micro-Electro-Mechanical Systems) technology, reliably warns of propane, butane gas (LPG), and anesthetic gas. An integrated LED indicates the device status. Acoustic warning signal: approx. 70 dB. Insensitive to temperature fluctuations and humidity. Dimensions: L x W x H approx. 77 x 28 x 10 mm.

80267 74,95



② GasCube – Gas detector in elegant design

- Warns against propane/butane gas (LPG) and anesthetic gases
- Visual and acoustic indication of operational readiness, calibration phase and alarm.

Permanent connection to 12V vehicle electrical system. Push-button switch. Ready for operation after approx. 3 minutes. With highly sensitive sensor and 80 dB loud siren. Temperature-controlled sensor that functions reliably even above 25°C. Standby power consumption: 100 mA, alarm power consumption: 180 mA. Dimensions: 55.6 x 86.7 x 24 mm.


Color: Matte white 802482 64,95
Counter display with 10x GasCube Matt-White 802480 633,--



④ LPG gas detector

Reliably warns of gas leaks. Audible alarm: 85 dB, 12 volts, power consumption: 100 mA. Temperature range: -10/+50°C. Dimensions: 115 x 70 x 60 mm. Scope of delivery: LPG gas detector, mounting hardware.

80216 29,95



⑤ 2 in 1 combination gas detector

- Detects natural gas / LPG / CO gas
- 2 integrated sensors
- Self-test function, acoustic and visual alarm
- Includes wall bracket for easy installation

Operating voltage: 12 volts, Temperature range: -10°C to +50°C. Alarm volume: 85 dB, Power consumption: Standby 90 mA / Alarm 120 mA, Dimensions: 125 x 80 x 40 mm


802180 39,90

⑥ Battery-operated smoke detector

- Monitoring area <6m Height: 60 m²
- 9V block battery operation (not included)
- With test button for functional testing

Alarm as sound and light signal, volume during alarm: 85 dB, dims: Ø 130x40 mm, including ceiling bracket for screwing on.

80300 24,90



Safety – Portable Security cassette

- Includes bracket and safety rope

Thanks to the included, securely screwed-in bracket, the Safety box can be quickly inserted or removed at any time. The box is securely attached to the bracket using a locking tongue. Dimensions: Bracket approx. W16 x D22 x H7 cm, Box approx. W15 x D21.5 x H6 cm. Internal dimensions of the box: W13.5 x D17.5 x H6 cm. Scope of delivery: Safe box, bracket, 2 keys, security chain, mounting hardware. Weight: 1.7 kg

47132 24,95



Rex – Versatile Furniture Safe

- Solid steel body and door
- Double bolt locking mechanism (Ø 16 mm)
- Includes 2 double-bitted keys

Secure your valuables such as jewelry, cash and documents in your motorhome, caravan, office or yacht. Pre-drilled holes for permanent mounting in a cabinet or bookcase. Door hinges on the right with concealed hinges.

Internal dimensions: W 30.6 x D 15.5 x H 19.5 cm. External dimensions: approx. W 31 x D 20 x H 20 cm. Scope of delivery: safe, 2 keys, mounting hardware. Weight: 6.8 kg.

47136

54,95

12V/24V modules for free combination

12V
24V

Combination example



Surface-mounted housing

Surface-mounted housing for installing sockets or displays. Individually configurable with All CARMEST power sockets / USB sockets / voltmeters. Hole diameter: Ø 29 mm. Dimensions (L x W x H):

1-fold	80 x 55 x 50 mm		
	811223	2,60	
2-fold	80 x 100 x 50 mm		
	811224	4,50	
3-fold	80 x 150 x 50 mm		
	811225	5,90	



Mounting frame

Front panels for mounting sockets or displays. Individually configurable with all CARMEST power sockets / USB sockets / voltmeters, hole diameter: Ø 29 mm. Dimensions (L x W x H)

1-fold	60 x 42,5 x 5,5 mm	811221	1,50
2-fold	105 x 42,5 x 5,5 mm	811222	1,90
3-fold	150 x 42,5 x 5,5 mm	811213	2,50
4-fold	195 x 42,5 x 5,5 mm	811226	2,90
4-fold (square)	100 x 110 x 8 mm	811227	3,20



Rocker switch (ON/OFF) with indicator light

With red LED indicator light, rocker switch for switching on and off with red indicator light. Load capacity: 12V - 10A / 24V - 6A
Hole diameter: Ø 29 mm

811217 2,90



Temperature display with sensor

3-digit digital display (red backlight), temperature meter including temperature sensor. Reliable display of ambient temperature. Temperature range: -40 - 125°C. Hole diameter: Ø 29 mm

811220 13,90



LED Voltmeter

3-digit digital display (red backlight), voltmeter (6-28V) for digital display of the applied voltage in volts. Bore diameter: Ø 29 mm

811218 14,50



Dual LED voltmeter for Vehicle and on-board battery

3-digit digital display (red backlight), dual LED voltmeter (10-60V) for displaying the applied voltage in volts, ideal for monitoring vehicle and auxiliary batteries. Bore diameter: Ø 29 mm

811219 19,90



Power socket

For operating 12V or 24V devices, universal socket including protective cap. Also suitable as a charging input. Load capacity: 12V-20A / 24V-10A. Hole diameter: Ø 29 mm

811210 4,20



Dual USB charging socket 1x USB-A / 1x USB-C

USB recessed socket (blue illuminated) including protective cap. Input: 12/24V, Output USB-A: QC 3.0 (3.6V - 12V, max. 32W), Output USB-C: QC 4.0 (5V - 20V, 12V max. 35W, 24V max. 60W). Hole diameter: Ø 29 mm

811211 19,90



LED voltmeter with integrated USB charging socket

LED voltage display including USB charging port, LED voltmeter with integrated USB charging socket (blue backlight). The display can be switched on or off via an ON/OFF touch switch. Includes rubber protective cap with cutout for reading the voltage. Input: 12V / 24V, USB-A output: QC 3.0 (3.6V - 12V, max. 18W), bore diameter: Ø 29 mm

811212 18,50

12V / 24V sockets / couplings / distributors / switches



12V
24V

Twin coupling, angled

12/24 V, for cigarette lighter socket, adjustable in 2 directions up to 90°. Max. 10 A, with fuse and LED operating indicator. **81321 1,80**



12V

Multiple distributor

Each with 2 USB ports. 5 V, max. 5 A, 2.1 A. 20 cm spiral cable, extendable to approx. 1 m. With fuse and red LED operating indicator.

2-way distributor **81323 5,75**



12V
24V

Battery terminals

Cigarette lighter socket 12/24 V, with cover cap. Cable length 1 m.

81322 5,40



12V
24V

Twin coupling

12/24 V, for cigarette lighter socket. 2 large couplings and cover caps, cable length 2 x 1.4 m, max. 5 A, with fuse and operating indicator.

81320 2,60



12V

Universal distributor

For mounting in a cupholder. 2 x USB ports, 5 V, 500 mA, 2 x universal sockets. 20 cm coiled cable, max. 5 A, with fuse. 4-LED power indicator.

81315 3,70



12V
24V

Mounting plate with 12/24 V socket and 50 A Anderson

Very flat recessed panel. Dimensions (L x W x H): 75 x 60 x 6 mm. Includes 6 connectors for the following cable cross-sections: 2x 4-6 mm², 2x 5-10 mm², 2x 8-16 mm².

811214 18,99

Aluminum housing



12V
24V

USB charging plug

- With cigarette lighter plug
- USB-A and USB-C output
- Blue LED lighting

Technical data: Input: DC 12/24V. Output USB-A/QC 3.0: 5V/3A, 9V/2A, 12V/1.5A (max. 18W). Output USB-C/PD: 5V/3A, 9V/2A, 12V/1.5A (max. 18 W) Dimensions: L 64.5 x Ø 26.5 mm.

813032 7,50

Checkpanel 714

Switching off the 12V system. 4 fused outputs (circuit breaker) 1 x 12 A / 3 x 10 A). Central 12 V distribution from the panel. Integrated standard socket 12 V/16 A*, main on/off switch 12 V/20 A (main switch is also a 20 A fuse). Dimensions: H: 72 x W: 155 x D: max. 95 mm.

(*If the socket is loaded with more than 10 A, it must be separately fused via an extra circuit, up to a maximum of 16 A!) **800191 159,-**



Aluminum switch panel with two rocker switches (12/24V)

2-way switch (ON/OFF) with red LED indicator light (illuminates only in ON mode). Black coated mounting frame. Scope of delivery: Switch panel with two rocker switches, 4x mounting screws, sticker set with various switch symbols for labeling the rocker switches Load capacity: 12V-20 A / 24V-10 A Dims of aluminum plate: approx. 70 x 70 mm **811209 22,90**




12V
24V

12V
24V



LED touchdimmer switch 12 V / 30 W

Hole diameter: 19 mm. Short press for on/off, long press for dimming function (stepless, with memory function). Max. 5A, material: stainless steel. 4 connection cables. IP65. **811208 17,90**



12V
24V

NEW

Pressure switch 12 V/24 V

ON/OFF push button with blue illuminated LED ring (lights up only in ON mode). 15A max. Material: stainless steel. **811207 22,90**



LED failure indicator

Power distribution box with fuse holder and LED failure indicator

- For 6/12 circuits
- LED failure indicator
- Integrated negative busbar
- Transparent plastic cover
- Includes pictogram stickers for labeling

Compact fuse and distribution box for 6 or 12 circuits. A red LED immediately signals when a fuse has blown. Maximum current per circuit: 30A. Total current: 100A. Maximum voltage: 32V. (Delivery without fuses)

① 6 circuits		
Dimensions (LxWxH): 87.8 x 88 x 36.5 mm	810220	24,95
② 12 Circuits		
Dimensions (LxWxH): 165 x 85 x 39 mm,	810221	39,95



12x

50 A high-current battery connector sets

2-pole connector, usable as a plug and socket. Maximum current: 50A. Dimensions L x W x H: 48 x 35 x 15.9 mm. Includes 12 receptacles for cable cross-sections: 4 x 4-6 mm², 4 x 5-10 mm², 4 x 8-16 mm².

Scope of delivery: 2 connectors, 12 receptacles.

Color: Grey 850920 7,95



Accessories for 50 A high-current connectors

① Protective cap for 50 A plug	811216	1,99
② Protective cover for 50 A connectors	811215	2,90



NEW

5-fold high-load fuse holder

Fuse combination for large consumers and charging sources

1x high-load fuse (MEGA) with M8 threaded bolt and 4x automotive Screw-in fuse (MIDI) with M5 threaded bolt. For protecting high-power consumers or high-load circuits. Includes cover. Fuses not included.

810222 21,95



Adhesive base for cable ties

Plastic base with 3M adhesive backing. For cable ties up to 3.5 mm wide, black. Dimensions: 20 x 20 mm, 50 pieces. Cable ties not included.

810800 4,95



Cable ties, 200x3.5 mm

For quick fastening of hoses or cables. Plastic, assorted colors. 100 pieces.

810780 3,90



① Cable reel with 4 sockets, 25 m

Rubber cable with Schuko plug and 4 Schuko sockets with covers. For indoor use. Splash-proof.

H05 RR-F 3 x 1.5 mm²

(For export or home use only)

25 m **820451** **69,95**



② Cable reel with 4 sockets, 7.5 m

Rubber cable with Schuko plug and 4 Schuko sockets. For indoor use.

Splash-proof. H05 RR-F 3 x 1.5 mm²

(For export or home use only)

7,5 m **82153** **13,50**



Hand cable reel

for rolling up the extension cable of max. 35 m, cable 2.5 mm²

82009 **11,95**



Cable transport bag

Convenient cable transport. Suitable, for example, for hand cable reels (item no.: 82009). Size: Ø 40 cm, width: 14 cm.

820292 **9,95**



Schuko distribution plug

① 2-way socket with cover flaps

82201 **6,40**

② Triple socket

with cover flaps and 1.5 m connection cable. H07 RN-F 3 x 2.5 mm².

82202 **10,95**



Plug / Coupling

① Schuko rubber plug

82033 **2,95**

② Schuko rubber coupling

82034 **4,30**



5-way power strip

Extension cord, Schuko/Schuko, Schuko plug to socket strip with hinged covers. For indoor use. With 2.5 m cable, H05 RR-F 3 x 1.5 mm².

(For export or home use only)

82151 **14,90**



Schuko Safebox

For protection against moisture. Box without lock, L 210 x Ø 70 mm.

820431 **3,95**



Cable ties with handle

For bundling, carrying and storing, reusable. Suitable for e.g. for 25 m cable (H07 RN-F 3G 2.5) or e.g. for 40 m cable (H07 RN-F 3G 1.5).

820091 **4,95**



Schuko distributor with 1.5 m cable

Extension distributor Schuko/Schuko Schuko plug to double Schuko socket. With 1.5 m cable and 2 covers. H07 RN-F 3 x 2.5 mm².

82006 **5,60**



CEE angle plug

For a kink-free connection to the power pole or socket. 200-250V, 16A. IP44.

820302 6,95



CEE angle coupling

CEE 17 European socket with integrated Schuko socket and hinged cover, suitable for CEE inlet sockets. 200-250V, 16A. IP44.

82030 7,95



CEE coupling

Suitable for connection to CEE inlet sockets. 200-250V, 16A. IP44.

82032 4,95



CEE plug

Suitable for CEE sockets on campsites and CEE couplings. 200-250V, 16A. IP44.

82031 5,20



CEE coupling / Schuko plug

CEE adapter with cover. 200-250V, 16A. IP44.

82007 9,50



2-way distributor

CEE plug/double CEE distribution socket with hinged cover. 200-250V, 16A. IP44.

82301 13,95



Schuko/CEE adapter

CEE plug/Schuko coupling with cover. 200-250V, 16A. IP44.

82044 15,95



Plug GB

CEE coupling, H=7RN-F cable 3 x 2.5 mm². Approx. 20 A. 0,4 m

821543 8,30



CEE structure - power supply socket

Ideal for concealed installation in the engine compartment (e.g., in Volkswagen Transporters) with cover, 3-pin, 230 V / 16 A, IP44.

82008 13,90



The image shows 1.5 m cable

Adapter Schuko/Angle

Schuko plug/CEE angled coupling with additional Schuko socket. Prevents cable kinking. SB pack. H07 RN-F 3 x 2.5 mm². 200-250V, 16A. IP44.

1,5 m* 82020 15,50
25 m* 820201 84,95

H07 RN-F 3 x 1.5 mm². (For export or home use only). 200-250V, 16A. IP44.
1,5 m* 82025 12,95



Adapter CEE/Schuko

CEE plug/Schuko rubber coupling H07RN-F 3 x 2.5 mm². 200-250V, 16A. IP44.

1,5 m 82022 12,95
0,4 m 820221 9,95

H07 RN-F 3 x 1.5 mm². 200-250V, 16A. IP44.
(For export or home use only)
0,4 m 820261 8,95



Schuko/CEE adapter

Schuko plug/CEE socket, H07RN-F 3 x 2.5 mm². 200-250V, 16A. IP44.

0,4 m* 820211 12,95
1,5 m* 82021 16,95
4,0 m* 820212 19,95
25 m* 820213 79,95

H07 RN-F 3 x 1.5 mm². 200-250V, 16A. IP44.
(For export or home use only)
0,4 m 8202110 7,90



CEE-rectangular input sockets

With seal and hinged lid, plastic. Dimensions: 70 x 135 x 65 mm.

White 82140 16,95
Black 821400 16,95

Replacement rectangular lid

Black 821402 7,50
White 821403 7,50

Replacement seal For rectangular CEE socket. Dimensions: 70 x 135 x 65 mm.

White 821401 2,50
Black 821404 2,50



CEE-Square input sockets

With seal and hinged lid. (Round built-in pot) Dimensions: 105 x 105 mm.

White 82149 12,95
Black 821490 12,95
Beige 820116 16,70
Anthracite 82011 19,95

Replacement square lid

For 82149, White 821493 6,--
For 821490, Black 821492 6,--
For 820116, Beige 820146 8,95

Replacement seal For square CEE socket. Dimensions: 105 x 105 mm.

White 821491 2,50
Black 821494 2,50

Pro CEE cable reel for many applications

① CEE cable reel

3-pin CEE plug (on the drum) and CEE socket (on the short end). Campsite approval up to 25 m. 16 A, H07 RN-F 3 x 2.5 mm².
25 m **820481** **99,-**

② CEE cable reel

H07 RN-F 3 x 2.5 mm². 2x Schuko / 1x CEE socket, thermal protection switch.
25 m **82027** **119,-**

③ CEE cable reel

3-pin CEE plug (on the drum) and CEE angled socket and Schuko socket (on the short end). Campsite approval up to 25 m. 16 A, H07 RN-F 3 x 2.5 mm².
25 m **820483** **109,-**



CEE plug/- Angle coupling

With additional Schuko socket. 3 x 2.5 mm²
1,5 m **82036** **21,95**
15 m **820362** **54,95**
25 m **820361** **85,95**
With additional Schuko socket. 3 x 1.5 mm²
(for export or home use only)
30 m **822041** **44,90**



CEE connection cable

CEE plug/coupling, 3 x 2.5 mm², L 1.5 m.

82035 **16,95**



CEE Safebox

For protection against moisture. With lock, L 365 mm, Ø 100 mm

820432 **9,95**

SET



CEE extension cable

Neoprene rubber cable. Includes carrying case. Suitable for outdoor use. Includes carrying case.

H07RN-F, 3 x 2.5 mm²
10 m **82018** **59,95**
25 m **820181** **89,95**
H07RN-F, 3 x 1.5 mm²
(for export or home use only)
10 m **82024** **29,95**
25 m **820242** **57,95**
40 m (without bag) **820244** **69,90**



Power strip

3-way power strip with three Schuko sockets and cover caps, 10 m connection cable + CEE plug.
Fault current circuit breaker 0.03 A + double automatic fuse 10 A.
In a plastic housing with hanging device. 2 clamps Ø 21 mm for clipping onto tent poles. 3 x 1.5 mm²
(For export or home use only)
10 m **82210** **59,95**



Power strip

Triple power strip with three Schuko sockets and cover caps, 10 m connection cable with CEE plug. Plastic housing. H07 RN-F 3 x 1.5 mm².
(For export or home use only)
1,5 m **82209** **11,95**
5 m **822091** **17,95**




Cable set

Neoprene rubber cable H07RN-F, 3 x 2.5 mm² 25 m. Includes hand cable reel For winding up extension cables up to 35 m and includes a convenient carrying bag. Size: Ø 40 cm, width: 14 cm.

820200 **94,95**


LED Linear lights with aluminum housing



	①	②	③	④	⑤	⑥	⑦
Volt	12 V	12 V	12 V	12/24 V	12/24 V	12/24 V	12/24 V
W	5 W	7 W	2,8 W	2 W	6 W	3,6 W	7,2 W
LEDs	27	42	18	10	30	18	36
Lumen	360	470	288	180	520	340	570
Kelvin	3,000 K	3,000 K	3,000 K	3,000 K	3,000 K	3000 K	3000 K
Switch	Yes (touch)	Yes (touch)	Yes	Yes	Yes	Yes	Yes
Length	40 cm	60 cm	34,7 cm	22,5 cm	47,0 cm	26,6 cm	46,8 cm
Width	1,9 cm	1,9 cm	2,5 cm	3,3 cm	3,3 cm	2,8 cm	2,8 cm
Height	-	-	2,0 cm	3,5 cm	3,5 cm	1,35 cm	1,35 cm
Item no.	83674	83675	835571	83241	83242	83243	83244
Price	21,90	29,90	33,90	18,90	39,90	19,90	33,90



Fewer insects in the vehicle due to red light



LED Linear luminaire Dual Color


- Warm white light (3000K) for cozy ambient lighting
- Red light to avoid attracting insects
- Sturdy aluminum housing
- Easy assembly: screw or glue

The 12/24V dual-color LED light is equipped with 12 warm white SMD LEDs (2.4W/190lm) and 12 red SMD LEDs (1.2W/95lm). Color change is controlled via a switch. Dims: 270 mm long, connection cable approx. 30 cm.

83589

34,90

12V
24V



LED linear luminaires

- Elegant aluminum housing
- Frosted glass pane

Elegant design thanks to the aluminum housing. 12/24V, with on/off switch. 3000K. IP65. Not dimmable.

Length: 170mm, 18 LEDs, 4W, 348 lumens

83245 16,90

Length: 370 mm, 54 LEDs, 11 W, 979 lumens

83246 39,90

① 2-in-1 LED surface-mounted linear light including two adjustable LED spots

- Long linear light fixture (approx. 800 mm)
- Includes 2 adjustable LED spotlights
- LED spotlights and LED linear light, separately controllable and dimmable via ON/OFF switches

The LED linear light and the two LED spotlights can be controlled separately via their own ON/OFF switches. Both LED spotlights can be individually moved along the track. 12/24 V, 7 W, 575 lm, color temperature: warm white 3000 K. IP42, length: 800 mm, color: matte black. (No additional LED spotlights can be added)

83656 69,90




② USB A/C port for linear light 83656

It integrates easily into the rail and is adjustable. Connections: 1x USB-A + 1x USB-C. Technical specifications: USB-A/C: 20W, 5V/3A, 9V/2A, 12V/1.5A. Color: black

83664 14,90

Expected delivery from Q3/26.

Surface-mounted lights with integrated night light function




LED light Down Light Slim

- With touch switch
- Very flat plastic housing
- Light color switchable between white and blue

Round ceiling light with two light colors. 36 warm white LEDs (4900-5300 K, 576 lumens) or 6 blue LEDs as a night light. 5.7 W, beam angle 120°. Dimensions: Ø 130 x 10 mm. Not dimmable.

835490 49,95




LED light Mini Slim Down Light

- Touch switch
- Light color switchable between white and blue

Round LED light with two light colors: 12 warm white LEDs (3000 K, 192 lumens) or 6 blue LEDs as a night light. 1.9 W. Beam angle 120°. IP66. Dimensions: Ø 69 x H 9.6 mm. Not dimmable.

835491 24,90




SlimLite LED light

- Flat surface-mounted light
- With push button switch (on/white/blue)
- Aluminum-colored plastic housing

Rectangular ceiling light with two light colors. 36 warm white LEDs (4000 K, 576 lumens) or 12 blue LEDs as a night light. 5.7 W, 120° beam angle. Silver housing with switch. Dimensions: 185x110 mm. Not dimmable.

835492 52,90

Luminaires




LED wall and ceiling light

- Square shape
- Very flat and inconspicuous
- Design: opal white

LED wall and ceiling light for surface mounting. 12 V, 3 W, 190 lumens, 3000 K. Beam angle 120°. Dimensions (L x W x H): 70 x 70 x 10 mm, not dimmable.

833732 9,95



LED panel lights


LED surface-mounted light for wall and ceiling. Made of white plastic, 12 V, 5 watts, 350 lm, 33 SMD LEDs. Color temperature 3000 K, beam angle 180°.

Dimensions: 70 x 70 x 14.5 mm

830341 15,50

Dimensions: 130 x 130 x 14.5 mm

830342 19,90



LED Surface-mounted light

Flat housing with high-quality frosted glass plastic lens and ON/OFF switch. Dimmable LEDs, 12 volts, 6 watts, dimensions: LxWxH 270x100x10 mm.

83627 39,95



LED wall and ceiling light

- ON/OFF switch integrated
- Design: opal white

LED wall and ceiling light with switch for surface mounting. 12 V, 3 W, 190 lumens, 3000 K. Beam angle 120°. Diameter: 75 mm. Height: 10 mm. Not dimmable.

833731 9,95




LED wall/ceiling light with 3 different color temperatures

- Light colors: Warm white / Neutral white / Daylight white
- Integrated switch

12 V, 4.5 W, 350 lm, 3 adjustable color temperatures: 3000 K / 4000 K / 6000 K. With integrated switch, IP40. Dims: Ø 110 mm, height: 18 mm. Color: white.

83635 14,90

Expected to be available from Q3/26




LED ceiling light

- Touch switch in the center
- 3-step switch (dim, medium, bright)
- Design: silver

Round LED ceiling light, glossy silver. 12 V, 7 W, 447 lumens, warm white 3000 K. With touch switch, IP44. Dimensions: Ø 175 mm, height: 18 mm. Not dimmable.

835721 39,90



LED ceiling lights

- Touch switch in the center
- Dimmable

12/24 V, warm white color temperature 3000 K. With touch switch, IP42. With stylish chrome ring.

Black , Ø 105 mm, 3 W, 350 lm, H: 12 mm. 83636 24,--
2) Fcolor white, Ø 165 mm 5 W, 495 lm, H: 12 mm. 83637 39,90

Expected to be available from Q3/26



LED wall/ceiling light with night light

- 2 light modes adjustable: warm white or blue night light
- Touch switch with dimmer function

12/24 V, 3 W, 245 lm, warm white color temperature 3000 K. With touch switch, IP40. Dims: Ø 70 mm. Color: chrome. **83634 21,90**

Expected to be available from Q3/26




LED wall and ceiling light

- Touch switch in the center
- Design: chrome

LED wall and ceiling light with touch switch for surface mounting. 12 V, 3 W, 150 lumens, 3000 K. Beam angle 120°. Chrome finish, material: aluminum. Protection class: IP60, dimensions: Ø 70 mm, height: 8 mm. Not dimmable.

833734 19,90

LEDSpots



LED spotlight

12V LED spotlight, color: white, 3000K, 2W, 12 SMD LEDs, 190 lumens, ABS housing. Dimensions: Ø 75x18mm. IP67. Not dimmable.


83373 9,90



LED ceiling spotlight Wave

3 white LEDs with switch. Ø 105 x H 24 mm. Plastic/metal, silver, swiveling. 3 x 1 W/80 lumens. Not dimmable.

83533 35,90



LED wall and ceiling light

- Touch switch in the center
- Design: chrome

With touch switch for surface mounting. 12 V, 1.5 W, 73 lumens, 3000 K. Beam angle 120°. Chrome finish, material: aluminum. Protection class: IP60, dims: Ø 50 mm, height: 8 mm. Not dimmable.

833733 16,90



LED mini recessed spotlight (short)

- **Very small and compact**
 - **Swivel spotlight** 12 V, 1 W, 62 lm, color temperature: warm white 3000 K. IP40. Color: matte black. Dims: Ø 35 mm, H: 28 mm. Hole diameter: Ø 30 mm. **83646 9,60**
- Expected to be available from Q3/26



LED mini surface-mounted spotlight (long)

- **Very small and compact**
 - **Swivel spotlight** 12 V, 1 W, 68 lm, color temperature: warm white 3000 K. IP40. Color: matte black. Dims: Ø 35 mm, H: 37 mm. **83647 9,60**
- Expected to be available from Q3/26



LED mini recessed spotlight

- **Very small and compact**
 - **Clamp mount**
 - **Stainless steel housing**
- 12 V, 1 W, 53 lm, warm white 3000 K. Beam angle 60°. Mounting hole: 13 mm, IP65. Not dimmable. **837080 10,90**




LED mini recessed spotlight

- **Very small and compact**
 - **Plastic housing**
- With mounting thread. 12 V, 1 W, 65 lm, warm white 3000 K. Beam angle 120°. Hole diameter: 15 mm. Not dimmable. **837081 9,90**




LED recessed spotlight Mini

- **Very small and compact**
 - **With clamp mount** 12 V, 1 W, 68 lm, color temperature: warm white 3000 K. IP40. Color: matte black. Dims: Ø 35 mm, H: 19 mm. Bore: Ø 30 mm. **83648 9,50**
- Expected to be available from Q3/26



LED recessed spotlight Mini

- **Very small and compact**
 - **With clamp mount**
 - **Opal glass optics** 12 V, 1 W, 72 lm, color temperature: warm white 3000 K. IP65. Color: white. Dims: Ø 27 mm, H: 15 mm. Bore: Ø 22 mm. **83649 11,90**
- Expected to be available from Q3/26




LED recessed spotlight Mini

- **Shines downwards, for installation near the floor**
 - **Ideal as an orientation light**
 - **Very small and compact** 12 V, 1 W, 65 lm, color temperature: warm white 3000 K. IP65. Color: matte black. Dimensions: Ø 39 mm, H: 26 mm. Mounting hole: Ø 30 mm. **83650 12,-**
- Expected to be available from Q3/26

LED recessed spotlights with additional spacer ring for surface mounting

- **Installation or surface mounting possible, spacer ring included.**
 - **Touch switch**
 - **Dimming function** 12/24 V, 2 W, 140 lm, Color temperature warm white 3000 K. IP42. Dimensions of recessed spotlight: Ø 65 mm, height 12 mm. Hole diameter: Ø 54 mm..
- | | |
|----------------------|--------------------|
| ① Matte black | 83651 16,90 |
| ② White | 83653 16,90 |
| ③ chrome | 83652 16,90 |
- Expected to be available from Q3/26



LED recessed spotlight, swiveling


- **Spotlight can be swiveled to two sides**
 - **Touch switch**
 - **Dimming function** 12/24 V, 2 W, 140 lm, Color temperature warm white 3000 K. IP42. Dimensions: Ø 92 mm, bore: Ø 80 mm. Color: Matte black. **83654 36,90**
- Expected to be available from Q3/26



- ### LEDspotlight made of stainless steel, 9 LEDs, 12 V,
- 1.7 W, brushed stainless steel, 3,000 K, 165 lm, dimensions: approx. Ø 65 x 11 mm. Not dimmable. **83676 9,99**



- ### LEDspotlight made of stainless steel, 24 LEDs, 12 V,
- 1.7 W, brushed stainless steel, 3,000 K, 180 lm, dimensions: approx. Ø 65 x 11 mm. Not dimmable. **83670 9,99**



- ### LED spotlight, silver
- 12V, 2.7W, 3000K, 200lm, Dimensions: Ø 90 mm, H 11.5 mm. Not dimmable. **83673 9,99**



- ### LED recessed spotlight
- **Spot, swivel**
 - **Material: Brushed aluminum**
- Dimensions: approx. 65 x 65 x 16 mm, 108 lm, 2 W, 3000 K. Not dimmable. **831582 10,90**



LED surface-mounted spotlight with night light

- Touch switch
- Dimming function
- USB-C port in the base (side)

12/24 V, 1 W, 65 lm. Color temperature: Warm white 3000 K and blue night light. IP40. USB-C PD/QC: 20 W, 5 V/3 A, 9 V/2 A, 12 V/1.5 A. Elegant glass shade, height: approx. 120 mm. Color: Matte black. **83657 27,90**
Expected to be available from Q3/26



LED surface-mounted spotlight with night light

- Touch switch
- Dimming function
- USB-C port in the base (side)

12/24 V, 2 W, 135 lm. Color temperature: Warm white 3000 K and blue night light. IP40. USB-C PD/QC: 20 W, 5 V/3 A, 9 V/2 A, 12 V/1.5 A. Color: Matte black. **83638 29,90**
Expected to be available from Q3/26



LED surface-mounted spotlight with night light


- Touch switch
- Night light function
- Dimming function
- USB-C port in the base (side)

12/24 V, 3 W, 205 lm. Color temperature: Warm white 3000 K and blue night light. IP40. USB-C PD/QC: 20 W, 5 V/3 A, 9 V/2 A, 12 V/1.5 A. Dimensions: HxW: approx. 105x70 mm. Color: Nickel, with glass shade. **83639 26,90**
Expected to be available from Q3/26



LED spotlight with touch switch and glass shade

12V, incl. night light function, material: brushed nickel, 3000K, 2W, 1x COB LED, 180 lumens, dimmable via touch switch, weight: approx. 300g. **83187 18,95**




LED spotlight with touch switch and USB port in the base

12V, incl. night light function, glass shade, material: brushed nickel, 3000K, 2W, 1x COB LED, 180 lumens, dimmable via touch switch, weight: approx. 200g. **83189 29,90**



LED spotlight with touch switch and lampshade in white


12V, incl. night light function, elegant lampshade in white, material: chrome, 3000K, 2W, 1x COB LED, 180 lumens, dimmable via touch switch, weight: approx. 170g. **83188 25,90**



ON/OFF SWITCH
IN THE SHINING HEAD
INTEGRATED

Gooseneck lamps in brushed nickel, available in two lengths

12V, 1x COB LED, 1.2 W, 100 lm, beam angle 120°, warm white (3,000 K), dimmable with an additional dimmer. With switch. Ø 35 mm, overall height 160.5 mm **830343 35,90**
overall height 300.5 mm **830344 39,90**





Extra-long LED gooseneck lamp

- Touch switch in the light head
- USB-C port in the base (on the side)
- Dimming function
- Extra-long flexible arm (length 350 mm)

12/24 V, 2 W, 138 lm. Color temperature: Warm white 3000 K. Touch switch integrated into the lamp head. Dimming function. IP40. USB-C PD/QC: 20W, 5V/3A, 9V/2A, 12V/1.5A. Color: Matte black.

83645

35,90

Expected to be available from Q3/26



LED gooseneck lights with white and red light

- 2 light modes: warm white light or red light (to avoid attracting insects)
- Touch switch in the light head
- USB-C port in the base (on the side)
- Dimming function

12/24 V, 2 W, 145 lm, Color temperature warm white 3000 K. IP40. Dimming function. USB-C PD/QC: 20W, 5V/3A, 9V/2A, 12V/1.5A.

Flexible arm (250 mm)

Color: Matte black

83643

32,90

Color: Matt white

83644

32,90

Expected to be available from Q3/26



LED spotlight with flexible arm

- Elegant design in matte black
- ON/OFF switch

High-quality glass shade. Not dimmable. Material: Aluminum/plastic, Total length: 150 mm / Flexible arm length: 90 mm, ON/OFF switch, 3000 K, 1.8 W, 80 lumens, 6 x SMD LEDs.

830346

26,90

LED spotlight with flexible arm and USB charging socket

- Elegant design in matt white
- ON/OFF switch
- USB port in the base (1x2A)

High-quality glass shade. Not dimmable. Material: Aluminum/plastic, total length: 150 mm / flexible arm length: 90 mm, USB port in the base (1 x 2 A). On/off switch, 1.8 W, 80 lumens, 3000 K, 6 x SMD LEDs.

830345

29,90

① LED surface-mounted spotlight with flexible arm and night light

- Touch switch
- Dimming function
- USB-C port in the base (on the side)

• Flexible arm (length 100 mm) 12/24 V, 2 W, 135 lm. Color temperature: Warm white 3000 K and blue night light. IP40. USB-C PD/QC: 20W, 5V/3A, 9V/2A, 12V/1.5A. Flexible arm: L 100 mm, lamp head: Ø 30 mm, L 50 mm. Color: Matte black

83640

31,90

② + ③ LED gooseneck lamps with flexible arm and night light

- Touch switch
- Dimming function
- USB-C port in the base (front)
- Flexible arm (length 200 or 300 mm)

12/24 V, 2 W, 135 lm. Color temperature: Warm white 3000 K and blue night light. IP40. Lamp head: Ø 30 mm, L 50 mm. Color: Matte black.

② Arm length 200 mm

83641

32,90

③ Arm length 300 mm

83642

34,90

Expected to be available from Q3/26

12V SMD LED light bulb

- SMD LEDs for very bright warm white light (min. 3,000 K)
- Up to 90% energy savings compared to incandescent bulbs
- Up to 5 times longer service life compared to incandescent bulbs (25,000 hours)
- Insensitive to voltage spikes (10 - 30 V)
- Designed for use in motorhomes with fluctuating 12 V voltage



LED flat circuit board with side pins

9 x SMD, 1.5 Watt, 150 Lumen, Angle 120°, Ø 27 x 8 mm, base G4, 3000K, dimmable **830327 7,90**



Cold light mirror, not dimmable

MR 11 - 9 x SMD, 1.5 watts, 120 lumens, aluminum, angle 120°, Ø 34.5 x H 39 mm, GU4 base. **830336 7,90**



Pin base LED

4 x SMD, 1.5 watts, 60 lumens, angle 120°, base G4, Ø 11.2 x H 23.5 mm, Not dimmable. Warm white 3000K. **830320 5,95**



Pin base LED

15 x SMD, 1 watt, 82 lumens, angle 360°, Ø 12 x H 22 mm, base G4, Dimmable. Warm white 3000K. **830322 5,90**

12V COB LED light bulb

- Very high light output per square centimeter
- Fewer components per LED chip
- Reduced heat generation
- Low light loss, increased Beam angle
- Very bright, warm white light (approx. 3,000 K)



G4 COB light bulb

1 x COB LED in silicone casing, 12 V, 1.5 watts, 100 lm, G4 base, 3,000 K, non-dimmable, IP20, 220° angle, dimensions: Ø 10 x 22 mm. **830329 5,90**



G4 COB light bulb

1 x COB LED in silicone casing, 12 V, 2 Watt, 200 lm, G4 base, 3,000 K, non-dimmable, IP20, 360° angle, dimensions: Ø 10 x 30 mm. **830331 9,90**

RGBW control unit with remote control

Specifically designed for RGBW LED flex strip 83175. For controlling lighting effects and light color. **83179 22,50**



Professional LED flex strips with warm white light



- Atmospheric lighting for indoor/outdoor use
- All LED flex strips are dimmable
- Self-adhesive backing (3M)
- Can be cut after every 3rd LED

12 V LED flex strip for indoor and outdoor use 30 LEDs/m, 2.4 W/m, 190 lumens/m, 3,000 K warm white, IP66, 5 m roll, tape width: 7 mm **83174 24,90**

12V LED flexible strip for indoor and outdoor use 60 LEDs/m, 4.8 W/m, 320 lumens/m, 3,000 K warm white, IP67, 5 m roll, bandwidth: 7 mm. **83171 44,90**

12 V LED flex strip for indoor & outdoor use 120 LEDs/m, 7.2 W/m, 480 lumens/m, 3,000 K warm white, IP67, ideal as awning lighting, incl. 1 m connection cable (waterproof), 5 m roll, bandwidth: 10 mm. **83170 69,90**

12 V LED flex strip for indoor use 60 LEDs/m, 4.8 W/m, 290 lumens/m, 3,000 K warm white, IP20, 5 m roll, bandwidth: 5 mm. **83172 34,90**

LED flex strip with RGBW



- Dimmable
- Self-adhesive

12V LED flex strip RGB and warm white in one 72 LEDs/m, can be cut after every 6th LED, 10.8 W/m (all LEDs), 2.2 W/m (warm white LEDs). Warm white: 250 lm/m, red: 72 lm/m, yellow: 138 lm/m, blue: 35 lm/m. 3000 K warm white, 5 m roll, width: 10 mm. IP65. **83175 74,90**

Flexible LED light tube



Suitable for indoor and outdoor use. 150 LEDs, 10.8 W, 620 lumens, 3000 K warm white, IP67, dimmable, 5 m roll with self-adhesive backing (3M), bandwidth: 10 mm **83178 89,90**

12/24 V dimmer with remote control

For single-color LED strips or dimmable lights. Ideal for retrofitting awning lighting, Since no additional switch is required. 12V < 96W, 24V < 192W. Quiescent current approx. 30 mA. Dimensions: L x W x H 90 x 60 x 37 mm. **831003 19,90**



Aluminum profiles for LED flexible strips

- Customized lighting design for atmospheric lighting
- Profile length: 1.5 m, suitable for LED flex strips with a maximum width of 10 mm
- All aluminum profiles include 2 end caps
- Compatible with Carbest LED flex strips
- Perfect combination with furniture panels and furniture parts

The aluminum profiles offer a professional solution for installing LED strips. Using the profiles and LED strips shown on the right, you can easily create your own lighting designs.

These profiles are also ideal for use in furniture construction, for example, to conceal the transition between different wood panels or to stylishly illuminate them. This creates striking lighting accents that can be perfectly integrated into the furniture. Corners and areas under cabinets and shelves can be specifically illuminated. For light diffusion, you have the choice between the semi-transparent satin cover or the white-appearing opal version.

Each set includes two end caps, which you can expand with additional end caps. For LED strips with a Maximum bandwidth. Suitable for 10 mm. All aluminum profiles are supplied WITHOUT LED flex strips.

- ① **Silver aluminum profile, flat, including 2 end caps** For mounting or recessing into a groove. Length: 1.5 m without a cover.

82999 9,95

- ② **Replacement end caps, silver (2 pieces)** 82980 1,95

- ③ **Ablack aluminum profile flat including 2 end caps** For mounting or recessing into a groove. Length: 1.5 m without a cover.

829993 12,95

- ④ **Replacement end caps, black (2 pieces)** 82970 1,95

- ⑤ **Angle aluminum profile, silver, incl. cover (satin finish) and 2 end caps**, e.g., for installation in corners Length: 1.5 m

829991 15,95

- ⑥ **Replacement end caps, silver (2 pieces)** 82981 1,95

- ⑦ **Angle aluminum profile, black, incl. cover (satin finish) and 2 end caps**, e.g. for installation in corners Length: 1.5 m

829994 17,95

- ⑧ **Replacement end caps, black (2 pieces)** 82971 1,95

- ⑨ **Mounting clips for 829991/829994 (2 pieces)**

829810 1,95

- ⑩ **Silver aluminum profile, semi-circular, including 2 end caps**

For screwing on and covering transitions, e.g., between furniture panels. Length: 1.5 m, without cover.

829992 15,95

- ⑪ **Replacement end caps, silver (2 pieces)** 82982 1,95

- ⑫ **Black semi-circular aluminum profile including 2 end caps**

For screwing on and covering transitions, e.g., between furniture panels. Length: 1.5 m, without cover.

829995 21,90

- ⑬ **Replacement end caps, black (2 pieces)** 82972 1,95

- ⑭ **Satin cover (semi-transparent)** Suitable for 82999/829993/829992/829995. Length: 1.5 m.


82983 6,95

- ⑮ **Opal cover (opaque white)** Suitable for 82999/829993/829992/829995. Length: 1.5 m.

82984 6,95

- ⑯ **Cover tinted black (opaque)** Suitable for 82999/829993/829992/829995. Length: 1.5 m.

82985 6,95




Outdoor lights



LED awning light for panel vans

12/24V, Length: 231 mm, 2W, 9 SMD LEDs, Warm white light (3000K), 222 lm, Non-dimmable, IP67, Housing material: ABS, Housing color: Black
833771 21,90



LED awning light for motorhomes

12/24V, color: white, length: 480 mm, IP67, 3000K, 4W, 18 SMD LEDs, 388 lm, ABS housing. Not dimmable.
83377 27,90



Awning light

- With motion detector
- Waterproof (IP66)

36 LEDs, 6 W, 576 lm. Warm white 3200 K. Beam angle 120°. Silver plastic housing, polycarbonate lens. Dimensions: L x H x D 325 x 100 x 35 mm. Not dimmable.
830170 69,95

Multifunctional lighting



Fig. Lamp with wall bracket



Clip holder

4-in-1 Rechargeable magnetic light

- Multifunctional use:
 - As a table lamp
 - With clip holder
 - With wall mount
 - As a flashlight
- 6 warm white LEDs (3000 K)
- 3 adjustable light levels
- Rechargeable via USB-C cable (included)
- Elegant metal housing in matte black
- ON/OFF touch sensor on the lamp head

The battery-powered lamp head can be detached from the table lamp base and magnetically attached to the clip holder or wall mount. This allows for highly individualized use of the magnetic lamp.

Included in delivery: Battery-powered lamp head, table lamp stand, clip holder, wall mount, USB-C charging cable (length 0.8 m). Technical data: Li-ion battery (1 x 1200 mAh). IP20, weight: 0.65 kg, dimensions: lamp head Ø 40 mm, L: 110 mm, table stand H: 335 mm.
831953 29,95



Scope of delivery



Warm white



Rechargeable Clara bottle lamp

- Dimmable
- Touch switch
- 3 brightness levels: warm white, neutral white, cool white

The bottle light simply sits on the neck of a bottle and provides brightness and/or ambiance – e.g., on a table, shelf, in a campervan/motorhome, garden, or patio. Adjustable to 3 brightness levels via touch, and dimmable in all levels: 1) warm white, 2) neutral white, 3) Cool white.

Removable bottle cap – for compact storage.

Technical specifications:

Battery: 1800 mAh lithium-ion battery, Power: 4.5 W, Voltage: 5 V, Brightness: max. 200 lm, Material: ABS + aluminum.

Dimensions: Ø 7.5 / 11 H 12.5 cm / Bottle attachment Ø 3.2 cm.

Weight: approx. 0.5 kg / incl. USB-C charging cable

831959 14,95



Foldable camping light RUNA

- With 3 foldable and dimmable light arms
- Integrated insect killer function
- Dimmable UV light provides reliable protection against insects.

Compact battery-powered light with 3 fold-out light arms and integrated insect killer function. Can be operated with 1, 2 or 3 arms. Ideal for tents, roof tents and gazebos thanks to the fold-out hook.

Technical data: Light output: 1 arm – 180 lm, 2 arms – 350 lm, 3 arms – 500 lm / Runtime: up to 5 hours (light), approx. 20 hours (insect killer) / Color temperature: 4000–4500 K (neutral white) / Battery: Li-ion (3.7V, 11 Wh) 3000 mAh. UV LEDs: 4 x 0.1 W. / Mains voltage: 900V / Charging time: approx. 3 hours, incl. USB-C cable / Protection class: IP4 / Material: ABS, silicone / Dimensions: 7.3 x 7.8 x 22.6 cm / Weight: approx. 0.5 kg

930616 24,95

Multifunctional lighting

BatteryCamping light with adjustable light temperature

- Adjustable light temperature (cool white, warm white, cool/warm white)
- Dimmable at any light temperature
- Powerbank function
- Snap hook in the base of the light

At the touch of a button the light temperature of the 46 SMD LEDs can be selected:

Mode 1: cool white (light duration: 3.5 hours) / Mode 2: warm white (light duration: 4.5 hours), Mode 3: cool/warm white (light duration: 2.0 h) / Mode 4: flashing mode (light duration: 5.0 h). Brightness: max. 1000 lumens. Integrated rechargeable lithium battery (2 x 2200 mAh). USB charging cable included. Dimensions (W x D x H): 100 x 95 x 188 mm, Weight: 510 g

834875


34,90



Snap hook made of integrated into the base of the luminaire



Rubberized bow handle for a secure grip



NEW

Sanna battery-powered camping light with retractable string lights

- Integrated string of lights, length 8 m
- Light color: warm white or RGBW
- Lighting duration approx. 8 hours

Rechargeable 1800 mAh lithium battery. Can also be used as a power bank. Warm white light or various lighting options for the RGBW string lights are adjustable. Dimensions: Ø11 cm, H 4 cm, string lights 8 m. Weight approx. 0.2 kg.

930618

19,95

LEDstring lights incl. solar module + battery

- Atmospheric lighting
- 4 m cable
- Lighting duration approx. 8 hours

Colorful string lights with 10 LED lanterns. An integrated rechargeable battery (1 x 1.2V AA 600mAh) is charged by a solar panel (2V, 40mA). With on/off switch. Illumination duration approx. 8 hours. Cable length 4 m, includes ground stake.

83183

9,50



LED table lamp with Bluetooth speaker

- LED light with atmospheric, realistic flame effect
- Rechargeable via micro USB

LED table lamp with integrated Bluetooth speaker. Easy pairing with your smartphone. Transmission range >10m. Volume >90dB. Power supply: 5V 1A. Output power: 5W. 2000mAh Li-polymer battery. Material: ABS. Dimensions: Ø 98 x H165 mm

83184

27,95



Rechargeable camping light with mosquito protection

Rechargeable 2000mAh battery, 1W, integrated mosquito repellent light. Light temperature: cool white. With charging indicator. 4-stage switch: 20% light output / 50% light output / 100% light output / Off. Dimensions: Ø 88 x 129 mm.

83494

24,95



Small spherical light

Rechargeable 1000mAh battery, 1.5W 3 SMD LEDs, light temperature: cool white. Maximum operating time: 14 hours. 4-stage switch: 100% light output / 50% light output / 20% light output / Off. IPX7, Ø 80 x 102 mm

930613

11,95



COB clamp light

3 W COB + 1 SMD LED, 120 lumens + 30 lumens, 3 x AAA batteries (not included), 2 strong magnets on the back, clamp function, with joint for optimal adjustment options.

83490

4,95

COOLING/HEATING





NEW

46 LITER



Compressor refrigerator CVB50 – Maximum cooling comfort for campervans

12V

DOOR HINGE
LEFT/RIGHT

VENT-
POSITION


LED
DISPLAY
INSIDE

**NIGHT
MODE**

FRONT
BLACK
MATT



- Integrated cooling packs in the refrigerator walls store cold and maintain cooling significantly longer when the power supply is interrupted or when the refrigerator is switched off
- Night Mode: Lower noise level, reduced power consumption for better sleep
- Integrated "vent position system" prevents unpleasant odors and mold growth when not in use thanks to a door that is slightly open yet still fixed in place



Total volume / freezer compartment	46 L / 4.5 L
Ø Power consumption (12V)	5.0
Ø Power consumption day / night	45 W / 30 W
Temperature Refrigerator	+2° to +6°C
Freezer compartment	-14°C to -20°C
Dimensions WxHxD in mm	380 x 530 x 510
Weight ca.	17,3 kg
Item no.	713515
Price	599,-

Compressor refrigerator CV50L

**12V
24V**

46 LITER

DOOR HINGE
RIGHT

PLASTIC
FABRIC
FRONT

LED
DISPLAY
INSIDE



- Door hinge on the right (cannot be changed)
- Brand-name compressor from SECOP

Total volume/freezer compartment	46 L / 4.5 L
Ø Current consumption	12 V: 5.0 A / 24 V: 2.6 A
Ø Power consumption	40 W
Temperature Refrigerator/freezer	+15 °C to +5 °C / -18°C
Weight	ca. 17 kg
Item no.	713572
Price	679,-



WxHxD freezer comp.:
ca. 280x110x120 mm




LED display
in refrigerator



Compressor integrated
into the housing



46 LITER



Suitable mounting frame
Material: Aluminum, color:
Silver metallic.
7135720 51,95



Refrigerators with an extra-slim design – perfect for vans and box trucks

12V

DOOR HINGE
LEFT/RIGHT

VENT-
POSITION

LED
DISPLAY
INSIDE

NIGHT
MODE

FRONT
BLACK
MATT




- Integrated cooling packs in the refrigerator walls store cold and maintain cooling significantly longer when the power supply is interrupted or when the refrigerator is switched off.
- Night Mode: Lower noise level, reduced power consumption for better sleep
- Integrated "vent position system" prevents unpleasant odors and mold growth when not in use thanks to a door that is slightly open yet still fixed in place

87
LITER



Compressor refrigerator CV90L

Total volume / freezer compartment	87 L / 10.5 L
Ø Power consumption (12V)	6.0 A
Ø Power consumption day/night	55 W / 35 W
Temperature Refrigerator / Freezer compartment	+10° to 0°C / -15°C
Dimensions WxHxD in mm	419 x 976 x 485
Weight ca.	24 kg
Item no.	713503
Price	999,-




136
LITER

COM-
PRESSOR
RELOCATA-
BLE




Compressor refrigerator CV140L

Total volume/freezer compartment	136 L / 15 L
Ø Power consumption (12V)	8 A
Ø Power consumption day/night	75 W / 45 W
Temperature Refrigerator / Freezer compartment	+10° to 0°C / -15°C
Dimensions WxHxD in mm	419x1515x565
Weight ca.	36 kg
Item no.	713504
Price	1199,-



The compressor unit can be installed in a remote location thanks to a 150 cm long supply line.

Modern compressor technology as a replacement for older absorption refrigerators




- Thanks to their design and dimensions, the compressor refrigerators are ideally suited for easy replacement of existing absorption refrigerators of the same design
- Integrated cooling packs in the refrigerator walls store cold and maintain cooling significantly longer in the event of a power outage or when the refrigerator is switched off




Compressor refrigerator AR85L

Total volume / freezer compartment	84 L / 10 L
Ø Power consumption (12V)	6 A
Ø Power consumption day/night	55 W / 35 W
Temperature Refrigerator / Freezer compartment	+10° to 0°C / -20°C
Dimensions WxHxD in mm	520 x 821 x 482
Weight ca.	24 kg
Item no.	713513
Price	799,-



Compressor refrigerator AR180L

Total volume/freezer compartment	178 L / 38 L
Ø Power consumption (12V)	9.5 A
Ø Power consumption day/night	90 W / 55 W
Temperature Refrigerator / Freezer compartment	+10° to 0°C / -20°C
Dimensions WxHxD in mm	523 x 1245 x 593
Weight ca.	36 kg
Item no.	713514
Price	1199,-



Optional accessories

100-240V adapter cable for AR85L and AR180L

Enables operation with 230 V voltage

(Image similar) **713509 64,90**



These refrigerators are intended for installation in vehicles only. Delivered empty.



Compressor refrigerators - LR series

12V
24V

DOOR HINGE
LEFT/RIGHT

VENT-
POSITION

LED
DISPLAY

NIGHT
MODE

VERY
SMALL
DESIGN

E
ECE R10

- Front design: Brushed black
- Door hinge left or right freely selectable
- LED display
- Night Mode: Lower noise level, reduced power consumption & unlit display during the night for better sleep
- Integrated "vent position system" prevents unpleasant odors and mold growth when not in use thanks to a door that is slightly open yet still fixed in place
- Brand compressor from LG
- Optional front panel for refrigerator door in brushed silver

Compressor refrigerator LR40L



Total volume/freezer compartment	35.8 L / 4.1 L
Ø Power consumption (12/24V)	5.0 A / 2.5 A
Ø Power consumption	60 W
Temperature Refrigerator/freezer	+8° to 0°C / -20°C
Control panel	LED display
Door hinge	Left or right
Movable compressor unit (375x180x150 mm)	Yes (1.5 m long cable)
Dimensions WxHxD in mm	380 x 532 x 369/550
Weight	18 kg
Color	Black
Item no.	713505
Price	519,-




Vegetable comp. w/ door



The compressor unit can be installed in a remote location thanks to a 150 cm long supply line.

(Compressor unit on mounting plate:
ca. 375x180x150 mm)



Front panel for refrigerator door in brushed silver
7135061 22,90



Compressor refrigerator LR50L


Total volume/freezer compartment	43.7 L / 3.1 L
Ø Power consumption (12/24V)	5.0 A / 2.5 A
Ø Power consumption	60 W
Refrigerator/freezer temperature range	+8° to 0°C / -20°C
Control panel	LED display
Door hinge	Left or right
Dimensions WxHxD in mm	380 x 532 x 482
Weight	18 kg
Color	Black
Item no.	713506
Price	539,-



3.1 L freezer compartment




Vegetable comp. w/ door



Front panel for refrigerator door in brushed silver
7135061 22,90

Compressor refrigerators - LR series



- Front design: Brushed black
- Door hinge left or right freely selectable
- LED display
- Night Mode: Lower noise level, reduced power consumption & unlit display during the night for better sleep
- Integrated "vent position system" prevents unpleasant odors and mold growth when not in use thanks to a door that is slightly open yet still fixed in place
- Brand compressor from LG
- Optional front panel for refrigerator door in brushed silver




Compressor refrigerator LR90L

Total volume/freezer compartment	91.4 L / 9.4 L
Ø Power consumption (12/24V)	6.0 A / 3.0 A
Ø Power consumption	80 W
Temperature Refrigerator/freezer	+8° to 0°C / -20°C
Control panel	LED display
Door hinge	Left or right
Dimensions WxHxD in mm	419 x 976 x 482
Weight	26 kg
Color	Black
Item no.	713507
Price	669,-



Front panel for refrigerator door in brushed silver
7135071 22,90



9.4 L freezer comp.



Vegetable drawer

Refrigerator ventilation



12V

Refrigerator fan

12 V fan, with thermostat and wall bracket, 1.8 W with 3000 rpm.
Dimensions: 92 x 92 x 25 mm

81166 19,90



NEW

12V



Refrigerator fan set DualBreeze

- Manual or automatic control
- Complete set including control element and mounting material

High-performance 12V dual fan including mounting brackets, cabling (length: ca. 1.8 m) and Control unit. Temperature measurement is performed via an integrated sensor cable (length: ca. 2 m 2x 2600 rpm, delivery volume: max. 2x 73 m³/h, 0.25 A / 3 W. Dimensions: LxHxD ca. 195x92x30 mm.

811004

34,90

Expected to be available from Q3/26



Storage compartment with inductive charging station



For bottles with a height of max. 260 mm



Includes Click-On Mounting plate



Fits perfectly between the driver's cab seats in the VW 6.1/6/5, VW Caravelle / Transporter (>2024) and Ford Tourneo / Transit Custom (>2023)

Cab compressor cooler - CabCooler 8

Fits perfectly between the driver's seats in VW Caravelle / Transporter (> 2024) and Ford Tourneo / Transit Custom (> 2023)


VW T6/T5	12V 24V	8 LITER	INDUCTIVE CHARGING STATION	3x USB PORT	LED DISPLAY	INCL. ASSEMBLY-PLATE	INCL. 12/24 V CABLE
----------	---------	---------	----------------------------	-------------	-------------	----------------------	---------------------

Total useful capacity (liters)	8 L
Ø Current consumption	12V: 4.0A / 24V: 2.0A
Ø Power consumption	45 W
Temperature	+20 °C to -15 °C
Operating volume	< 45 dB
Dimensions (L x W x H) mm / Weight	538 x 190 x 390 / ca. 8.6 kg
Item no. / Price	713543 329,-

100-240 V adapter cable

Allows operation with 230 V voltage.

714499 24,90



Integrated Drink holder



For bottles with a height of max. 320 mm



Includes Click-On Mounting plate



Fits perfectly between the driver's cab seats in the Fiat Ducato and identical vehicles.

Cab compressor cooler - CabCooler 14

Fits perfectly between the driver's seats in the Fiat Ducato

FIAT DUCATO	12V 24V	BATTERY OPERATION POSSIBLE	14 LITER	2 BEVERAGE-HOLDER	3x USB PORT	LED DISPLAY	INCL. ASSEMBLY-PLATE	INCL. 12/24 V CABLE
-------------	---------	----------------------------	----------	-------------------	-------------	-------------	----------------------	---------------------

Total useful capacity (liters)	14 L
Ø Current consumption	12V: 4.0A / 24V: 2.0A
Ø Power consumption	45 W
Temperature	+20 °C to -15 °C
Operating volume	< 45 dB
Dimensions (L x W x H) mm / Weight	591 x 230 x 453 / ca. 9.3 kg
Item no. / Price	713544 349,-

Lithium PowerPack - Rechargeable battery (15.6 Ah/173 Wh) with LED battery status indicator


Runtime up to 20 hours (depending on settings and cooler version)

714690 129,-

100-240 V adapter cable

Allows operation with 230 V voltage.

714499 24,90




Lithium PowerPack battery (15.6 Ah/173 Wh) available as an option. Allows food to be cooled even when the ignition is off or the vehicle is parked (battery not included).

Compressor cooler - FreeCooler 8


12V 24V	BATTERY OPERATION POSSIBLE	LED DISPLAY	ECO/ MAX MODE	INCL. BATTERY- PROTEC- TION
USB PORT	INCL. 12/24 V CABLE	INCL. COOL- BATTERY	ROBUST HOUSING	

Total useful capacity (liters)	8 L
Ø Current consumption	12V: 4.0 A / 24V: 2.0 A
Ø Power consumption	45 W
Temperature	+20 °C to -20 °C
Dims. (L x W x H) mm	393 x 251 x 443
Weight	ca. 7.8 kg
Item no.	713551
Price	186,-



8L
VOLUME

1x BATTERY
COMPART-
MENT



Lithium PowerPack
battery
Optional (714690)



Robust lid
and handle



Cooling pack in the lid
(removable)



LED display with
USB port



Battery compartment
for 1x battery (optional)




Battery comp. cover
inclusive

DualCooler 45 compressor cooler with 2 individually adjustable cooling zones

12V 24V	BATTERY OPERATION OPTIONAL	DUAL ZONE	LID COMPLETE REMOVE- ABLE	LED DISPLAY
ECO/ MAX MODE	INCL. BATTERY- PROTEC- TION	USB PORT	INCL. 12/24 V CABLE	ROBUST HOUSING

- **DUAL ZONE:** The temperature of both cooling compartments can be controlled independently of each other
- Lid completely removable
- Robust housing with integrated bottle opener
- Cutting board and drink holder in the lid

Total useful capacity (liters)	45 L
2 interior comp. (liters)	1x 32 L, 1x 13 L
Ø Current consumption	12 V: 5.0 A / 24 V: 2.5 A
Ø Power consumption	60 W
Temperature	+20 °C to -20 °C
Dims. (L x W x H) mm	600 x 400 x 506
Weight	ca. 17 kg
Item no. / Price	71469 399,-



45L
VOLUME

1x BATTERY
COMPART-
MENT

**DUAL
ZONE**




Battery compartment
for 1x battery (optional)




LED display with
USB port



Removable basket
inserts removable



Integrated
Bottle opener



Cover complete
Removable



Lid can be open
on both sides

The Dual Zone principle:

The cooling temperature of both compartments can be controlled independently. This results in the following setting options:



Cooling / Cooling



Freezing / Cooling



Cooling / Freezing



Freezing / Freezing

Optional accessories

- ① 100-240 V adapter cable, enables operation with 230 V voltage. **714499 24,90**
- ② Lithium PowerPack - Rechargeable battery (15.6 Ah/173 Wh)
Runtime up to 20 hours (depending on settings and cooler version) **714690 129,-**
- ③ Solar connection cable 60 cm with 50 A high-current connector for charging the batteries via a portable solar module. **714691 10,95**



These cooler boxes are supplied without a battery and 100-240V adapter cable. Contents not included.

CampCooler 30 / CampCooler 40


12V 24V	DIGITAL- DISPLAY	ECO/ MAX MODE	INCL. BATTERY- PROTEC- TION	INCL. 12/24V CABLE	ROBUST HOUSING
--------------------	---------------------	---------------------	--------------------------------------	--------------------------	-------------------

- Ready for any use due to the robust design
- Easy cleaning thanks to removable basket insert
- Integrated cup holders in the lid
- Includes 12/24 V connection cable

Model	① 30 liters	② 40 liters
Useful capacity (liters)	30 L	40 L
Ø Current consumption	12 V: 5.0 A / 24 V: 2.5 A	
Ø Power consumption	60 W	
Temperature	+10 °C to -20 °C	
Operating volume	< 45 dB	
Dims. (L x W x H) mm	693x345x381	693x345x456
Weight (ca.)	12,5 kg	13,0 kg
Item no.	71456	71457
Price	299,-	349,-

100-240 V adapter cable, allows operation w/ 230 V voltage.

714499 24,90



PowerCooler 45 – The high-quality all-rounder


12V 24V	DIGITAL- DISPLAY	INCL. BATTERY- PROTEC- TION	INCL. 12/24V CABLE	ROBUST HOUSING
--------------------	---------------------	--------------------------------------	--------------------------	-------------------

- Easy cleaning thanks to removable basket insert
- Robust, heavy-duty handles for safe transport
- Integrated lashing eyes for securing one tension strap
- Includes 12/24 V connection cable

Model	45 liters
Useful capacity (liters)	45 L
Ø Current consumption	12 V: 5.4 A / 24 V: 2.7 A
Ø Power consumption	65 W
Temperature	+10 °C to -18 °C
Operating volume	45 dB
Dims. (L x W x H) mm	650x400x465
Weight (ca.)	18,5 kg
Item no.	714103
Price	449,-

100-240 V adapter cable, allows operation w/ 230 V voltage.

714101 34,90






Compressor cool boxes with single/dual zone CrossCooler 30S / 40DZ / 50DZ

12V 24V	100- 240 V	30S = SINGLE ZONE	40DZ = DUAL ZONE	50DZ = DUAL ZONE
LED DISPLAY	LID REMO- VABLE	INCL. 12/24 V CABLE	INCL. 100-240 V ADAPTER CABLE	ROBUST PLASTIC- HOUSING

- **CrossCooler 30S with Single Zone System:**
The cooler consists of a large cooling compartment
- **CrossCooler 40DZ + 50DZ with dual zone system:**
The coolers consist of two cooling compartments. The temperature of both cooling compartments can be controlled independently of each other. By pulling out the partition, both cooling compartments become one large cooling compartment. The display controls and display automatically switches to single zone mode.
- Robust housing with integrated carrying handles
- Lashing eye strip on both sides for fastening with a tension strap
- Lid completely removable

CrossCooler 40DZ + 50DZ with Dual Zone + Dual Control: Dual-zone cooling with a flexibly removable divider: Two separately controllable cooling zones allow for individual temperature control. The removable divider optionally divides the cooler into two completely independent compartments – for maximum flexibility and optimal food storage.



Model	① CrossCooler 30S	② CrossCooler 40DZ	③ CrossCooler 50DZ
Useful capacity (liters)	30	40	50
Ø Current consumption	DC 12 V/5.8 A DC 24 V/2.9 A 100-240 V/2.0 A	12 V/7.0 A 24 V/3.5 A 100-240 V/2.5 A	12 V/7.0 A 24 V/3.5 A 100-240 V/2.5 A
Ø Power consumption	60 W	70 W	70 W
Supply voltage	12/24 volts DC, 100-240 volts AC - 50-60Hz		
Temperature	+20 °C to -20 °C		
Energy efficiency class	C	D	D
Dims. (L x W x H) mm	527x345x424 mm	657x401x394 mm	657x401x459 mm
Weight (ca.)	11,4 kg	15 kg	15,6 kg
Color	Matte black/matte anthracite		
Item no.	713548	713549	713550
Price	299,-	369,-	399,-

Delivery without contents.

Built for demanding outdoor use!




Compressor cooler in robust construction

MaxiFreezer 28 / MaxiFreezer 40



- 1 large refrigerator/freezer compartment + 1 vegetable compartment
- 2 sturdy carrying handles (loadable up to 140 kg)
- Removable lid, can be opened on both sides
- Robust plastic housing with edge protection
- Easy cleaning thanks to removable basket insert
- Electric thermostat with digital temperature display
- Battery monitor to protect the vehicle battery
- All boxes include 12/24 V and 220-240 V connection cables



Model	① MaxiFreezer 28	② MaxiFreezer 40
Useful capacity (liters)	4	7
Vegetable drawer	22	33
Refrigerator/freezer compartment		
Ø Current consumption	DC 12 V/3.2 A DC 24 V/1.6 A 220-240 V/0.3 A	12 V/4.2 A 24 V/2.2 A 220-240 V/0.4 A
Supply voltage	12/24 Volt DC, 220-240 Volt AC	
Temperature	+10 °C to -16 °C	+10 °C to -20 °C
Dims. (L x W x H) mm	594 x 381 x 373	712 x 452 x 440
Weight (ca.)	13 kg	20 kg
Color	Matte black / Matte blue	
Item no.	71375	71371
Price	383,-	449,-



Optional accessories for MaxiFreezer 40

① **Thermal bag** The robust thermal protective bag provides additional insulation for the cooler and protects it from dust, scratches, dirt, and splashing water.

713710 26,-

② **Connection cable UK** Enables operation with 230 V voltage at a UK socket.

713711 3,95

ComfortSlider M + L mounting slides



STURDY
METAL
FRAME

SAFETY
LOCK

INCLUDES
4 TIE-
DOWN
STRAPS

INCLUDES
INSTAL-
LATION
MATERIALS

- Solid, powder-coated metal frame
- Safety lock
- Includes 4 lashing straps and mounting hardware
- ComfortSlider M, extension ca. 760 mm. For cooler boxes with a maximum size of 740 x 410 mm (L x W). Ideally suited for the following Carbest cooler boxes: 71469/71456/71457/714103/71375/713548/713549/713550/71371
- ComfortSlider L, extension ca. 900 mm. For cool boxes with a maximum size of L x W 910 x 530 mm.



The ComfortSlider allows you to pull your cooler out of the vehicle for convenient loading and unloading. A safety lock ensures that the rail is securely anchored in the retracted position while driving.


Scope of delivery: Mounting extension, 4 lashing straps (for fixing the cooler to the extension frame), mounting material.

① ComfortSlider M – load capacity up to 120 kg

Dimensions (LxWxH) External: 790x480x65 mm, Internal: 740x410 mm. Weight: ca. 12.8 kg **71498 199,-**

② ComfortSlider L - load capacity up to 120 kg

Dimensions (LxWxH) External: 960x600x65 mm, Internal: 910x530 mm. Weight: ca. 16 kg **71499 219,-**



Delivery without cooler.



Heavy-duty pull-outs

① Full extension, load capacity up to max. 227 kg

With mechanical locking mechanism. In the retracted/extended position. Material: steel, load capacity up to max. 227 kg. Not removable.

559 mm, pair	533000	84,95
711 mm, pair	533001	99,95
965 mm pair	533002	169,-

Bracket for mounting full extension slide:



559 mm, 2 pieces	533004	19,95
711 mm, 2 pieces	533005	29,95
305 mm, piece	533003	12,95

② Full extension, load capacity up to max. 110 kg

Soft-roll, material: steel, load capacity up to max. 110 kg. Not removable. 700 mm, piece **533006 49,95**

③ Full extension, load capacity up to max. 400 kg

Material: Steel, load capacity up to max. 400 kg. Extendable in both directions, ideal for loading rear garages. 930 mm, piece **533803 242,-**





A

Mobile split air conditioner

Video



Free app




220-240 VOLT	5000 BTU/h	560 W COOLING CAPACI- TY	SLEEP MODE
TEMPE- RATURE RANGE 16-30°C	24 HOURS TIMER	LED DISPLAY	WiFi FUNCTION

- With mounting bracket for installation in the window opening of a motorhome or caravan
- Adjustable temperature (16-30°C)
- LED display with 24-hour timer & night mode
- WiFi control (free app)
- Integrated handles for easy transport

The split air conditioner cools, ventilates, and ensures comfortable temperatures inside the vehicle. It consists of an indoor and an outdoor unit and is simply hung in the window opening. A flexible connecting hose links the two units.

Included in delivery: split air conditioner, mounting brackets (for indoor and outdoor units), rubber dampers, drain hose, protective hose, mounting hardware, and instruction manual.



Mounting bracket included

Cooling capacity (BTU)	5000 (1465 W)
Air volume/h	140-200 m ³
Power consumption	560 W / 2.5 A
Input voltage	220-240V/50Hz
Noise level day/night	46/44 dB
Length of cooling line	550 mm
WiFi function	Yes
Weight	21 kg
Item no.	495054
Price	599,-





Diesel parking heaters

VanHeat 2.0-DH + 4.0-DH




- Type ca.oval according to UN ECE R122
- Approval by Federal Motor Transport Authority according to UN ECE R10
- Extensive mounting material included

The 2 kW diesel heater is ideally suited for vans, campervans, and smaller motorhomes, while the 4 kW heater is designed for larger campervans and motorhomes. It is controlled via a digital control panel. The altitude adjustment (Alpine Kit) is integrated into the housing, ensuring smooth operation in high mountain regions up to 5,000 m.

Scope of delivery: Diesel auxiliary heater, control panel, fuel pump, tank extraction kit, and comprehensive installation materials.

VanHeat	① 2.0-DH (2 kW)	② 4.0-DH (4 kW)
Heating capacity	2000 W	4000 W
Rated voltage	12 Volt DC	12 Volt DC
Ø Power consumption (ca.)	10 – 29 W	8 – 34 W
Fuel consumption (ca.)	0.12 - 0.24 l/h	0.11 - 0.51 l/h
Dimensions (LxWxH)	323x120x121 mm	371x140x150 mm
Weight heater (ca.)	2,6 kg	4,5 kg
Item no. / Price	48182 649,-	48183 699,-



Spare part:



① **digital control unit** with illuminated display. For replacement or to exchange an existing control unit. Cable length: ca. 80 cm.
481872 77,95

Optional accessories:



② **External temperature sensor**
Compatible with all VanHeat heaters. Cable length: 4 m.
48187 29,95

③ **Exhaust silencer** For VanHeat 2.0-DH: Connection diameter: 22 mm
481870 31,60
For VanHeat 4.0-DH: Connection diameter: 24 mm
481871 31,60

④ **12V radio remote control**
For VanHeat 2.0 and 4.0-DH, range up to 1,000 m. Frequency range: 868 MHz. Scope of delivery: Handheld transmitter (IP68), receiver and external antenna.
48014 307,-



⑤ **Mounting brackets** specifically designed for the VanHeat 2.0-DH. For easy installation under the passenger seat. High precision fit. Material: Black anodized aluminum.
VW T6.1 / T6 / T5
481821 49,95
Ford Tourneo/Transit Custom (> 2023)
481823 49,95

⑥ **Underfloor installation box** Specifically designed for VanHeat 2.0-DH, this cover offers optimal protection from the elements when installed below ground. Dimensions: L x W x H 403 x 170 x 160 mm, Material: Black coated aluminum
481822 179,-



12V

①
75 W

NEW

100 W



CampingStar – Heating elements for water canisters

Ideal for campervans with a canister water supply. The heating element is placed in the canister and operated via 12V or 230V. The heating elements maintain a constant water temperature of ca. 38°C. The Teflon ring protects the water tank from direct contact with the heated heating element. Scope of delivery: Heating element 67136/67137 including 1 Teflon ring. 67138/67139 including 2 Teflon rings.

① 12 V/75 W, with 2 open cable ends

Dimensions: Ø 2.5 cm, L 26 cm. Connection cable ca. 145 cm.

67136 129,--

② 12 V/100 W, with 2 open cable ends

Dimensions: Ø 1.2 cm, L 26 cm. Connection cable ca. 145 cm.

67138 139,--

③ 230 V/75 W, with Schuko plug.

Dimensions: Ø 2.5 cm, L 26 cm. Connection cable ca. 145 cm.

67137 129,--

④ 230 V/125 W, with Schuko plug.

Dimensions: Ø 1.2 cm, L 26 cm. Connection cable ca. 145 cm.

67139 139,--

230V

③
75 W

NEW

125 W



Mobile gas instantaneous water heater

- Continuous hot water - everywhere
- Hot water from tap or shower head
- Continuously adjustable water temperature from 25°C to 50°C
- High water flow - ca. 2.2 liters per minute
- Automatic ignition and overheating protection (50°C)


Water flow temperature continuously adjustable from a minimum of 25°C (5 liters per minute) to a maximum of 50°C (2.2 liters per minute). Foldable tap. Suitable for use with propane/butane. Features automatic ignition, overheat protection at 50°C, and automatic shut-off if the unit tips over. Weight: 6.0 kg.

Scope of delivery: Water hose, submersible pump, shower head with hose (2.5 m), 12-volt cigarette lighter plug with 5 m cable, carrying case. Gas hose and gas pressure regulator not included.

50 mbar (D, CH, A) 67041 264,--

30 mbar (Europe excluding Germany, Switzerland, and Austria)

67042 264,--





CozyWater 10C:
LCD display for
controlling the 12V
and 230V systems.

CozyWater hot water boiler

- 8 L / 10 L stainless steel tank
- Insulating foam integrated into the housing for excellent insulation properties
- Heating elements heat the water to up to 75°C
- Black matt coated metal housing
- Safety valve included with all boilers
- CozyWater 8 / 10 with 12 V, thermostat on the boiler housing Scope of delivery: 8 L or 10 L hot water boiler with integrated 12 V heating element, safety valve
- CozyWater 10C (Comfort) with 12/230 V, digital control panel for wall mounting Scope of delivery: 10 L hot water boiler with integrated 12/230 V heating element, control panel with 5 m connection cable, safety valve

	CozyWater 8	CozyWater 10	CozyWater 10C (Comfort)
Input voltage	12 V	12 V	12 V / 230 V
Power consumption	200 W	200 W	200 W / 800 W
Water capacity	8 liters	10 liters	10 liters
Operating pressure	2,5 bar	2,5 bar	2,5 bar
Pressure protection	3,0 bar	3,0 bar	3,0 bar
Water connection	1/2" external thread	1/2" external thread	1/2" external thread
Temperature	25 - 75° C	25 - 75° C	25 - 75° C
Heating time	---	---	At 230 V: ca. 50 min
Operation	Thermostat on the housing	Thermostat on the housing	Cable remote control (cable length 5 m)
Tank material	Stainless steel (304)	Stainless steel (304)	Stainless steel (304)
Housing material	Metal	Metal	Metal
Installation position	Horizontal	Horizontal	Horizontal
Connection cables	12 V (cable length 1.2 m)	12 V (cable length 1.2 m)	12 V (cable length 1.2 m) 230 V (cable length 1.2 m)
Dimensions (mm)	Ø 270 mm, LxH 350x290 mm	Ø 270 mm, LxH 400x290 mm	Ø 270 mm, LxH 400x290 mm
Weight	5,25 kg	6 kg	6 kg
Color	Black matte	Black matte	Black matte
Item no.	670600	670601	670604
Price	189,-	199,-	279,-



① Andro designer fan heater

- 2 functions: heating/ventilation
- Bright digital display
- Quiet operation
- Stylish design in anthracite/black

With 3 power levels: 750/1500/ECO, 230 V. Operation via touch panel or remote control (included). Self-rotating (oscillating) with a automatic tilt protection and overheating protection. Dimensions WxDxH ca. 165x125x265 mm. Weight ca.: 1.3 kg.

811528 39,95

② Mika ceramic fan heater

- 2 functions: heating/ventilation
- Double overheating protection
- Quiet operation

With 2 power levels: 750/1500 W, 230 V. Adjustable thermostat for temperature control and setting. Automatic tip-over protection. With operating indicator. Dimensions (W x D x H) ca. 215 x 223 x 220 mm, weight ca.: 2 kg.

811525 37,95




LENE – Ceiling fan with LED light and battery

- Very quiet operation
- With remote control and timer function
- Atmospheric, glare-free light

3-speed fan with removable blades, remote control & USB-C charging cable. 7W. Battery: 8,000 mAh. Dimensions: Ø 27 cm x Height: 12 cm. Weight: ca. 0.5 kg

831960 29,95



Battery-powered fan

- Extendable up to 40 cm
- Foldable for small packing size
- 4 speed settings
- Manually adjustable angle (180°)
- 3600 mAh battery
- Runtime ca. 4 - max. 14 hours
- Includes USB-C charging cable

Dimensions open: 19 x 19 x 40 cm, folded: Ø 19 x H 9.5 cm

462895 29,90



12 V fan


- Cable length 2.5 m
- Clamp mount

Fan diameter: 18 cm, clamp mounting, dimensions ca. H 25 cm, D 20 cm. Material: PP/metal. Weight: 0.7 kg.

462880 20,95



GAS TECHNOLOGY



① Surface-mounted gas hob – 2 burners, stainless steel

- 2-burner, with ignition safety device
- Stainless steel surface
- 1x 1.8 kW, 1x 1.0 kW

Controls on the bottom, 2 burners, manual ignition, output: 1 x 1.8 kW, 1 x 1.0 kW, gas consumption 204 g/h, 30 mbar, dimensions: W440 x D290 x H95 mm. Weight: 2.5 kg. Scope of delivery: Carbest gas hob.

70563

219,--

② Surface-mounted gas hob – 2 burners, stainless steel

- 2-burner, with ignition safety device
- Stainless steel surface
- 1x 1.8 kW, 1x 1.0 kW

Controls on the bottom, 2 burners, manual ignition, output: 1 x 1.8 kW, 1 x 1.0 kW, gas consumption 204 g/h, 30 mbar, dimensions: W290 x D440 x H95 mm. Weight: 2.5 kg. Scope of delivery: Carbest gas hob.

70562

219,--


③ Built-in gas hob – 2 burners, stainless steel

- 2-burner, with ignition safety device
- Stainless steel surface
- 1x 1.8 kW, 1x 1.0 kW

Controls at the bottom, 2 burners, manual ignition, output: 1 x 1.8 kW, 1 x 1.0 kW, gas consumption 204 g/h, 30 mbar, installation dimensions: W310 x D280 mm, dimensions: W350 x D320 x H65 mm, weight: 2.5 kg. Scope of delivery: Carbest gas hob.

70561

235,--



① Built-in gas hob – 1 burner made of glass

- 1-flame, with ignition safety device
- High-quality 8 mm safety glass
- 1x 1.8 kW

8 mm safety glass, all black, controls on the bottom, 1 burner, manual ignition, output: 1 x 1.8 kW, gas consumption 131 g/h, 30 mbar, installation dimensions: W270 x D305 mm, dimensions: W289 x D325 x H65 mm. Weight: 3.0 kg. Scope of delivery: Carbest gas cooktop.

70583

209,--

② Built-in gas hob – 1 burner made of glass

- 1-flame, with ignition safety device
- High-quality safety glass
- 1x 1.8 kW

8 mm safety glass, black/silver, bottom-mounted controls, single burner, manual ignition, output: 1 x 1.8 kW, gas consumption: 131 g/h, 30 mbar, installation dimensions: W270 x D305 mm, dimensions: W289 x D325 x H65 mm. Weight: 3.0 kg. Scope of delivery: Carbest gas cooktop.

70557

209,--

③ Built-in gas hob – 2 burners made of glass

- 2-burner, with ignition safety device
- High-quality safety glass
- 1x 1.8 kW, 1x 1.0 kW

8 mm safety glass, black/silver, bottom-mounted controls, 2 burners, manual ignition, output: 1 x 1.8 kW, 1 x 1.0 kW, gas consumption 204 g/h, 30 mbar, installation dimensions: W280 x D480 mm, dimensions: W300 x D500 x H65 mm. Weight: 4.3 kg. Scope of delivery: Carbest gas cooktop.

70559

319,--


Built-in gas hob – 2 burners made of glass

- 2-burner, with ignition safety device
- High-quality safety glass
- 1x 1,8 kW, 1x 1,0 kW

8 mm safety glass, bottom-mounted controls, 2 burners, manual ignition, power: 1 x 1,8 kW, 1 x 1,0 kW, gas consumption 204 g/h, 30 mbar, installation dimensions: W360 x D260 mm, dimensions: W380 x D280 x H65 mm. Weight: 3,5 kg. Scope of delivery: Carbest gas cooktop.

70558

279,--



Cooker-sink combination Vanstream


1-burner with safety glass

- With built-in sink Vanstream
- Optimal water drainage thanks to lowered floor
- Ideal for camper vans and vans
- 1-burner with ignition safety device
- High-quality 8 mm safety glass
- 1,8 kW

8 mm safety glass, bottom control panel, matte stainless steel sink on the right, installation dimensions: W520 x D300 mm. Output: 1,8 kW, gas pressure: 30 mbar, gas consumption: 131 g/h, ignition: manual, with flame failure device, dimensions: W550 x D344 x H103 mm, weight: 3,5 kg, color: black, material: safety glass. Compatible drain fitting: type E (e.g., 705065). Scope of delivery: Carbest hob and sink combination.

70575

369,--




Cooker-sink combination – 1-burner with safety glass

- 1-burner with ignition safety device
- High-quality 8 mm safety glass
- 1,8 kW

8 mm safety glass, bottom control panel, matte stainless steel sink on the right, installation dimensions: W520 x D300 mm. Output: 1,8 kW, gas pressure: 30 mbar, gas consumption: 131 g/h, ignition: manual, with flame failure device, dimensions: W550 x D344 x H136 mm, weight: 3,5 kg, color: black, material: safety glass. Compatible drain fitting: type E (e.g., 705065). Scope of delivery: Carbest hob and sink combination.

70179

349,--




Cooker-sink combination – 2 burners with safety glass

- 2-burner with ignition safety device
- High-quality 8 mm safety glass
- 2,8 kW

8 mm safety glass, controls at the bottom, matte stainless steel sink on the right, installation dimensions: W735 x D300 mm. Number of burners: 2, output: 1 x 1,8 kW, 1 x 1,0 kW, gas pressure: 30 mbar. Gas consumption 204 g/h, ignition: manual, with safety ignition, Dimensions: W765 x D344 x H136 mm, Weight: 5 kg, Color: Black, Material: Safety glass. Compatible drain fitting: Type E (e.g., 705065). Scope of delivery: Carbest hob and sink combination.

70180

399,--




Cooker-sink combination – 2 burners with safety glass

- 2-burner with ignition safety device
- High-quality 8 mm safety glass
- 2,8 kW

8 mm safety glass, controls at the bottom, polished stainless steel sink on the left, installation dimensions: W580 x D400 mm. Number of burners: 2, output: 1 x 1,8 kW, 1 x 1,0 kW, gas pressure: 30 mbar, gas consumption: 204 g/h, ignition: manual, with flame failure device, dimensions: W600 x D420 x H65 mm, weight: 6,3 kg, color: black, material: safety glass. Compatible drain fitting: type E (e.g., 705065). Scope of delivery: Carbest hob and sink combination.

70178

399,--



Button


Spare part, 1 pc.

E705573

12,90



A notice: Please note the new installation dimensions. You can find the exact milling dimensions in our operating instructions at www.reimo.com



Gas stove –

1 burner with glass cover

- 1-flame, with ignition safety device
- High-quality safety glass
- Automatic gas shut-off when closing the glass lid
- 1x 1,8 kW


Stainless steel, control element on the right, 1-flame, with manual ignition. Power: 1 x 1,8 kW, gas consumption 131 g/h, 30 mbar, installation dimensions: W338 x D238 mm, overall dimensions: W357 x D250 x H119 mm. Weight: 3,0 kg. Scope of delivery: Carbest gas cooker including mounting accessories.

70576

222,--



Can be combined with sink 70566



Gas stove –


1 burner with glass cover

- 1-flame, with ignition safety device
- High-quality safety glass
- Automatic gas shut-off when closing the glass lid
- 1x 1,8 kW

Stainless steel, controls at the bottom, single-flame, with manual ignition. Power: 1 x 1,8 kW, gas consumption 131 g/h, 30 mbar, installation dimensions: W310 x D342 mm, overall dimensions: W322 x D352 x H119 mm. Weight: 3,5 kg. Compatible with sink 70566. Scope of delivery: Carbest gas cooker including mounting accessories.

70577

232,--



Gas stove –


2 burners with glass cover

- 2-burner, with ignition safety device
- High-quality safety glass Automatic gas shut-off () when the glass cover is closed
- 1x 1,8 kW, 1x 1,0 kW

Stainless steel, bottom-mounted controls, 2-burner, with manual ignition. Output: 1 x 1,8 kW, 1 x 1,0 kW, gas consumption 204 g/h, 30 mbar, installation dimensions: W505 x D305 mm, dimensions: W530 x D326 x H119 mm. Weight: 5,5 kg. Scope of delivery: Carbest gas cooker including mounting accessories.

70578

259,--



Gas stove –

3 burners with glass cover

- 3 burners
- 2x 1,8 kW, 1x 1,0 kW
- With 12 V ignition
- With glass cover

Stainless steel, bottom-mounted controls, 12V ignition, 3-burner, with flame failure device. Output: 2 x 1,8 kW, 1 x 1,0 kW, gas consumption 305 g/h, 30 mbar, installation dimensions: W554 x D438 mm, dimensions: W570 x D450 x H115 mm. Weight: 5,7 kg. Scope of delivery: Carbest gas stove including rubber seals and mounting accessories.

70143

369,--

Rubber cover caps for gas stoves

- Suitable for all standard cookers/sinks with an 8 mm hole diameter.
- Protects against vibration noise

Suitable for Carbest cookers/sinks: 70142, 70143, 70144, 70176, 70177. Also suitable for all standard cookers/sinks with an 8 mm hole. Head diameter 12 mm. Set of 8.

70149

7,95

8
PCS.



Recommended pot sizes: Single-flame (1,8 kW) Ø 160-200 mm, 2-flame (1,8 kW) Ø 100-220 mm / (1,0 kW) Ø 120 mm

Cooker-sink combination – 1-burner with glass cover

- 1-burner with safety ignition and piezo ignition
- With glass cover
- Automatic gas shut-off when the glass cover is closed
- 1,8 KW
- Ideal solution for camper vans and vans

Made of polished stainless steel, with glass cover, controls at the bottom, sink on the right, installation dimensions: W508 x D305 mm, dimensions: W526 x D326 x H163 mm, weight: 7 kg
Number of burners: 1, power: 1.8 kW, gas pressure: 30 mbar, Gas consumption 131g/h, with piezo ignition, flame failure device and automatic gas shut-off when the glass cooktop lid is closed, material: stainless steel. Compatible drain fitting: type E (e.g. 705065). Tap hole: Ø 33 mm, scope of delivery: Carbest cook-top-sink combination.

Sink on the right	70579	329,--
Sink on the left	70580	329,--



Note: Please note the new installation dimensions.
You can find the exact milling dimensions in our operating instructions at www.reimo.com



Cooker-sink combination – with 2-piece glass cover

- 2 burners with safety ignition and piezo ignition
- 1x 1,8 kW, 1x 1.0 kW
- Automatic gas shut-off when the glass cover is closed
- Approved for 30 mbar
- With 2-piece glass cover


Stainless steel, controls at the bottom, 2 burners, with piezo ignition, ignition safety device and automatic gas shut-off when closing the hob glass cover, power: 1x 1.8 kW, 1x 1.0 kW, gas consumption 204 g/h, 30 mbar, Installation dimensions: W700 x D315 mm, overall dimensions: W726 x D346 x H145 mm. Tap hole ca. 33 mm (tap not included, recommended part number 705082). Sink dimensions: W300 x D240 mm, drain fitting: type E (e.g., 705065), weight: 7 kg

Scope of delivery: Carbest stove-sink combination

Sink on the left	70584	369,--
Sink on the right	70585	369,--



Rotary control
Spare part, 1 pc.
E705573 12,90



Rubber plug
Spare part, 1 pc.
E705580 4,95




Sink – with glass cover

- Easy to clean
- Includes glass cover
- High-quality design

Carbest stainless steel sink with glass cover. Faucet diameter: ca. 35 mm. Drain diameter: ca. 41 mm. Hose connection diameter: ca. 20 mm. Installation dimensions: W398 x D325 mm, Dimensions: W415 x D365 x H156 mm. Weight: 2.8 kg.

Scope of delivery: Carbest sink, siphon, plug, operating instructions.

70144	189,--
--------------	---------------



Includes faucet

Sink – with glass cover and faucet


- Easy to clean
- Includes glass cover
- High-quality design

**Compatible with cooker
70577**

Carbest stainless steel sink with glass cover and faucet. Suitable drain fitting: Type E (e.g. 705065). Can be combined with cooker 70577. Hot and cold water tap, without microswitch, with 2 flexible hoses ½" internal thread, Installation dimensions: W310 x D342 mm, overall dimensions: W322 x D352 x H146 mm. Faucet hole: Ø 28 mm. Scope of delivery: Carbest sink and faucet

70566	261,--
--------------	---------------

NEW




Stainless steel sink cylindrical, matte

- Easy to clean
- High-quality matte design

Installation dimensions: Ø 362 mm. Dimensions: Ø 360 x D 120 mm. Material: Stainless steel. Weight: 0.7 kg. Compatible drain fitting: Type E (e.g., 705065).

705090 84,95




Stainless steel sink, round, glossy

- Easy to clean
- High-quality, high-gloss design

Installation dimensions: Ø 262 mm. Dimensions: Ø 290 x H 120 mm. Material: Stainless steel. Weight: 0.8 kg. Compatible drain fitting: Type E (e.g., 705065).

70564 59,95




Stainless steel sink cylindrical, shiny

- Easy to clean
- High-quality, high-gloss design

Installation dimensions: Ø 302 mm. Dimensions: Ø 330 x H 180 mm. Material: Stainless steel. Weight: 1.4 kg. Compatible drain fitting: Type E (e.g., 705065).

70565 91,95



Stainless steel sink, square, matte

- Easy to clean
- High-quality matte design

Dimensions (LxWxH): 360x360x150 mm, drain fitting type E not included. Installation dimensions: Width: 336 mm, Depth: 336 mm, Height: 150 mm

70117 89,90




VanStream stainless steel sink rectangular, matte

- Sloping floor for optimal water drainage
- Compact dimensions
- Ideal for camper vans and vans

Stainless steel sink with a recessed base for optimal drainage, even when the campervan is on a slope. Dimensions (W x D x H): 325 x 245 x 104/117 mm, installation dimensions (W x D): 298 x 218 mm, drain fitting type E (e.g., 705065). Material: Stainless steel

70573 119,--





WATER/SANITARY

Mobile battery-powered drinking water tap

- 1200 mAh lithium battery
- Food safe
- Suitable for wide-neck canisters DIN 61 (also DIN 96 with adapter)

The portable drinking water tap is the ideal solution for on the go. The powerful 1200 mAh lithium battery can be recharged via USB-C. Made from food-grade materials, it guarantees safe and hygienic water dispensing. The drinking water tap is specifically designed for wide-mouth canisters with a DIN 61 thread and, with the appropriate adapter, also fits DIN 96 canisters. The perfect addition to your water supply while traveling! Dimensions: L144 x W65 x H151 mm, including 50 cm suction hose and charging cable.

White	63178	19,95
Black	63179	19,95

Accessories for cordless drinking water tap:

Adapter for mounting, e.g., on a countertop

	63182	9,40
--	-------	------

Adapter for mounting on DIN 96 canister (additional locking ring 60016 required)

	63183	11,70
--	-------	-------

Replacement hose 1 m	E63170	0,55
----------------------	--------	------



Single-lever mixer

High-quality single-lever mixer tap, foldable and rotatable. Connections: 2 x flexible connections (1/2") 45cm. Mixer dimensions: width 85 mm, overall height: 85 mm, installation height: 45 mm, lever length: 85 mm, Ø 45 mm. Spout length: 165 mm. Mounting hole ca. 40 mm. Single-lever mixer tap material: brass. Can be connected to either the Carbest quick-connect system or a drinking water hose (10-12 mm) using an optional adapter.

Shiny chrome	63185	84,95
Black matte	63186	94,95

Optional connection adapters

on Carbest plug-in system	650013	4,95
on hose nozzle 10/12 mm	63190	9,-

Two pieces are required in each case.



Single lever mixer with shower set

- High-quality workmanship and feel
- Includes mixer tap and 2x 1/2" flexible hose connections

High-quality shower set including single-lever mixer, shower head, 1.5 m shower hose, and conical holder. Single-lever mixer material: brass, shower head: ABS, shower hose: stainless steel. Connections: 2 x flexible connections (1/2") 45 cm. Mixer dimensions: width 85mm, overall height: 85mm, installation height: 45mm, lever length: 85mm, diameter: 45mm. Can be connected to either the Carbest quick-connect system or a drinking water hose (10-12 mm) using an optional adapter.

Shiny chrome	63187	94,95
Black matte	63188	104,-

Optional connection adapters On Carbest plug-in system (not shown)

	650013	4,95
--	--------	------

On hose nozzle 10/12 mm	63190	9,-
-------------------------	-------	-----

Two pieces are required in each case.


63190



Service flaps with shower

Includes pre-mixer shower head with lever and hose (1.5m) in chrome. Hanging hook. Connections: 1/2", external thread for connection to the Carbest push-fit system (2x adapter 650015 required). Removable temperature control. Weight: 1 kg. H133 x W115 x D99 mm. Installation dimensions: W92 x H105 mm.

① Color: white	63234	94,95
② Color: black	63235	94,95



stainless steel washbasin

Oval S high gloss

External dim. 340 x 270 mm
Installation dim. 280 x 210 mm
Depth 120 mm Suitable drain type A, F


64032	40,95
-------	-------

Oval M high-gloss polished External dimensions 432 x 305 mm Installation dimensions 375 x 245 mm Depth 130 mm Suitable drain type A, F

64033	49,95
-------	-------

Round S high gloss External dimensions Ø 265 mm Installation dimensions Ø 225 mm Depth 120 mm Matching drain type E

64031	38,95
-------	-------



20 L outdoor shower (plastic) for roof racks

- PVC housing with ca. 20 liter capacity
- Food safe
- Works with compressor or bicycle pump
- Filled with standard garden hose
- Chrome shower head with 1.5-meter shower hose


This outdoor shower, made of food-grade PVC, has a 20-liter capacity. It can be flexibly operated with a compressor or bicycle pump and filled with a standard garden hose. The shower head can be securely attached thanks to the conical bracket with adhesive pad. The included universal mounting kit allows the shower to be attached to almost any roof rack. Features a quick-release valve. Dimensions: 115 x 18 x 14.5 cm. Package includes: outdoor shower, mounting kit, shower head, 1.5 m hose, bracket, pressure relief valve, compressor connection, and shut-off valve.

601100	299,-
--------	-------



Submersible pumps with pipe connection for hose (internal Ø 10-12 mm)

- Food safe
- Filters for protection against Impurities
- Connection with Hose clamp on each Hose with matching Possible diameters
- Small diameter – for small canister openings ca. appropriate
- Pumps 620006 and 620007 with shutdown during dry running and Check valve



Submersible pump 16 I

- Fully submersible
- Low noise and vibration
- Permanently lubricated
- Small size
- Lightweight
- Quick, easy installation

12 V, 0.6 bar, 5.0 A, operating time for 30 min, delivery head up to 6 m, dry seal with permanent lubrication, hose connection: Ø 12 mm / ½", weight: 0.24 kg, dimensions: H106 x W48 mm.

620001 11,90

No.	Designation	l/m	bar	W	Weight	Ø Pump	Food safe	Art. no	Price
①	Submersible pump 12 I	12	0,8	36	150 g	37 mm	Yes	620004	16,99
①	Submersible pump 15 I	15	1,0	48	150 g	37 mm	Yes	620005	18,99
②	Submersible pump 18 I	18	1,2	66	300 g	47 mm	Yes	620006	26,99
②	Submersible pump 21 I	21	2,1	90	300 g	47 mm	Yes	620007	32,99
③	Submersible pump 10 I	10	1,5	40	140 g	38 mm	no	62130	16,90
④	Submersible pump 15 I	15	1,5	50	168 g	49 mm	no	62131	17,90

Pressure water pumps

① 2-chamber pressure water pump – 3.1 l/min, 2.8 bar

Self-priming. Connection via 3/8" (10 mm) hose barb, including filter and hose adapter. Max. suction height 1.9 m.

Dimensions ca.: L 62 x W 154 x H 98 mm. 12 V, 2.0 A (max. 4.0 A).

620551 34,90

② 3-chamber pressure water pump – 8 l/min, 1.4 bar

Self-priming. Connection via ½" male thread, including filter and hose adapter. Max. suction height 1.8 m.

Dimensions ca.: L 203 x W 130 x H 123 mm. 12 V, 3.0 A (max. 6.0 A)

620501 69,60

③ 3-chamber pressure water pump – 11.3 l/min, 3.1 bar

Self-priming with bypass. Connection via ½" male thread, including filter and hose adapter. Max. suction height 2.0 m.

Dimensions ca.: L 203 x W 130 x H 123 mm. 12 V, 3.5 A (max. 8.5 A).

620502 84,90

④ 4-chamber pressure water pump – 13.2 l/min, 3.8 bar

Self-priming. Includes bypass. Connection via ½" male thread, including filter and hose adapter. Max. suction height 2.0 m.

Dimensions ca.: L 203 x W 130 x H 111 mm. 12 V, 3.5 A (max. 8.5 A).

620563 97,90

⑤ 5-chamber pressure water pump – 18.9 l/min, 4.2 bar

Self-priming. Includes bypass. Connection via ½" male thread, including filter and hose adapter. Max. suction height 2.5 m.

Dimensions ca.: L 203 x W 130 x H 111 mm. 12 V, 7.5 A (max. 17.0 A).

620562 129,--

⑥ Pressure equalization vessel

Pressure is preset to 1.2 bar and can be increased to a maximum of 8.6 bar. Volume 0.8 l. Dimensions: H 200 x W 123 x D 114 mm.

Includes hose connectors. 650143 21,90

① 3.1 I



② 8 I



③ 11.3 I



Including bypass

④ 13.2 I



Including bypass

⑤ 18.9 I



Including bypass



TIP

⑥ 1/2



Plug-in fresh water pipe system 12 mm

- Plug-in system, quick installation
- The connections are detachable and reusable
- Food safe
- Clean installation with optimal protection
- 100% leak-proof up to a pressure of 12 bar at 23°C
- Temperature resistant up to 80°C
- Polyethylene water pipe, outer diameter 12 mm
- All connectors with safety clips to prevent accidental loosening
- No more fiddling around with hose clamps



 Connector 1/2" female thread Ø 12 650011 4,95	 Connector 3/8" female thread Ø 12 650012 4,95	 Connector 1/2" AG Ø 12 650013 4,95	 Connector 3/8" AG Ø 12 650014 4,95	 Angle connector on 1/2" union nut Ø 12 650015 5,70	 Angle connector Single-sided 12 mm tube. Ø 12 650022 3,95
 Y-connector Ø 12 650017 6,70	 T-connector Ø 12 650018 7,50	 Straight connector Ø 12 650019 4,95	 Angle connector Ø 12 650021 5,20	 Safety clip 10 pcs 650025 4,90	
 Shut-off valve, short Ø 12 650024 9,95	 Angle adapter from 12 mm pipe to 12 mm hose nozzle 650026 2,95	 Straight adapter from 12 mm pipe to 12 mm hose nozzle 650027 2,60	 Plug-in pipe connector 12 mm pipe 650028 2,60	 Straight adapter from 12 mm pipe to 10 mm hose nozzle 650029 1,70	
 Long shut-off valve with tap extension ca. 215 mm Ø 12 650030 12,-			 Cold water pipe up to 12 bar. Bending radius max 85 mm. 5 m Ø 12 6500310 7,95 GP* 1.59/1 m	 Hot water pipe up to 12 bar. Bending radius max 85 mm. 5 m Ø 12 6500320 7,95 GP* 1.59/1 m	

NEW




Wastewater hose connection set, 3-piece, 300 cm

Includes adapter for pipediameters from 18-51 mm. The hose itself is flexible and extendable from 49-300 cm. Outer diameter ca. 45 mm. Includes carrying bag.

65439

25,95



Peg set

For laying the drain hose at a slope. Inserted into the ground, they hold the hose high enough to allow wastewater to drain away properly. L 300 mm, Ø 6 mm. With carrying bag.

10 piece

65354

19,99





WINDOWS/DOORS

Safety glass windows for Volkswagen Caddy / Ford Connect



**SAFETY
GLASS**

**LIGHT-
CASUAL:
18%**



Rear windows without wiper hole

Size illustrations example

Volkswagen Caddy Maxi > 2021 / Ford Tourneo Connect > 2022

Installation position	Wheelbase	External dimensions W x H (mm)	Weight (kg)	Art. no.	Price
	long	970x493	6,0	316027	269,95
	long	970x493	6,0	316026	269,95
	long	830x470	5,5	316034	249,95
	long	830x471	5,5	316033	249,95

Volkswagen Caddy Maxi 2008-2020

Installation position	Wheelbase	External dimensions W x H (mm)	Weight (kg)	Art. no.	Price	Weight (kg)	Art. no.	Price
	short + long	714x538	3,7	316021	73,95	4,7	31618	206,95
	short + long	714x538	3,7	316020	73,95	4,7	31617	206,95
	long	1044x545	5,5	31605	96,95	—	—	—
	long	1044x545	5,5	31604	96,95	—	—	—
	long	591x504	3,0	316023	139,—	—	—	—
	long	750x596	4,3	316022	164,95	—	—	—

Volkswagen Caddy/Maxi 2015-2020

Installation position	Wheelbase	External dimensions W x H (mm)	Weight (kg)	Art. no.	Price
	short + long	1377x588	9,0	316025	214,95

Volkswagen Caddy/Maxi 2004-2015

Installation position	Wheelbase	External dimensions W x H (mm)	Weight (kg)	Art. no.	Price
	short + long	1257x591	9,0	316024	199,95

Safety glass windows for Citroën Jumpy 3 / Spacetourer / Peugeot Expert 3 / Traveler / Toyota Proace 2 / Proace Verso Opel Vivaro / Zafira Life (> 2017) Fiat Scudo / Ulysse (> 2022)



**SAFETY
GLASS**

**LIGHT-
CASUAL:
18%**



Size illustrations example

Installation position	Wheelbase	External dimensions W x H (mm)	Weight (kg)	Art. no.	Price	Weight (kg)	Art. no.	Price
	short + long	1100x541	—	—	—	7,0	31701	249,95
	short + long	1100x541	—	—	—	7,0	31700	249,95
	Short	851x534	4,0	31708	106,95	—	—	—
	Short	851x534	4,0	31709	106,95	—	—	—
	long	1175x534	6,0	31705	114,95	7,5	31703	289,—
	long	1175x534	6,0	31704	114,95	7,5	31702	289,—
	short + long	675x495	3,5	31707	189,—	—	—	—
	short + long	735x495	3,5	31706	189,—	—	—	—



Sliding window with integrated metal mosquito net

Volkswagen Transporter 5/6/6.1 2003-2024			Sliding window		
Installation position	Wheelbase	External dimensions W x H (mm)	Weight (kg)	Art. no	Price
	short + long	1135x585	9,0	315931	275,-
	short + long	1135x585	9,0	315930	275,-



Size illustrations example

Sliding window without mosquito net

Volkswagen Transporter 5/6/6.1 2003-2024			Fixed windows			Sliding window		
Installation position	Wheelbase	External dimensions W x H (mm)	Weight (kg)	Art. no.	Price	Weight (kg)	Art. no	Price
	short + long	1135x585	6,5	315910	99,95	8,0	31591	212,-
	short + long	1135x585				8,0	31590	212,-
	Short	922x572	5,0	31599	85,95	6,5	315911	209,-
	Short	922x572	5,0	31598	85,95	6,5	315900	209,-
	long	1257x570	6,8	315990	109,95	8,3	315912	219,-
	long	1257x570	6,8	315980	108,95	8,3	315901	219,-
	short + long	729x579	4,0	316004	129,95		—	
	short + long	729x579	4,0	316003	129,95		—	

Volkswagen Transporter 4 1990-2004			Fixed windows			Sliding window		
Installation position	Wheelbase	External dimensions W x H (mm)	Weight (kg)	Art. no.	Price	Weight (kg)	Art. no	Price
	short + long	1126x523		—		7,5	31503	209,-
	short + long	1126x523		—		7,5	31504	209,-
	Short	967x522	5,0	31505	89,95		—	
	Short	967x522	5,0	31506	89,95		—	


Volkswagen Transporter 6/6.1 2016-2024			Rear window		
Installation position	Wheelbase	External dimensions W x H (mm)	Weight (kg)	Art. no	Price
	short + long	1544x562	8,0	31600	239,-

Volkswagen Transporter 5 2004-2016			Rear window		
Installation position	Wheelbase	External dimensions W x H (mm)	Weight (kg)	Art. no	Price
	short + long	1445x575	8,0	316005	181,95



Size illustrations example

Rear windows without wiper hole



Safety glass windows for Renault Trafic / Nissan NV300 / Nissan Primastar / Ford Transit Custom

Renault Trafic 2002-2015			Fixed windows 			Sliding window 		
Installation position	Wheelbase	External dimensions W x H (mm)	Weight (kg)	Art. no.	Price	Weight (kg)	Art. no.	Price
	short + long	1193x665	—			9,0	316012	239,—
 **	short + long	1193x665	—			9,0	316011	239,—
	short + long	670x623	4,0	315914	109,95	—		
	short + long	670x623	4,0	315913	109,95	—		

Renault Trafic/Nissan NV300 > 2015 Nissan Primastar > 2022			Fixed windows 			Sliding window 		
Installation position	Wheelbase	External dimensions W x H (mm)	Weight (kg)	Art. no.	Price	Weight (kg)	Art. no.	Price
	short + long	1116x598	6,5	316010	97,—	9,0	31593	226,—
	short + long	1116x598	—			9,0	31592	226,—
	Short	919x571	5,0	31602	77,—	—		
	Short	919x571	5,0	31601	77,—	—		
	long	1319x579	7,5	316014	104,—	—		
	long	1319x579	7,5	316013	104,—	—		
	short + long	670x623	4,0	315914	109,95	—		
	short + long	670x623	4,0	315913	109,95	—		

Ford Transit Custom 7/2013-2023			Fixed windows 			Sliding window 		
Installation position	Wheelbase	External dimensions W x H (mm)	Weight (kg)	Art. no.	Price	Weight (kg)	Art. no.	Price
	short + long	1199x566	—			8,0	31595	336,—
 **	short + long	1208x566	—			8,0	31594	336,—



Size illustrations example

Safety glass windows for Ford Tourneo / Transit Custom >2023, Volkswagen Transporter >2024



Ford Tourneo / Transit Custom >2023 VW Transporter >2024			Fixed windows 			Sliding window 		
Installation position	Wheelbase	External dimensions W x H (mm)	Weight (kg)	Art. no.	Price	Weight (kg)	Art. no.	Price
	short + long	1209x561	6,5	316001	179,95	8,5	316015	299,—
	short + long	1209x561	6,5	316000	179,95	8,5	316016	299,—
 **	short + long	1229x561	6,5	316002	179,95	8,5	316017	299,—
	Short	919x515	5,5	316007	139,95	—		
	long	1319x515	7,0	316009	184,95	—		
	Short	919x515	5,5	316006	139,95	—		
	long	1319x515	7,0	316008	184,95	—		
 *	short + long	779x477	4,0	316019	171,95	—		
 *	short + long	779x477	4,0	316018	171,95	—		
 *	short + long	1536x474	7,5	316035	259,95	—		

Rear windows without wiper hole

Size illustrations example

Safety glass windows for Mercedes-Benz Vito



Size illustrations example

Mercedes-Benz Vito 2004-2014			Fixed windows			Sliding window		
Installation position	Wheelbase	External dimensions W x H (mm)	Weight (kg)	Art. no.	Price	Weight (kg)	Art. no.	Price
	short/long	1096x565	6,0	31511	104,95	7,5	31521	220,-
	short/long	1096x565	6,0	31510	104,95	7,5	31520	220,-
	Short	1169x521	7,5	31523	109,95	—	—	—
	Short	1169x521	7,5	31522	109,95	—	—	—
	long	1296x521	6,5	31513	119,95	—	—	—
	long	1296x521	6,5	31512	119,95	—	—	—

Mercedes-Benz Vito > 2015			Fixed windows			Sliding window		
Installation position	Wheelbase	External dimensions W x H (mm)	Weight (kg)	Art. no.	Price	Weight (kg)	Art. no.	Price
	short/medium/long	1100x570	6,0	315962	99,95	7,5	31597	216,-
	short/medium/long	1100x570	6,0	315961	99,95	7,5	31596	216,-
	medium	1195x531	6,0	315970	97,-	—	—	—
	medium	1195x531	6,0	315960	109,95	—	—	—
	long	1300x529	6,6	315966	97,-	8,1	315964	231,-
	long	1300x529	6,6	315965	97,-	8,1	315963	231,-

Safety glass windows for maxivans



Citroën Jumper
Opel Movano
Fiat Ducato



Mercedes Benz
sprinter

F. Ducato/P. Boxer/C. Jumper > 2007 O. Movano > 2021/Toyota Proace Max > Sept. 24			Fixed windows			Sliding window		
Installation position	Vehicle lengths (mm)	External dimensions W x H (mm)	Weight (kg)	Art. no.	Price	Weight (kg)	Art. no.	Price
	5413/5998/6363	1400x665	9,0	316190	149,-	10,5	31619	239,-
	5413/5998/6363	1434x665	9,0	316200	149,-	10,5	31620	239,-
	5998/6363	1360x585	8,5	316220	159,-	9,5	31622	256,-
	5998/6363	1360x585	8,5	316210	149,-	9,5	31621	256,-
	6363	1128x665	7,3	316230	129,-	8,5	31623	235,-
	6363	1128x665	7,3	316240	129,-	8,5	31624	235,-
	4963/5413/5998/6363	826x665	5,3	31625	99,95	—	—	—
	4963/5413/5998/6363	826x665	5,3	31626	99,95	—	—	—
	270° (For 270° door hinges)	4963/5413/5998/6363	826x670	5,3	31627	99,95	—	—
	270° (For 270° door hinges)	4963/5413/5998/6363	826x670	5,3	31628	99,95	—	—

Mercedes-Benz Sprinter > 2007			Fixed windows			Sliding window		
Installation position	Vehicle lengths (mm)	External dimensions W x H (mm)	Weight (kg)	Art. no.	Price	Weight (kg)	Art. no.	Price
	5910/6945/7345	1405x766	—	—	—	12,0	315002	309,-
	5910/6945/7345	1408x766	—	—	—	12,0	315003	309,-
	6945/7345	1416x706	10,5	315001	159,95	—	—	—
	6945/7345	1422x766	10,5	315000	159,95	—	—	—
Mercedes-Benz Sprinter 2007-2018								
	5910/6945/7345	818x800	6,3	315004*	169,-	—	—	—
	5910/6945/7345	818x800	6,3	315005*	169,-	—	—	—

Mercedes-Benz Sprinter > 2019			Fixed windows		
Installation position	Vehicle lengths (mm)	External dimensions W x H (mm)	Weight (kg)	Art. no.	Price
	5932/6977/7367	775x775	6,0	315006	179,-
	5932/6977/7367	775x775	6,0	315007	179,-

* 315004/315005
Discs have cut-out for Mercedes-Benz or Volkswagen logo

Safety glass windows for maxivans

* 315004/315005
Discs have cut-out
for Mercedes-Benz
or Volkswagen logo



Volkswagen Crafter

* 31716/31717 Discs
have cutout for
Volkswagen logo



Ford Transit V 363



Renault Master

Volkswagen Crafter 2007-2016			Fixed windows			Sliding window		
Installation position	Vehicle lengths (mm)	External dims W x H (mm)	Weight (kg)	Art. no.	Price	Weight (kg)	Art. no.	Price
	5910/6945/7345	1405x766	—	—	—	12,0	315002	309,—
	5910/6945/7345	1408x766	—	—	—	12,0	315003	309,—
	6945/7345	1416x706	10,5	315001	159,95	—	—	—
	6945/7345	1422x766	10,5	315000	159,95	—	—	—
	5910/6945/7345	818x800	6,3	315004*	169,—	—	—	—
	5910/6945/7345	818x800	6,3	315005*	169,—	—	—	—

Volkswagen Crafter > 2017			Fixed windows			Sliding window		
Installation position	Vehicle lengths (mm)	External dims W x H (mm)	Weight (kg)	Art. no.	Price	Weight (kg)	Art. no.	Price
	5986/6836/7391	1488x713	—	—	—	11,5	31710	329,—
	5986/6836/7391	1492x713	—	—	—	11,5	31711	329,—
	6836/7391	1455x637	—	—	—	11,0	31712	329,—
	6836/7391	1455x702	—	—	—	11,5	31713	329,—
	6836/7391	883x682	—	—	—	7,5	31714	304,—
	6836/7391	883x682	—	—	—	7,5	31715	304,—
	5986/6836/7391	776x649	5,0	31716*	139,95	—	—	—
	5986/6836/7391	776x649	5,0	31717*	139,95	—	—	—

Ford Transit V 363 > 2014			Fixed windows			Sliding window		
Installation position	Vehicle lengths (mm)	External dimensions W x H (mm)	Weight (kg)	Art. no.	Price	Weight (kg)	Art. no.	Price
	5531/5981/6704	1369x754	—	—	—	11,0	31730	335,—
	5531/5981/6704	1369x754	—	—	—	11,0	31731	335,—
	5981/6704	972x723	8,0	31732	199,—	—	—	—
	5981/6704	977x729	8,0	31733	199,—	—	—	—
	5981	672x718	5,5	31734	169,—	—	—	—
	5981	672x718	5,5	31735	169,—	—	—	—

Renault Master 2010-2025 / Opel Movano 2010-2021			Fixed windows			Sliding window		
Installation position	Wheelbase	External dimensions W x H (mm)	Weight (kg)	Art. no.	Price	Weight (kg)	Art. no.	Price
	short + long	1420x688	11,0	31680	159,—	12,5	31682	259,—
	short + long	1428x688	11,0	31681	159,—	12,5	31683	259,—
	short + long	840x790	9,0	31684	169,—	—	—	—
	short + long	795x680	8,0	31685	169,—	—	—	—

ATTENTION: **Does not fit vehicles with a sliding door on the left.

AIRvent Ventilation grille for CARBEST sliding windows

- Material: Aluminum, black coated
- Ventilation, with mosquito net
- With a surrounding rubber seal for a perfect window seal

Vehicle model	YOC	Execution	Suitable for	Art. no	Price
Citroën Jumpy 3, Peugeot Expert, Toyota ProAce	>2016	Right left	31701	461612	129,—
Citroën Jumpy 3, Peugeot Expert, Toyota ProAce	>2016	Right left	31700	461613	129,—
Renault Trafic 15, Opel Vivaro, Nissan NV300	>2015	Right left	31593	461610	129,—
Renault Trafic 15, Opel Vivaro, Nissan NV300	>2015	Left	31592	461611	129,—
Ford Transit, Tourneo Custom, VW Transporter	>2023/>2024	Right	316015	461608	129,—
Ford Transit, Tourneo Custom, VW Transporter	>2023/>2024	Left	316016 / 316017	461609	129,—
Fiat Ducato (other identical vehicles)	>2007	Right	31619	461614	157,—
Fiat Ducato (other identical vehicles)	>2007	Left	31620	461615	157,—
Mercedes Sprinter	>2007	Right	315002	461616	157,—
Mercedes Sprinter	>2007	Left	315003	461617	157,—
Ford Transit Custom	2013 – 2023	Left	31594	461606	167,—
Ford Transit Custom	2013 – 2023	Right	31595	461607	165,—
Volkswagen Transporter T4	1990 – 2003	Left	31504	461602	169,—
Volkswagen Transporter T4	1990 – 2003	Right	3150	461603	169,—
Volkswagen Transporter T5 / T6 / T6.1	2003 – 2024	Left	31590	461618	169,—
Volkswagen Transporter T5 / T6 / T6.1	2003 – 2024	Right	31591	461619	169,—

Size illustrations
example

Safety glass display windows for campervans and maxivans



SAFETY GLASS

LIGHT-CASUAL: 18%

2-STEP LOOSE ADJUSTERS

WITH 2 LOCKING-LATCHES

WITH VENTILATION POSITION

ECE R43

Stainless steel hinges

MADE IN GERMANY

Volkswagen Transporter 5 / 6 / 6.1 2003-2024				Hinged window		
Installation position	Wheelbase	External dimensions W x H (mm)	Viewing app. W x H (mm)	Weight (kg)	Art. no	Price
	short + long	1135x585	730x360	12,0	315916	505,-
	short + long	1135x585	730x360	12,0	315915	505,-



Optional blackout system

	External dimensions (mm) 830x440	Item no. 3181013	Price 113,-
	External dimensions (mm) 830x440	Item no. 3181012	Price 113,-

Ford Tourneo / Transit Custom >2023 Volkswagen Caravelle / Transporter >2024				Hinged window		
Installation position	Wheelbase	External dimensions W x H (mm)	Viewing app. W x H (mm)	Weight (kg)	Art. no	Price
	short + long	1209x561	620x245	12,0	315917	529,-
	short + long	1209x561	620x245	12,0	315920	529,-
	short + long	1219x561	620x245	12,0	315918	529,-



F. Ducato / P. Boxer / C. Jumper >2007, O. Movano >2021 / Toyota Proace Max >09/2024				Hinged window		
Installation position	Wheelbase	External dimensions W x H (mm)	Viewing app. W x H (mm)	Weight (kg)	Art. no	Price
	short + long	1400x665	920x370	14,7	315921	558,-
	short + long	1434x665	920x370	14,7	315922	558,-



Mercedes-Benz Sprinter > 2007				Hinged window		
Installation position	Wheelbase	External dimensions W x H (mm)	Transparency approx. W x H (mm)	Weight (kg)	Art. no	Price
	short + long	1405x766	940x380	15,6	315923	629,-
	short + long	1408x776	940x380	15,6	315924	629,-



ATTENTION: **Does not fit vehicles with a sliding door on the left.



Stainless
steel hinges



Size illustrations
example



Size illustrations
example

OPTIONAL

Blackout system with privacy and mosquito protection pleated blind with magnetic closure. With a matte black frame and black pleated blinds for a very high-quality look.

Tinted safety glass windows RW Eco

GLASS	LIGHT-CASUAL: 20%	WITH VENTILATION- POSITION	EXHIBITOR CONTINUOUSLY (STAINLESS STEEL)	FRAME MATERIAL: Aluminum	FOR WALL THICKNESSES FROM 30-32 mm	CORNER RADIUS WINDOW-FRAME: 75 mm	ECE R43
Detail W x H (mm)	External dimensions W x H (mm)	Transparency W x H (mm) approx.	Max. Opening	kg	Art. no	Price	
350x500	397x554	245x435	50°	2,8	31880	159,-	
500x300	547x354	395x250	34°	2,6	318810	139,-	
500x350	547x404	395x300	35°	2,8	31889	152,-	
500x450	547x504	395x400	57°	3,3	31882	177,-	
600x450	647x504	495x400	56°	4,5	31870	189,-	
700x300	747x354	595x250	34°	3,4	318813	166,-	
700 x 400	747x454	595x350	42°	4,5	31871	197,-	
700 x 450	747x504	595x400	57°	4,7	31872	205,-	
800 x 450	847x504	695x400	54°	5,2	31884	249,-	
900 x 450	947x504	795x400	57°	5,6	31885	252,-	
900 x 500	947x554	795x450	51°	6,3	31886	252,-	
1000x500	1047x554	895x450	51°	6,8	31887	264,-	

RW Eco blackout system

OPTIONAL AVAILABLE	BLACKOUT PLISSEE	MOSQUITO- PROTEC- TION PLISSEE	FRAME MA- TERIAL: Aluminum	
External dims WxH(mm)				
Item.	Price	Item.	Price	
381x546	318801	84,-	318802	92,-
531x346	318811	77,-	318812	91,-
531x396	318891	85,-	318892	90,-
531x496	318821	87,-	318822	96,-
631x496	318701	84,-	318702	97,-
731x346	318831	95,-	318832	93,-
731x446	318711	93,-	318712	91,-
731x496	318721	92,-	318722	105,-
831x496	318841	103,-	318842	119,-
931x496	318851	104,-	318852	122,-
931x546	318861	115,-	318862	127,-
1031x546	318871	112,-	318872	132,-



Size illustrations
example



OPTIONAL

Blackout system with privacy screen and mosquito protection pleated blind with magnetic closure

Size illustrations example

Tinted safety glass windows RW Motion

GLASS	DOUBLE GLASS	LIGHT-CASUAL: 20%	LEFT AND RIGHT MOUNTING- ABLE	FRAME MATERIAL: Aluminum	FOR WALL THICKNESSES FROM 30 mm	CORNER RADIUS WINDOW-FRAME: 87 mm	ECE R43
Detail W x H (mm)	External dimensions W x H (mm)	Viewing app. W x H (mm)	Weight (kg)	Art. no.	Price		
500x300	528x328	380x225	4,8	31657	148,-		
500x350	528x378	380x275	6,5	31650	149,-		
500x450	528x478	380x375	6,6	31654	174,-		
600x350	628x378	480x275	6,2	31653	174,-		
600x450	628x478	480x375	7,7	31658	195,-		
700 x 300	728x328	580x225	6,4	31659	169,-		
700 x 400	728x428	580x325	8,0	31660	199,-		
700x450	728x478	580x375	8,7	31661	199,-		
800x340	828x368	680x265	7,8	31656	186,-		
800x400	828x428	680x325	8,9	31651	213,-		
800x450	828x478	680x375	9,9	31655	213,-		
900x450	928x478	780x375	10,8	31662	239,-		
900x500	928x528	780x425	11,8	31663	249,-		
960x450	988x478	840x375	11,4	31652	235,-		
1000x500	1028x528	880x425	12,9	31664	269,-		

RW Motion blackout system

OPTIONAL AVAILABLE	BLACKOUT PLISSEE	MOSQUITO-PROTECTION PLISSEE	FRAME MATERIAL: PVC
External dimensions W x H (mm)	Art. no	Price	
567x407	316571	68,-	
567x457	316501	79,-	
567x557	316541	75,-	
667x457	316531	73,-	
667x557	316581	86,-	
767x407	316591	78,-	
767x507	316601	88,-	
767x557	316611	83,-	
867x447	316561	97,-	
867x507	316511	99,-	
867x557	316551	96,-	
967x557	316621	93,-	
967x607	316631	123,-	
1027x557	316521	105,-	
1067x607	316641	102,-	



Size illustrations
example



Tinted Universal Safety glass windows



External dimensions W x H (mm)	Viewing area approx. W x H (mm)	Window opening W x H (mm)	Weight (kg)	Art. no.	Price
460x280	300x120	70x120	1,3	31720	179,-
500x350	340x190	105x190	1,7	31721	209,-
500x450	340x290	95x290	2,2	31722	209,-
600x350	440x190	160x190	2,1	31723	215,-
800x340	340x160	245x170	2,6	31724	223,-
800x450	640x290	250x290	3,5	31725	239,-
900x450	730x290	310x290	3,9	31726	249,-

RW Style Slide and RW Style
can be easily combined
on the vehicle, as they have the
same appearance



Windows included
Mounting frame

Size illustrations
example




Size illustrations
example

OPTIONAL


Blackout system with privacy and mosquito protection pleated blind
with magnetic closure. NEW: With matte black frame and black pleated
blinds for a very high-quality look.

Tinted acrylic glass sliding windows RW Style Slide



Detail W x H (mm)	External dimensions W x H (mm)	Viewing app. W x H (mm)	Window opening W x H (mm)	Weight (kg)	Art. no.	Price
500x450	527x477	330x330	120x373	2,7	318022	229,-
700x300	727x327	520x180	220x223	2,6	318023	265,-
700x400	727x427	520x280	220x323	4,0	318024	279,-
900x450	927x477	720x330	320x373	4,8	318025	347,-
1000x500	1027x527	820x380	370x423	5,9	318026	374,-

RW Style Slide blackout system



External dimensions W x H (mm)	Art. no.	Price	Art. no.	Price
528x478	3180010	79,90	3180012	93,90
728x328	31800130	83,90	31800132	99,-
728x428	3180020	88,-	3180022	104,-
928x478	3180030	109,-	3180032	114,-
1028x528	31800170	109,-	31800172	124,-



Size illustrations example



OPTIONAL
Blackout system with privacy and mosquito protection pleated blind with magnetic closure. With a matte black frame and black pleated blinds for a very high-quality look.

RW Style acrylic glass hinged window

ACRYLIC-GLASS	DOUBLE GLASS	LIGHT-CASUAL: 10%	WINDOW INSIDE ACRYLIC	UV RE-SISTANT
WITH VENTILATION-POSITION	STAINLESS STEEL VENT (STEPPLESS)	FRAME MATERIAL: Aluminum	FOR WALL-THICKNESSES FROM 30-35 mm	ECE R43

Detail W x H (mm)	External dimensions W x H (mm)	Transparency approx. W x H (mm)	Max. Opening	kg	Art. no	Price
350x500	377x527	295x425	70°	2,9	318009	179,-
460x220	487x247	405x145	37°	2,3	318010*	149,-
500x300	527x327	445x225	67°	2,6	318112	169,-
500x350	527x377	445x275	70°	3,1	318000	179,-
500x450	527x477	445x375	75°	3,4	318001	207,-
600x450	627x477	545x375	70°	3,9	318012	225,-
700x300	727x327	645x225	69°	3,4	318113	205,-
700x400	727x427	645x325	55°	4,1	318002	225,-
700x450	727x477	645x375	74°	4,4	318014	269,-
800x450	827x477	745x375	74°	4,9	318015	294,-
900 x 450	927x477	845x375	73°	5,4	318003	299,-
900x500	927x527	845x425	70°	5,8	318016	334,-
1000x500	1027x527	945x425	72°	6,3	318017	359,-
1000x800	1027x827	945x725	47°	8,8	318004	367,-
1100x450	1127x477	1045x375	72°	6,4	318005	322,-
1200x300	1227x327	1145x225	69°	5,4	318006	282,-
1200x500	1227x527	1145x425	70°	7,3	318007	366,-
1450x550	1477x577	1395x475	68°	9,2	318008	389,-

* Acrylic glass display window 318010 with plastic display stand, 3 levels.

RW Style blackout system

OPTIONAL AVAILABLE	BLACKOUT PLISSEE	MOSQUITO-PROTECTION PLISSEE	FRAME MATERIAL: Aluminum
--------------------	------------------	-----------------------------	--------------------------

External dimensions W x H (mm)	Art. no	Price	Art. no.	Price
378x528	3180090	72,-	---	---
688x248	31800100	66,90	---	---
528x328	31800110	72,90	---	---
528x378	31800000	79,90	31800002	88,90
528x478	31800010	79,90	31800012	93,90
628x478	31800120	82,90	---	---
728x328	31800130	83,90	31800132	99,-
728x428	3180020	88,-	3180022	104,-
728x478	31800140	91,90	---	---
828x478	31800150	99,-	31800152	109,-
928x478	3180030	109,-	3180032	114,-
928x528	31800160	109,-	---	---
1028x528	31800170	109,-	31800172	124,-
1028x828	3180040	120,34	---	---
1128x478	3180050	109,-	---	---
1228x328	3180060	109,-	---	---
1228x528	3180070	125,-	3180072	129,-
1478x578	3180080	139,-	---	---


Wall/frame reinforcement kits for window installation

• LAdjustable in length, width, and thickness

Suitable for CARBEST RW Style camping windows, Dometic S7 and other camping windows with a similar corner radius. The reinforcement kit increases stability and simplifies installation. On thin walls. Flexibly adaptable to various installation situations – for a clean look and secure hold. Width and thickness: 25 mm. Material: FOAMED PVC 500 kg/m³

- ① **Corner wall reinforcement set R11** (4 pcs.)
Length 160 mm, 0.4 kg **38011 22,-**
- ② **Corner wall reinforcement set R 75-80** (4 pcs.)
Length 160 mm, 0.4 kg **38012 22,-**
- ③ **Side wall reinforcement set** (4 pcs.)
Length 1000 mm, 0.9 kg **38013 22,-**

NEW





Size illustrations example

NEW

Stainless
steel hinges



RW Fusion, RW Fusion Curved, RW Compact, and RW Van can be easily combined with each other on the vehicle, as they have the same appearance.



Size illustrations
example

OPTIONAL

Blackout system with privacy and mosquito protection pleated blind with magnetic closure. With a matte black frame and black pleated blinds for a very high-quality look.

Interior view




Size illustrations example

RW FUSION CURVED
The curved aluminum frame (Radius: 5000 mm) fits perfectly to the vehicle contour.

The RW Fusion and RW Fusion Curved windows combine a real glass pane on the outside with an acrylic glass inner pane.

- Scratch-resistant real glass on the outside
- Highly insulating acrylic glass pane on the inside
- Best heat/cold insulation
- High-quality appearance thanks to concealed hinges
- Black aluminum frame with integrated struts offers low thermal conductivity, reduces moisture condensation, reduces energy loss, and reduces noise

Combination of
real glass and
acrylic glass pane:



*Explanatory image

ACRYLIC-GLASS	GLASS	DOUBLE GLASS	LIGHT-CASUAL: 30%	WINDOW INSIDE ACRYLIC	UV RESISTANT	WITH VENTILATION-POSITION
STAINLESS STEEL DISPLAY (STEPLESS)	FRAME MATERIAL: ALUMINUM	FOR WALL-THICKNESSES FROM 30-40 MM	INCL. MOUNTING FRAME	CORNER RADIUS WINDOW-FRAME: 75 MM	ECE R43	

OPTIONAL AVAILABLE	BLACKOUT PLISSEE	MOSQUITO-PROTECTION PLISSEE	FRAME MATERIAL: Aluminum
--------------------	------------------	-----------------------------	--------------------------

NEW Acrylic glass safety glass display window RW Fusion CURVED

Detail W x H (mm)	External dimensions W x H (mm)	Transparency approx. W x H (mm)	Max. Opening	(kg)	Art. no	Price
280x380	378x528	225x325	35°	2,0	319003	239,90
490x500	518x527	435x445	73°	4,1	319007	299,95
500x300	528x327	445x245	68°	2,7	319004	250,-
540x465	567x492	485x410	70°	4,2	319009	314,95
600x450	628x477	545x395	73°	4,5	319008	314,95
750x455	778x477	695x400	73°	5,2	319005	349,95
800x400	827x427	745x345	73°	5,1	319013	349,95
900x450	928x477	845x395	50°	6,9	319006	379,-

Acrylic glass safety glass display window RW Fusion

350x500	378x528	290x430	73°	3,0	318019	244,-
500x300	528x328	440x260	68°	2,9	318030	238,-
500x450	528x478	440x390	73°	4,5	318031	277,-
700x300	728x328	640x240	68°	4,0	318032	277,-
800 x 450	828x478	740x390	50°	6,1	318033	345,-
900 x 450	928x478	840x390	50°	6,9	318034	359,-

Matching blackout system

External dimensions W x H (mm)	Art. no	Price	Art. no.	Price
307x424	319111	89,-	319112	104,-
427x544	319121	115,-	319122	129,-
527x344	319241	111,-	319242	122,-
567x509	319119	97,-	319129	97,-
627x494	319171	99,95	319172	118,-
777x499	319131	145,-	319132	159,-
827x444	319113	118,-	319123	118,-
927x494	319161	139,-	319162	137,-

377x544	318901	72,40	318902	84,40
527x344	318911	70,95	318912	81,95
527x494	318921	74,95	318922	85,95
727x344	318931	81,95	318932	93,95
827x494	318941	93,95	318942	109,95
927x494	318951	96,95	318952	110,-

RW Compact, RW Fusion, RW Fusion Curved, and RW Van can be easily combined on the vehicle as they have the same appearance.

Pane closes flush with the frame on the outside
flush with the frame.



Size illustrations example



Size illustrations example

Window frames with specially integrated struts offer decisive advantages:

- Lower thermal conductivity
- Reduction of moisture condensation
- Reduced energy loss
- Noise reduction

RW Compact acrylic glass tilt-and-turn window

ACRYLIC-GLASS	DOUBLE GLASS	LIGHT-CASUAL: 10%	WINDOW INSIDE ACRYLIC	UV RESISTANT	WITH VENTILATION-POSITION
STAINLESS STEEL VENT (STEPLESS)	FRAME MATERIAL: Aluminum	FOR WALL-THICKNESSES FROM 30-40 mm	INCL. MOUNTING FRAME	CORNER RADIUS WINDOW-FRAME: 75mm	ECE R43

Detail W x H (mm)	External dimensions W x H (mm)	Transparency approx. W x H (mm)	Max. Opening	(kg)	Art. no	Price
350x500	378x528	290x430	73°	2,2	31890	179,-
500x300	528x328	440x260	77°	2,1	318910	179,-
500x350	528x378	440x290	38°	2,2	31901	188,-
500x450	528x478	440x390	65°	2,8	31892	216,-
600x450	628x478	540x390	68°	3,4	31899	212,-
700x300	728x328	640x240	77°	2,9	318913	213,-
700 x 400	728x428	640x340	52°	3,5	31900	218,-
700 x 450	728x478	640x390	68°	3,6	31902	249,-
800 x 450	828x478	740x390	66°	4,2	31894	285,-
900 x 450	928x478	840x390	70°	4,7	31895	289,-
900 x 500	928x528	840x440	70°	5,0	31896	294,-
1000x500	1028x528	940x440	72°	5,4	31897	299,-

OPTIONAL

Blackout system with privacy and mosquito protection pleated blind with magnetic closure. With a matte black frame and black pleated blinds for a very high-quality look.

RW Compact blackout system

OPTIONAL AVAILABLE	BLACKOUT PLISSEE	MOSQUITO-PROTECTION PLISSEE	FRAME MATERIAL: Aluminum
--------------------	------------------	-----------------------------	--------------------------

External dimensions W x H (mm)	Art. no	Price	Art. no	Price
377x544	318901	72,40	318902	84,40
527x344	318911	70,95	318912	81,95
527x394	319011	70,95	319012	81,95
527x494	318921	74,95	318922	85,95
627x494	318991	89,95	318992	96,95
727x344	318931	81,95	318932	93,95
727x444	319001	83,95	319002	99,95
727x494	319021	96,95	319022	94,95
827x494	318941	93,95	318942	109,95
927x494	318951	96,95	318952	110,-
927x544	318961	99,95	318962	114,95
1027x544	318971	104,-	318972	119,95

RW Compact, RW Fusion, RW Fusion Curved, and RW Van can be easily combined on the vehicle as they have the same appearance.

The curved aluminum frame (Radius: 5000 mm) fits perfectly to the vehicle contour.

Pane closes flush with the frame on the outside flush with the frame.



Stainless steel hinges
MADE IN GERMANY



Size illustrations example

Window frames with specially integrated Bracing offers crucial advantages:

- Lower thermal conductivity
- Reduction of moisture condensation
- Reduced energy loss
- Noise reduction



Size illustrations example



New sizes available

Acrylic glass hinged window RW Van

ACRYLIC-GLASS	DOUBLE GLASS	LIGHT-CASUAL: 10%	WINDOW INSIDE ACRYLIC	UV-RESISTANT	WITH VENTILATION-POSITION	STAINLESS STEEL VENT (STEPLESS)
FRAME MATERIAL: Aluminum	FOR WALL-THICKNESSES FROM 30-40 mm	INCL. MOUNTING FRAME	CORNER RADIUS WINDOW-FRAME: 75mm	ECE R43		

Detail W x H (mm)	External dimensions W x H (mm)	Transparency approx. W x H (mm)	Max. Opening	(kg)	Art. no	Price
280x380	308x407	225x325	50°	1,7	31911	214,-
350x500	377x527	295x445	70°	2,6	31929	257,-
490x500	518x527	435x445	69°	3,0	31912	257,-
500x300	528x327	445x245	70°	3,1	319240	229,-
500x500	528x527	445x445	72°	3,0	31919	259,-
NEW 540x465	567x492	485x410	67°	4,1	319120	290,-
600x450	628x477	545x395	69°	3,3	31917	269,-
600x600	628x627	545x545	72°	4,0	31925	296,-
750x455	778x477	695x400	66°	3,9	31913	284,-
NEW 800x400	827x427	745x345	50°	3,7	319100	314,-
800x500	828x527	745x445	72°	4,5	31927	332,-
818x315	846x342	763x260	68°	3,3	319140	266,-
900 x 400	928x427	845x345	50°	4,2	31918	359,-
900x450	928x477	845x395	66°	4,4	31916	333,-
900x500	928x527	845x445	70°	4,9	31928	335,-
960x450	988x477	905x395	68°	4,8	31910	347,-
985x465	1013x482	930x410	67°	5,1	31915	385,-
1100x600	1128x627	1045x545	71°	6,7	31926	412,-

OPTIONAL

Blackout system with privacy and mosquito protection pleated blind with magnetic closure.
NEW: With matt black frames and black pleated blinds in a very high-quality look.

RW Van blackout system

OPTIONAL AVAILABLE	BLACKOUT PLISSEE	MOSQUITO-PROTECTION PLISSEE	FRAME MATERIAL: Aluminum
--------------------	------------------	-----------------------------	--------------------------

External dimensions W x H (mm)	Art. no	Price	Art. no	Price
307x420	319111	89,-	319112	104,-
377x540	319291	109,-	319292	114,-
517x540	319121	115,-	319122	129,-
527x340	319241	111,-	319242	122,-
527x540	319191	115,-	319192	136,-
567x509	319119	97,-	319129	97,-
627x490	319171	99,95	319172	118,-
627x640	319251	129,-	319252	133,-
777x495	319131	145,-	319132	159,-
827x444	319113	118,-	319123	118,-
827x540	319271	125,-	319272	147,-
845x355	319141	117,-	319142	122,-
927x440	319181	127,-	319182	149,-
927x490	319161	139,-	319162	137,-
927x540	319281	134,-	319282	149,-
987x490	319101	140,-	319102	165,-
1012x505	319151	154,-	319152	169,-
1127x640	319261	209,-	319262	161,-

Acrylic glass casement window Classic

ACRYLIC-GLASS	DOUBLE GLASS	LIGHT-CASUAL: 40%	WINDOW OUTSIDE ACRYLIC	UV RE-SISTANT
EXHIBITOR WITH LOCKING-SCREW	FRAME MATERIAL: ASA	FOR WALL-THICKNESSES FROM 28-32 mm	CORNER RADIUS WINDOW-FRAME: 12 mm	ECE R43



Size illustrations example

INCLUSIVE

Blackout system with privacy screen and mosquito protection pleated blind with magnetic closure



Detail W x H (mm)	External dimensions W x H (mm)	Transparency approx. W x H (mm)	Max. aperture (degrees)	Weight (kg)	Art. no.	Price
500 x 300	529 x 329	375x175	32°	2,0	318581	239,-
500 x 350	529 x 379	375x225	60°	3,7	318580	249,-
500 x 450	529 x 479	375x325	70°	4,2	31858	252,-
700 x 400	729x429	575x275	70°	5,5	31859	295,-
900x450	929x479	775x325	70°	7,0	31857	312,-
900x550	929x579	775x425	70°	8,0	318582	336,-
1100x450	1129x479	975x325	70°	8,5	31855	399,-
1200x500	1229x529	1075x375	78°	9,5	31868	467,-
1450x550	1479x579	1375x425	70°	13,0	31869	493,-

Classic blackout system

SCOPE OF DELIVERY-SCOPE INCLUDED	BLACKOUT PLISSEE	MOSQUITO-PROTECTION PLISSEE	FRAME MATERIAL: PLASTIC
----------------------------------	------------------	-----------------------------	-------------------------



Size illustrations example

Pane closes flush with the frame on the outside flush with the frame

Acrylic glass awning window Elegance

ACRYLIC-GLASS	DOUBLE GLASS	LIGHT-CASUAL: 40%	WINDOW INSIDE ACRYLIC	UV RE-SISTANT
WITH VENTILATION-POSITION	EXHIBITOR WITH LOCKING-SCREW	FRAME MATERIAL: ASA	FOR WALL-THICKNESSES FROM 28-32 mm	CORNER RADIUS WINDOW-FRAME: 12 mm
				ECE R43

Detail W x H (mm)	External dimensions W x H (mm)	Transparency approx. W x H (mm)	Max. aperture (degrees)	Weight (kg)	Art. no.	Price
1000x800	1029x829	900x715	50°	12,4	318506	459,-
1100x450	1129x479	1000x365	45°	7,05	318503	399,-
1200x300	1229x329	1100x215	12°	7,67	318504	309,-
1200x500	1229x529	1100x415	45°	8,09	318505	445,-


INCLUSIVE

Blackout system with privacy screen and mosquito protection pleated blind with magnetic closure



Elegance blackout system


SCOPE OF DELIVERY-SCOPE INCLUDED	BLACKOUT PLISSEE	MOSQUITO-PROTECTION PLISSEE	FRAME MATERIAL: PLASTIC
----------------------------------	------------------	-----------------------------	-------------------------



Size illustrations example

Specifically designed for expedition vehicles – for extreme conditions

For altitudes up to 5,000 m



Safety glass hinged window RW Explorer

HIGH-STRENGTH ALUMINUM FRAME	FRAME WITH WARMTH-INSULATION	HIGH-STRENGTH ALUMINUM HANDLES	ECE R43	FOR WALL-THICKNESSES FROM 55-90 MM	DOUBLE-SAFETY GLASS	TELESCOPIC GAS DAMPER	VENTILATION POSITION
------------------------------	------------------------------	--------------------------------	---------	------------------------------------	---------------------	-----------------------	----------------------

Detail W x H (mm)	External dimensions W x H (mm)	Max. Opening	Weight (kg)	Item no.	Price	Art. no.	Price
320x520	382x582	80°	8,1	318035	399,-	318041	399,-
700x450	760x510	80°	13,2	318036	449,-	318042	449,-
1050x450	1110x510	80°	16,6	318037	629,-	318043	629,-



Size illustrations example



RW Explorer blackout system

INNER FRAME OPTIONAL	FRAME MATERIAL: ALUMINUM	MOSQUITO-PROTECTION ROLLER	DARKENING ROLLER BLIND
----------------------	--------------------------	----------------------------	------------------------

External dimensions W x H (mm)	Art. no.	Price	Art. no.	Price
355x595	318038	87,95	318044	87,95
735x525	318039	109,95	318045	109,95
1085x525	318040	125,95	318046	125,95

Pre-hung acrylic glass awning windows for panel vans

The curved acrylic glass pane (radius: 5800 mm)

Size illustrations example



Optional: Blackout system with privacy and mosquito protection- Pleated blind with magnetic closure

Size illustrations example



Acrylic glass awning window RW Rear

ACRYLIC-GLASS	DOUBLE GLASS	LIGHT-CASUAL: 10%	WINDOW OUTSIDE ACRYLIC	UV RESISTANT	3-STEP-ADJUSTER-ADJUSTER	FRAME-LOSE	ECE R43
---------------	--------------	-------------------	------------------------	--------------	--------------------------	------------	---------

Detail W x H (mm)	External dimensions W x H (mm)	Max. opening (degrees)	Weight (kg)	Art. no.	Price
260 x 560	340 x 653	60°	1,6	31920	130,-

Not suitable for 270° door hinges (Fiat Ducato).

Not suitable for replacing the original glazing.

RW Rear blackout system

OPTIONAL AVAILABLE	BLACKOUT PLISSEE	MOSQUITO-PROTECTION PLISSEE	FRAME MATERIAL: Aluminum
--------------------	------------------	-----------------------------	--------------------------

External dimensions W x H (mm)	Art. no.	Price
347 x 669	319201	105,-
822 x 669	319221	126,-
1057 x 669	319231	130,-
707 x 669	319211	105,-



②



Porthole – RW NAUTIC Ø 295 mm

- Tinted acrylic glass
- Double glazed
- UV-resistant
- Powder-coated aluminum frame, black
- For wall thicknesses of 40 mm

Rigid version (non-opening), external dimensions: 323 mm, visible diameter: 225 mm. Weight: approx. 1.4 kg.

32263 55,90

② Blackout system for RW NAUTIC

with privacy and mosquito protection pleated blind with magnetic closure. Aluminum frame, white. Overall dimensions: 318 x 374 mm, weight: approx. 1 kg

322631 70,90



Delivery without window

Thermal cover for Dometic/Seitz awning windows S3/S4/S5 and the above replacement window panes

- Excellent heat/cold insulation
- Silver coating on the outside
- Fastening with elastic bands and quick-release fastener

Overall dims (mm)	Art. no	Price
330x450	37510	21,90
480x250	37511	21,90
480x400	37512	22,90
580x450	37513	25,90
580x550	37514	26,90
680x250	37522	21,90
680x350	37523	22,90
680x400	37515	25,90
780x400	37516	30,90
880x350	37517	34,90
880x400	37521	34,90
880x450	37524	34,90
880x500	37525	35,90
880x550	37526	36,90
980x400	37518	35,90
980x450	37527	37,90
1080x400	37519	36,90
1180x300	37528	34,90
1180x450	37520	37,90
1280x550	37529	37,90
1430x550	37530	38,90



MultiFrame – Window inner frame with blackout and mosquito net roller blind



- Can be shortened in length and width
- Infinitely adjustable
- Magnetic closure

The MultiFrame window interior frame fits most windows on the market, both round and rectangular. Quick installation – only four screws, concealed behind corner covers. The system can be adjusted in height and width as needed.

NOTE: The maximum cut width is 125 mm. per side, but no more than 250 mm in total. (Reimo recommends fitting by a specialist dealer).

External dimensions W x H (mm)	Inner dimensions W x H (mm)	Art. no	Price
564x568	471x423	37829	74,90
764x554	671x409	37828	82,90
1024x604	931x459	37827	97,50
1242x604	1149x459	37826	109,90
1492x592	1399x447	37865	119,-



Size illustrations example



UniFrame – Window inner frame with blackout and mosquito net roller blind



Blackout system with privacy screen and Mosquito screen with magnetic closure

The UniFrame window interior frame is available in 5 different sizes and can be used for almost all vehicle windows of the same size. Equipped with a blackout pleated blind and mosquito net, it offers privacy inside the vehicle and protects against annoying insects.

The frame is screwed into the vehicle at all four corners using the included screws. Matte black aluminum profiles conceal the mounting holes, creating a high-quality look with no visible screws.

Four spacer profiles are included in the scope of delivery.

Window cutout dimensions W x H (mm)	External dimensions W x H (mm)	Inner dimensions W x H (mm)	Art. no	Price
500x300	530x360	447x219	37849	88,-
500x450	530x510	447x369	37845	94,90
700x300	730x360	647x219	37846	103,-
800x450	830x510	747x369	37847	119,-
900x450	930x510	847x369	37848	127,-



Size illustrations example



Fastened with four screws in the inner frame



Aluminum profiles with click fasteners cover the mounting screws

UnderCover – Universal window inner frame with blackout pleated blind and mosquito net roller blind for concealed installation



Blackout system with privacy and mosquito screen roller blinds with magnetic closure

The UnderCover window interior frame was specially developed for concealed installation behind a vehicle interior panel or a custom-made interior frame. This allows the UnderCover interior frame to be installed almost invisibly in the vehicle and customized to individual preferences. The system's height can be adjusted as needed (Reimo recommends adjustment by a specialist dealer). The blackout pleated blind and mosquito net roller blind provide privacy in the vehicle and protect against annoying insects.

Aluminum frame color: silver, blackout pleated blind color: white.

Window cutout dimensions W x H (mm)	External dimensions W x H (mm)	Inner dimensions W x H (mm)	Art. no	Price
500x500	536x555	462x424	37822	92,-
700x500	736x555	662x424	37823	106,-
800x500	836x555	762x424	37824	113,-
900x500	936x555	862x424	37825	119,-



Size illustrations example



Assembly example: The image shows the undercover window's inner frame behind an interior panel. The panel is not included.

Roof hoods 45x40 cm



Model	①	②	
Cutout dims (mm)	450x400	450x400	450x400
Overall dims (mm)	577x577	577x577	577x577
Installation height (mm)	98	98	98
Roof thickness (mm)	25-60	25-60	25-60
Opening angle	60°	60°	60°
Pleated blackout blind	✓	✓	✓
Mosquito protection	✓	✓	✓
LED lighting	✓	✓	✓
Forced ventilation / Ventilation opening	—	—	182mm ²
12V fan	—	—	—
Hood	Gray tinted	Gray tinted	Gray tinted
Glazing	Double	Double	Double
UV protection	✓	✓	✓
Weight (kg)	5,5	5,8	5,8
Art. no	31851	31877	318770
Price	329,—	329,—	329,—

Roof hoods 70x50 cm



Model	①	②	
Cutout dims (mm)	700x500	700x500	700x500
Overall dims (mm)	833x633	833x633	818x617
Installation height (mm)	98	98	98
Roof thickness (mm)	25-60	25-60	25-60
Opening angle	60°	60°	60°
Pleated blackout blind	✓	✓	✓
Mosquito protection	✓	✓	✓
LED lighting	✓	✓	✓
Forced ventilation / Ventilation opening	—	300mm ²	—
12V fan	—	—	—
Hood	Gray tinted	Gray tinted	Gray tinted
Glazing	Double	Double	Double
UV protection	✓	✓	✓
Weight (kg)	8,0	8,0	8,3
Art. no	31854	318540	31878
Price	299,—	299,—	299,—

Roof hatches 28x28 cm for Wet rooms and sanitary areas



② With 12 V fan


The fan can rotate in both directions.
Turn: For ventilation or air extraction.

Technical data fan: Power: 9.6 W, capacity
9m³/h, noise level ≤ 50dB,
Ø 175 mm, 5 fan blades.

Roof hoods 40x40 cm



Roof hatches 40x40 cm Premium



Model	①	②	③	④	⑤	⑥
Cutout dims (mm)	280x280	280x280	400x400	400x400	400x400	400x400
Overall dims (mm)	365x365	365x365	500x500	530x490	530x490	525x525
Installation height (mm)	85	85	106	120	120	91
Roof thickness (mm)	25-65	25-65	30-50	28-50	28-50	30-60
Opening angle	50°	50°	70°	50°	50°	65°
Pleated blackout blind	—	—	✓	✓	✓	✓
Mosquito protection	✓	✓	✓	✓	✓	✓
LED lighting	—	—	—	—	✓	—
Forced ventilation / Ventilation opening	—	—	—	—	✓ 100mm²	—
12V fan	—	✓	—	—	—	—
Hood	Clear	White	Green tinted	Gray tinted	Gray tinted	Gray tinted
Glazing	Simple	Simple	Simple	Double	Double	Double
UV protection	✓	✓	✓	✓	✓	✓
Weight (kg)	2,1	2,3	4,3	3,5	3,5	5,0
Art. no	318530	31853	31888	318020	318027	318509
Price	69,95	79,95	129,95	104,95	104,95	155,—


When installing a roof vent, we also recommend installing a front spoiler. Recommended maximum vehicle speed: 130 km/h.

Improved version:

- Removable insect screen
- Dimmable LEDs, from warm white to cool white
- Display lighting can be switched off
- LVOLUME of operating signal tones reduced



12V roof ventilation system VanVent, 40x40 cm



- For roof cutouts measuring 40x40 cm
- Ventilation (when outer hood is open)
- Roof fan (with closed outer cover)
- Integrated blackout pleated blind
- Removable metal insect screen
- Shockproof and UV-resistant
- Includes remote control with illuminated display and wall mount
- ECE-approved

The VanVent roof ventilation system ensures a pleasant climate inside the vehicle. The integrated 12V fan draws fresh air into the vehicle when the exterior vent is open, or, when switched to the other mode, extracts stale air. The robust metal insect screen reliably protects against flies and mosquitoes inside the vehicle.

When the hood is closed, the VanVent transforms into a roof fan and circulates the interior air.

The special aerodynamic design of the acrylic glass dome prevents rainwater from penetrating. Control the VanVent conveniently via the included remote control or the LED control display on the inner frame.

Technical data:

Max. air flow rate: 2400m³/h

Max. power: 20W + 8W

Operating voltage: min. 9V - max. 16V


LED lighting: 3000K – 4000K (dimmable from warm white to cool white)

Cutout dimensions: 400x400 mm

For roof thicknesses of: 27-80 mm

Weight: 4.5 kg

VanVent smoked glass	318028	319,--
VanVent Black	318029	319,--



Interior frame with LED display, LED lighting, integrated blackout blind and mosquito net. The roof vent can also be opened or closed manually using the rotary knob.



Side warm white LED lighting



Illuminated LED control display



Remote control with LED control display and wall mount

Solar fans made of stainless steel and plastic

- Solar-powered fan for active air exchange
- For motorhomes, caravans, boats

Stainless steel solar fan

Technical data: Airflow: 19 m³/h³/h in full sunshine. Power consumption: 1.2 W, 0.6 A in full sunshine, Ø 215 mm, height above roof 36 mm, interior depth 40 mm, cutout diameter 120 mm

35231 75,50

Solar fan, plastic, white, with switch

Technical data: Airflow: 19 m³/h³/h in full sunshine. Power consumption: 1.2 W, 0.6 A in full sunshine, Ø 215 mm, height above roof 50 mm, interior depth 40 mm. Cutout diameter Ø 120 mm.

35230 67,-



Stainless steel

Protective covers

- Protects against scratches, dirt, and hail damage
- High-quality multi-layer insulation ensures a comfortable interior temperatures
- Prevents the vehicle from overheating in summer and insulated in winter
- UV-resistant material

Precisely fitting protective cover for CARBEST roof hoods 70x50 cm:

31878/318780/31854/318540 420601 44,90

Perfectly fitting protective cover for CARBEST roof hatches 40x40 cm:

318020/318021/318027/31888 420603 30,90

MPK Vision Star M **420604 44,90**

MPK Vision Star L **420605 46,90**

REMItop Vista and Vario II **420603 30,90**

Dometic Mini Heki **420600 30,90**

Dometic Midi Heki **420601 44,90**

Dometic Heki 1/2/3/4 **420602 46,90**



Delivery without roof vent.



Mosquito nets for sliding doors, rear doors / hatches

- Fastening depending on type with elastic band, magnets or velcro tape and press studs
- Fine-mesh, flexible polyester fabric
- UV-resistant polyester fabric
- With zipper and lead tape



Mosquito nets for Volkswagen Caddy, Ford Connect 3 and Citroën Spacetourer

- No modification to the vehicle necessary
- Center door opening
- Zipper opening operable from inside & outside

For right or left sliding doors, with or without glazing. Easy attachment thanks to the integrated elastic band or magnets. The tailgate net with two zippers can be rolled up and secured. A lead weight strip ensures a reliable seal at the bottom of the sill.



Volkswagen Caddy




Citroën Spacetourer

Vehicle model	YOC	Side	Mounting type	Item no.	Price
Volkswagen Caddy kR / Volkswagen Caddy IR /	03 – 20/ 08 – 20	Sliding door	↔	46283	179,–
		Rear door	↔	46284	179,–
Volkswagen Caddy Maxi Ford Connect 3	>2021	Sliding door	⚡	461336	219,–
Volkswagen Caddy Maxi, Ford Connect 3	>2021	Rear door, with blackout	↔	461335	219,–
Opel Zafira Life / Vivaro C Citroën Spacetourer / Jumpy 3, Peugeot Traveller / Expert, Toyota Proace Verso	>2019 >2016	Rear door	↔	461333	224,–
		Sliding door	⚡	461334	189,–

Mosquito nets for Volkswagen Transporter 5/6

The mosquito net is stretched around the tailgate or sliding door seal using an elastic cord, Velcro, or snap fasteners, and lies snugly at the bottom with a lead weight. A large door with a two-way zipper allows passage from both inside and outside without removing the net. The tailgate/sliding door can be closed without any problems. We recommend removing the net for driving.



Vehicle model	Fig.	YOC	Side	Mounting type	Version	Item no.	Price
Volkswagen Transporter 5/6 Kombi, panel van >2003, Startline, California Beach	①	2003 – 2024	Sliding door	⚡	California Beach without comfort trim	461351	173,–
Volkswagen Multivan, Caravelle, Startline	①	2010 – 2024	Sliding door	⚡	with comfort trim	461350	189,–
Volkswagen California, California Beach	①	2010 – 2024	Sliding door	⚡	with comfort trim	461353	189,–
Volkswagen Transporter (station wagon, panel van, Multivan, California, Caravelle)	②	2003 – 2024	tailgate (with blackout)	↔	–	461331	196,–
Volkswagen Transporter (sta- tion wagon, panel van, Multi- van, California, Caravelle)	③	2003 – 2024	Tailgate	⚡	–	46135	159,–
Volkswagen Transporter 4	–	<2003	Sliding door	⚡	–	46132	149,–
Volkswagen Transporter 4 station wagon and panel van	–	<2003	Rear door	⚡	–	46133	159,–
Volkswagen Transporter 3	–	1980– 1989	Sliding door	⚡	–	46130	164,–

Fastening types:



Velcro



Elastic



Magnetic attachment

Premium mosquito nets for Volkswagen Transporter 5/6, Fiat Ducato, FORD Tourneo / Custom / Volkswagen Transporter

- High-quality, robust & dense canvas fabric
- Fastening with Velcro strap under rubber seal/magnetic fastening
- UV-resistant
- Sliding door with extra magnetic closure

NEW

Ford Transit Custom / Tourneo Custom >10/2023
and Volkswagen Transporter 2024



Fiat Ducato



Vehicle model	YOM	Side	Mounting type	Item no.	Price
Ford Tourneo / Transit Custom VW Transporter	NEW >2023, >2024	Sliding door right		461414	152,-
		Rear door		461416	186,-
Volkswagen Transporter 5/6	2003 – 2024	Sliding door right (passenger side)		461360	179,-
		Sliding door left (driver side)		461370	179,-
		Tailgate		461361	179,-
Fiat Ducato	>2014, H2	Sliding door right (passenger side)		461371	199,-
		Sliding door left (driver side)		461372	199,-
		Tailgate		461373	199,-

Insect screen for sliding and rear doors

- Fastening type: Velcro tape and press studs/magnets or elastic band
- Close-meshed, UV-resistant polyester fabric
- Flexible and soft drape, with lead tape in the bottom hem
- Center zipper, can be opened from the inside and outside

Vehicle model	Fig.	YOC	Side	Mounting type	Item no.	Price
Mercedes-Benz Vito	–	<2003	Sliding door opening		46139	169,–
			Rear door		46142	215,–
Mercedes-Benz Vito, Mercedes-Benz Viano	–	2004 – 2014	Sliding door opening		46140	169,–
			Rear door		461401	169,–
Mercedes-Benz Vito, Mercedes-Benz Viano	①	>2014	Sliding door opening		461402	175,–
	②		Rear door		461403	169,–
			Rear door, with blackout		461332	219,–
Ford Transit	–	2000 – 2013	Sliding door opening		46451	179,–
			Tailgate		46136	219,–
Ford Transit Custom	③	2012 – 2023	Sliding door opening		461404	169,–
			Tailgate		461405	169,–
Renault Trafic / Opel Vivaro / Nissan NV300	–	2007 – 2013	Sliding door opening		461411	179,–
Renault Trafic / Opel Vivaro / Nissan NV300	④	>2014	Sliding door opening		461412	175,–
Renault Trafic / Opel Vivaro / Nissan NV300	–	>2014	Rear door		461413	175,–



Image shows Ford Transit Custom

Fastening types:



Velcro



Elastic



Magnetic attachment

Mosquito nets for Fiat Ducato / Peugeot Boxer / Citroën Jumper



- Fastening with velcro straps on the sides and top, Additional support through snap fasteners
- Tight mosquito net against even the smallest insects
- UV stable and flexible polyester fabric
- Flame retardant
- Durable and high quality
- Good visibility and air circulation
- Zippers to operate from inside and outside
- Lead tape for weighting at the bottom
- Soft fall and dark color
- High quality, no snagging with velcro tape

Mosquito net for the sliding door or rear wing door w/ convenient zipper entrance.

Scope of delivery:

Black mosquito net and mounting hardware (snaps, velcro)

For model years > 2007

Suitable for roof heights H2 and H3 (standard high roof), vehicle length 541 cm, 599 cm and 636 cm and sliding door dims.: H 1755 x W 1250 mm

Adapted for vehicles with a sliding door opening
Protruding kitchen parts. With a practical J-shaped zipper.

① Front entry **464522** **189,-**

Suitable, for example, for large storage boxes
or Adria Twin 640 SHX.

② Rear entry **464520** **184,-**

Mosquito net for rear door, standard high roof from model year 2007 onwards.

Door height: 1760 mm

(without illustration) Center entry **46452** **184,-**

Suitable for roof height H 1 (flat roof)

Vehicle length: 496 cm and sliding door dimensions:
H 1480 mm x W 1075 mm

③ Front entry **46240** **205,-**

For rear wing doors: H 1790 mm

Suitable for roof height H2 (high roof)

(without illustration) Center entry **464521** **189,-**

④ For rear door: H1 (flat roof)

With a 2-way zipper, only

to open the upper part of the net **461730** **205,-**

For years of construction 1994 - 2006

Suitable for roof heights H2 and H3 (high roof)

Mosquito net for sliding door opening.

With center zipper

⑤ Central access **46435** **172,-**

Mosquito nets for Mercedes-Benz Sprinter / Volkswagen Crafter



Fine-mesh insect screen with a two-way zipper. Reliable attachment to the bodywork with elastic, magnet, or Velcro; sealed at the bottom with lead tape. Rear doors can be closed with the screen in place. We recommend removing the screen before driving.

Mercedes-Benz Sprinter 1996 – 2006 Roof height H1

not suitable for standard high roofs

Sliding door opening (with velcro tape) **46143** **169,-**

Mercedes-Benz Sprinter/Crafter >2007 Roof height H1 from L2 (from Vehicle length 5261 mm)

not suitable for standard high roofs

Sliding door opening (with velcro tape) **46450** **189,-**

Rear door (with velcro tape) **464501** **196,-**

Mercedes-Benz Spiritnter with standard high roof (H2+H3), >2006 and Volkswagen Crafter with standard high roof (H2) 2006 - 2016

Sliding door on the right (with magnet) **464524** **209,-**

Rear doors (with elastic band) **461736** **295,-**

Volkswagen Crafter > 2017 with standard high roof H3

Rear door (w/ elastic band) **464502** **219,-**

Sliding door on the right (with magnet) **464523** **209,-**

Mosquito nets with magnetic fastening for buses / vans

- Very simple & quick attachment w/ magnets
- UV resistant polyester fabric
- Double-sided zipper for opening from the inside and outside
(mosquito net for sliding door and rear door)
- No modifications to vehicle necessary
- No additional tools required



Cab window (2 mosquito nets included)



Sliding door (suitable for the right) and left sliding door)



Tailgate




Vehicle type	YOC	Mount	Art. no	Price
Citroën Dispatch/Jumpy/Spacetourer	>2017	Driver's cab window Sliding door Tailgate	461301 461302 461303	69,- 137,- 137,-
Peugeot Expert/Traveler				
Toyota Proace/Proace Verso				
Fiat Scudo/Ulysse				
Opel Vivaro/Zafira Life	>2019			
Citroën Jumper	>2006	Driver's cab window Sliding door (H2/H3) Tailgate (H2)	461304 461305 461306	69,- 137,- 137,-
Fiat Ducato				
Peugeot Boxer				
Ford Tourneo Custom/Transit Custom	2012-2023	Driver's cab window Sliding door Tailgate	461307 461308 461309	69,- 137,- 137,-
Ford Tourneo / Transit Custom / Volkswagen Transporter/ Caravelle >2024	>2023	Driver's cab window Sliding door Tailgate	461374 461375 461376	69,- 137,- 137,-
Ford Transit	>2014	Driver's cab window Sliding door (H2/H3) Tailgate (H2)	461310 461312 461313	69,- 137,- 137,-
Volkswagen Crafter	2006-2017	Driver's cab window Sliding door (H2/H3) Tailgate (H2/H3)	461314 461315 461316	69,- 137,- 137,-
Mercedes-Benz Sprinter	2006-2018			
Mercedes-Benz Sprinter	>2018	Driver's cab window Sliding door Tailgate	461317 461318 461319	69,- 137,- 137,-
Mercedes Benz Viano/Vito	2003-2014	Driver's cab window Sliding door Tailgate	461320 461321 461322	69,- 137,- 137,-
Mercedes-Benz Vito	>2014			

Vehicle type	YOC	Mount	Art. no	Price
Opel Movano	>2010	Driver's cab window Sliding door Tailgate	461323	69,-
Renault Master	2010-2020		461324	137,-
			461325	137,-
Opel Vivaro	2014-2019	Driver's cab window Sliding door Tailgate	461326	69,-
Renault Trafic	>2014		461327	137,-
			461328	137,-
Volkswagen Crafter	>2017	Driver's cab window Sliding door Tailgate	461341 461342 461343	69,- 137,- 137,-
Volkswagen Caddy (kurzer + langer Radstand)	2003-2020	Driver's cab window Sliding door Tailgate	461329 461330 461337	69,- 137,- 137,-
Volkswagen Caddy V	>2021	Driver's cab window Sliding door (swb) Sliding door (lwb) Tailgate	461338	69,-
			461339	137,-
			461369	137,-
Ford Tourneo Connect	>2022		461340	137,-
Volkswagen Transporter 4 Caravelle/Multivan	1990-2003	Driver's cab window Sliding door Tailgate	461344 461345 461346	69,- 137,- 137,-
Volkswagen Transporter 5 Caravelle/Multivan	2003-2015	Driver's cab window Sliding door Tailgate	461347	69,-
			461348	137,-
			461349	137,-
Volkswagen Transporter 6 Caravelle/Multivan	2015-2024			
Volkswagen Multivan	>2022	Driver's cab window Sliding door Tailgate	461363 461364 461365	69,- 137,- 137,-
Volkswagen ID. BUZZ	>2023	Driver's cab window Sliding door Tailgate	461366 461367 461368	69,- 137,- 137,-

Opaque curtains for mini-campers and campervans



Available in: Gray/Black, Cream/Black, Bordeaux/Black



- Very high-quality workmanship
- 5-piece set including all mounting parts
- Pre-assembled + pre-curved
- Optimal fabric tension thanks to curtain guides at the top and bottom

Material: 100% polyester Fastening with curtain rails (pre-bent) and snap fasteners for screwing on.

Material: 100% polyester

Model	YOC	Wheel-stand	Interior-Cover	Color	Item no.	Price
Volkswagen Caddy	2015-2020	Short	no	Interior gray, exterior black	19218	255,-
Volkswagen Caddy Maxi	2015-2020	long	no	Interior gray, exterior black	19219	199,-
Volkswagen T5/T6 Multivan/Caravelle	2003-2022	Short	Yes	Interior gray, exterior black	19239	279,-
Volkswagen T5/T6	2003-2024	Short	no	Interior gray, exterior black	19201	279,-
Volkswagen T5/T6 (UK)	2003-2024	Short	no	Interior gray, exterior black	192014	279,-
Volkswagen T5/T6	2003-2024	long	no	Interior gray, exterior black	19202	279,-
Volkswagen T5/T6 (UK)	2003-2024	long	no	Interior gray, exterior black	192024	279,-
Volkswagen T5/T6 (UK)	2003-2024	Short	no	Interior Bordeaux, exterior black	192016	229,-
Mercedes-Benz Vito	>2015	medium	Yes	Interior gray, exterior black	19272	279,-
Mercedes-Benz Vito	>2015	medium	no	Interior gray, exterior black	19227	275,-
Mercedes-Benz Vito	> 2015	long	Yes	Interior gray, exterior black	19228	279,-
Mercedes-Benz Vito (UK)	> 2015	long	Yes	Interior gray, exterior black	192281	279,-
Ford Tourneo Custom	> 2023	Short	Yes	Interior gray, exterior black	192170	279,-
Ford Tourneo Custom	> 2023	long	Yes	Interior gray, exterior black	192171	279,-
Ford Transit Custom	> 2023	Short	no	Interior gray, exterior black	192172	279,-
Ford Transit Custom	> 2023	long	no	Interior gray, exterior black	192173	279,-
Ford Transit Custom	2012-2023	long	no	Interior gray, exterior black	19217	279,-
Renault Trafic	> 2015	Short	no	Interior gray, exterior black	19216	279,-
Renault Trafic	> 2015	long	no	Interior gray, exterior black	192161	279,-
Renault Trafic	> 2015	Short	no	Inner cream, outer black	192164	279,-

Translucent curtains for Volkswagen Transporter 5/6



- High-quality translucent gray fabric curtains
- 5-piece set including all attachments
- Privacy protection while still allowing light into the vehicle

Material: 36% polyester, 32% polyamide, 23% elastane, 9% other fibers.

Attachment with curtain rails and snap fasteners for screwing on

For 5 windows (side and rear windows Not suitable for Volkswagen Transporter 6 vehicles with plastic interior trim, e.g., Multivan, Caravelle, etc.

Model	YOC	Wheelbase	Color	Item no.	Price
Volkswagen T5/T6	2003-2024	Short	Gray	19231	279,-

Extra dense chenille fleece curtains

- Narrow fleece tapes, therefore higher density
- Protects against prying eyes, insects and drafts

The hook-and-loop fasteners have a narrow diameter of 26 mm per strand. Their higher density provides optimal protection against insects and drafts. They also ensure a pleasant level of privacy and reliably prevent anyone from seeing into the vehicle.

Size W 56 x H 185

Black / Grey	912641	24,95
White / Gray	912642	24,95

Size W 56 x H 205

Black / Grey	912643	29,95
White / Gray	912644	29,95



Blackout set with suction cups

- 8 pieces (living area + driver's cab)
- Blackout fabric, completely opaque
- Can be used on both sides
- Washable
- 3-layer
- 100% PEC
- Black/gray

Volkswagen Caddy 5 Maxi >2021, Ford Connect 3 L2 >07/22 **372319 199,-**

Volkswagen Multivan for L2 >2021, right door **372320 199,-**



Can be used on both sides



Partition curtain for Volkswagen Transporter 5/6 cab

Opaque curtain to separate the driver's cab from the living area. Protects against unwanted views into the vehicle interior.

Scope of delivery: 1 partition curtain, rail, screws and snap fasteners.

Color: gray, 2-layer, 180 denier **19245 129,-**



NEW

Fiat Ducato
Mercedes Sprinter
Ford Transit

Curtain set for driver's cab

Opaque curtain protects against unwanted views into the vehicle interior.

For front and side windows. Material: 100% polyester

VW T5/T6 2003 – 2024	3-piece, gray/black	19220 159,-
VW Caddy Maxi 2015–2020	1-piece, gray	19221 99,-
Ford Tourneo/Transit Custom >2023	1-piece, gray	19258 159,-
Mercedes-Benz Vito Metris	1-piece, gray	19229 159,-
Fiat Ducato >2006	1-piece, gray	19269 165,-
Mercedes Sprinter >2014	1-piece, gray	19270 165,-
Ford Transit (V363) >2014	1-piece, gray	19271 165,-

Universal windshield darkening with suction cup fastenings


- Suitable for many vehicle models such as Volkswagen Transporter 6, Mercedes-Benz Vito, and many more
- Extendable to a maximum width of 155 cm
- Customizable (Cutting clamp included)
- The reflective outer surface prevents overheating the vehicle interior
- Can also be used for the rear window
- Attachment with vacuum suction cups (included in delivery)

Easy and quick to install. Roller blind dimensions: W 155 x H 70 cm, material: polyester with aluminum foil. Packed dims: 70 x 6.5 x 6 cm, weight: approx. 0.6 kg. **374100 19,90**



Isoflex Thermal mats

- Insulating Isoflex material (PVC)
- 7 layers
- Reflection of solar radiation
- Insulation against heat and cold
- The ideal privacy screen
- Includes suction cups




Driver's cab, 3-piece set

For vehicles with short and long wheelbases

Vehicle type	YOC	Art. no	Price
Citroën Jumpy/SpaceTourer/Peugeot Expert/Traveller/Opel Vivaro Toyota Proace	> 2016	373133	64,95
Citroën Berlingo	2008 - 2018	37364	69,95
Citroën Spacetourer Campster/ Vanster (Pössl)	> 2017	37346	69,95
Fiat Ducato Citroën Jumper/Peugeot Boxer	1990 - 1993	37245	69,95
Fiat Ducato 230 Citroën Jumper/ Peugeot Boxer	1994 - 2001	37246	59,95
Fiat Ducato 244 Citroën Jumper/ Peugeot Boxer	2002 - 2005	37270	59,95
Fiat Ducato 250 Citroën Jumper/ Peugeot Boxer	2006 - 2014	37315	64,95
Fiat Ducato 290 Citroën Jumper/ Peugeot Boxer	> 2015	37313	69,95
Ford Transit	2000 - 2006	37269	59,95
	2006 - 2014	372691	59,95
	> 2015	372692	59,95
Ford Custom	2012-2023	372690	59,95
Ford Tourneo / Transit Custom	>2023	372306	74,95
VW Transporter	>2024		

Iveco Daily	2000 - 2006	37361	69,95
	2006 - 2014	37362	69,95
Iveco Daily	> 2014	37363	69,95
	1995 - 2006	37242	69,95
Mercedes-Benz Sprinter	2006 - 2018	372421	69,95
	> 2018	37213	69,95
Mercedes-Benz Vito Pössl Vanstar + Campstar	> 2015	372693	59,95
	2009 - 2021	37320	64,95
Nissan NV200 5-piece / 5-layer	2005 - 2010	37274	59,95
	> 2011	37349	59,95
Renault Master	1980-2001	372732	59,95
	2002 - 2014	37273	59,95
Renault Trafic	2002 - 2014	37273	59,95
	> 2015	372731	59,95
Renault TraficII/Nissan NV300/ OpelVivaro A	2004 - 2020	37226	69,95
	> 2020	372261	69,95
Renault TraficIII/Nissan NV300/ OpelVivaro B	2006 - 2016	372421	69,95
	from 2017	372422	69,95
Volkswagen Caddy	until 1996	37238	74,95
	1979 - 1990	37230	69,95
Volkswagen Caddy 5/ Ford Connect >2022	> 1990	37232	69,95
	2003-2024	37281	59,95
Volkswagen Crafter	> 2021	372423	59,95
	> 2023	372440	64,95




Living area, 4-piece set

Vehicle type	Wheelbase	YOC	Art. no	Price
Citroën Campster	-	> 2017	37347	69,95
Citroën Vanster				
Mercedes-Benz Vito/ Pössl Vanstar + Campstar	Short	> 2015	372445	84,95
Ford Tourneo/Transit Custom, VW Transporter	Short	>2023, >2024	372308	74,95
	long	>2023, >2024 > 2016	372307	74,95
	Short	> 2016 2016-2024	373401	69,95
	medium	> 2016 2016-2024	373402	69,95
Peugeot Expert/ Traveller/Opel Vivaro/ Toyota ProAce 2⁵	long	> 2016 2016-2024	373403	69,95

Volkswagen T2/T3	Short	1979 - 1990	37237	74,95
	Short	> 1990	37235	74,95
Volkswagen Transporter 4	long	> 1990	37236	74,95
	short with climate control	> 1990	37252	69,95
Volkswagen Transporter 5/6 panel van, Multivan Startline, California Beach up to 6/2010 with hardboard paneling:				
Volkswagen T5/T6¹	Short	2003-2024	37296	59,95
Volkswagen T5/T6²	long	2003-2024	37297	59,95
Volkswagen Transporter 5/6 Caravelle, Multivan, California with comfort interior trim:				
Volkswagen T5/T6³	short	2003-2024	37311	69,95
Volkswagen T5/T6⁴	long	2003-2024	37312	69,95
Volkswagen Multivan	Short	> 2021	372424	79,95
	long	> 2021	372431	87,95
Volkswagen ID. BUZZ	Short	> 2023	372441	87,95
	long	>2024	372449	87,95

¹ without Volkswagen comfort trim (hardboard), station wagon, Multivan Startline until 6/2010 Transporter 5 California until 6/2010 | ² without Volkswagen comfort trim (hardboard), station wagon ³ with comfort trim, Caravelle, Multivan from 2003, Multivan Startline from 7/2010, California from 2003, California Beach from 7/2010 | ⁴ with comfort trim, Caravelle from 2003 ⁵ Without interior trim

Isoflex Thermal mats




Tailgate 1-piece / Rear doors 2-piece set

For vehicles with short and long wheelbases

Vehicle type	YOC	Parts	Art. no.	Price
Citroen Spacetourer Campster/Vanster	> 2017	1	372324	26,95
Fiat Ducato 230 Citroën Jumper/Peugeot Boxer	1994 - 2001	2	372462	34,95
Fiat Ducato 244 Citroën Jumper/Peugeot Boxer	2002 - 2005	2	372701	34,95
Fiat Ducato 250 Citroën Jumper/Peugeot Boxer	2006 - 2014	2	373151	26,95
Fiat Ducato 290 Citroën Jumper/Peugeot Boxer	> 2015	2	373131	26,95
Ford Tourneo Custom	> 2023	1	372310	29,95
Ford Transit Custom	> 2023	2	372309	29,95
Ford Transit	1986 - 1989	1	37233	27,95
	2000 - 2006	1	372330	27,95
	2006 - 2014	2	372331	34,95
	> 2015	2	372332	34,95
Mercedes-Benz Vito/ Pössl Vanstar + Campstar	> 2015	1	372446	26,95

Renault Master	2005 - 2010	2	372333	34,95
Renault Master	> 2011	2	372334	34,95
Renault Trafic II	2002 - 2014	2	372335	24,95
Renault Trafic III	> 2015	2	372336	24,95
Peugeot Expert/Traveller/Opel Vivaro/Toyota ProAce 25	> 2016 > 2016 2016 - 2024	1	373404	26,95
Peugeot Expert/Traveller/Opel Vivaro/Toyota ProAce 25	> 2016 > 2016 2016 - 2024	2	373405	26,95
Volkswagen Transporter 3	9/79 - 7/90	1	37231	27,95
Volkswagen Transporter 4	> 1990	1	37233	27,95
Volkswagen T4 low doors	> 1990	2	37234	24,95
Volkswagen Transporter 5/6 ²	2003-2024	1	37283	26,95
Volkswagen Transporter 5/6 ³	2003-2024	2	37282	26,95
Volkswagen Transporter 5/6 ⁴	2003-2024	1	37306	27,95
Volkswagen Multivan	> 2021	1	372425	24,95
Volkswagen ID. BUZZ	> 2023	1	372442	27,95

¹ Panel van, Multivan Startline, California Beach up to 6/2010 with hardboard paneling: | ² without Volkswagen comfort trim (hardboard), station wagon, Multivan Startline until 6/2010, California Beach until 6/2010 | ³ without comfort paneling, station wagon | ⁴ with Volkswagen comfort trim, Caravelle from 2003, Multivan from 2003, Multivan Startline from 7/2010, California from 2003, California Beach from 7/2010 | ⁵ Without interior trim



complete set

8-piece set (with tailgate) / 9-piece set (with rear doors) / 12-piece set

Vehicle type	Wheelbase	YOC	Parts	Art. no.	Price
Citroën Spacetourer Campster/ Vanster (Pössl)	medium	> 2017	8	372813	159,95
Ford Tourneo Custom ³	Short	2012 - 2023	8	37123	159,95
Ford Tourneo Custom ³	Short	2012 - 2023	9	37124	159,95
Ford Tourneo Custom	long	2012 - 2023	8	37125	159,95
Ford Tourneo Custom	long	2012 - 2023	9	37126	159,95
Mercedes-Benz Vito	Short	1996 - 2003	8	37366	159,95
	Short	1996 - 2003	9	37367	159,95
	Short	2004 - 2014	8	37368	159,95
MB Vito/Viano	Short	2004 - 2014	9	37369	159,95
	medium	2004 - 2014	8	37114	159,95
	medium	2004 - 2014	9	37115	159,95
	long	2004 - 2014	8	37116	159,95
MB Vito/Viano	long	2004 - 2014	9	37117	159,95
MeMercedes-Benz Vito Tourer/V-Class	Short	> 2015	8	37118	159,95
MB Vito Tourer/ V-Class Vanstar/ Campstar (Pössl)	medium	> 2015	8	37121	159,95
Nissan NV200	-	2009 - 2021	12	373202	199,95
Renault Kangoo	Short	1997 - 2007	8	37229	159,95

Renault Kangoo II	Short	2008 - 2021	8	372291	159,95
	Short	2008 - 2021	9	372290	159,95
	Short	2002 - 2014	8	37215	159,95
Renault Trafic II	Short	2002 - 2014	9	37216	159,95
	long	2002 - 2014	8	37219	159,95
	long	2002 - 2014	9	37221	159,95
Renault Trafic III	Short	> 2015	8	37222	159,95
	Short	> 2015	9	37223	159,95
	long	> 2015	8	372000	159,95
Volkswagen Caddy	Short	2004 - 2020	8	37228	159,95
VW Caddy Maxi	long	2004 - 2020	8	37227	159,95
VW Caddy 5	Short	> 2020	8	372281	159,95
VW Caddy 5 Maxi/ Ford Connect	long	> 2022	8	372271	159,95
Volkswagen T3	Short	1979-1990	8	372426	159,95
Volkswagen T4	Short	> 1990	8	372427	159,95
VW T6.1/T6/T5 ¹	Short	2003-2024	8	372428	159,95
VW T6.1/T6/T5 ²	Short	2003-2024	8	372429	159,95
Volkswagen Multivan	Short	> 2021	10	372430	159,95
	long	> 2021	10	372432	159,95
	Short	> 2023	8	372443	159,95
NEW Volkswagen ID. BUZZ	long	>2024	10	372448	159,95

¹ Panel van, Multivan Startline, California Beach up to 6/2010 with hardboard paneling: | ² with Volkswagen comfort trim, Caravelle from 2003, Multivan from 2003, Multivan Startline from 7/2010, California from 2003, California Beach from 7/2010 | ³ 37123 and 37124 for vehicle with sliding door on the left and right.

Premium suction cups

- With screw function
 - Ø 55 mm
 - For eyelets up to max. Ø 15 mm
 - With tab for easy removal from the window
- 10 pieces, gray 37335 9,95



Suction cups

- Without screw function
 - Ø 50 mm
 - For eyelets up to max. Ø 11 mm
- 10 pieces, gray 37011 8,95
10 pieces, black 37012 8,95



Premium thermal mats Blackline


- 9-layer Isoflex material (PVC)
- Black interior, Reflective exterior
- Insulation against heat and cold
- The ideal privacy screen
- Attachment with screw suction cups
- Insulation against heat and cold

Includes
Premium
Suction
cups




Driver's cab, 3-piece set (for vehicles with short and long wheelbases)

Vehicle type	YOC	Art. no.	Price	Vehicle type	YOC	Art. no.	Price
Citroën Spacetourer/Opel Vivaro/ Peugeot Expert/Toyota Proace/ Pössl Campster/Vanster	>2017	372340	79,95	Mercedes-Benz Sprinter	2006-2018	372348	79,95
Fiat Ducato/Citroën Jumper/ Peugeot Boxer	1994-2001	372341	79,95	Volkswagen Crafter	2006-2016	372348	79,95
Fiat Ducato/Citroën Jumper/ Peugeot Boxer	2002-2005	372342	79,95	Mercedes-Benz Sprinter	>2018	372349	79,95
Fiat Ducato/Citroën Jumper/ Peugeot Boxer	2006-2014	372343	79,95	Volkswagen Crafter	>2016	372355	79,95
Fiat Ducato/Citroën Jumper/ Peugeot Boxer	>2015	372344	79,95	Mercedes-Benz Vito/Viano Pössl Campstar/Vanstar	>2016	372350	79,95
Ford Transit	2006-2014	372345	74,95	Renault Trafic/Opel Vivaro	2002-2014	372351	79,95
Ford Transit	>2015	372346	74,95	Renault Trafic/Opel Vivaro	>2015	372352	79,95
Ford Tourneo/Transit Custom/VW Caravelle/Transporter	>2023 >2024	372211	79,95	Volkswagen Caddy	2004-2020	372353	79,95
Mercedes-Benz Sprinter	1995-2006	372347	79,95	Volkswagen Caddy	>2021	372354	79,95
				Volkswagen Transporter 4	>1990	372356	79,95
				Volkswagen T6.1/T6/T5	2003-2024	372357	79,85
				NEW Volkswagen ID.Buzz	>2023	372202	79,95
				NEW Volkswagen Multivan	>2021	372206	79,95




Living area, 4-piece set

Vehicle type	Wheelbase	YOC	Art. no.	Price	Vehicle type	Wheelbase	YOC	Art. no.	Price
Citroën Spacetourer/Opel Vivaro/Peugeot Expert/ Toyota Proace/Pössl Campster/Vanster	Short	>2017	372386	79,95	Volkswagen Caddy	Short	2004-2020	372400	79,95
Ford Transit	Short	2006-2014	372391	89,-	VW Caddy	Short	>2021	372401	79,95
Ford Transit	Short	>2015	372392	89,-	VW Caddy Maxi	long	2004-2020	372379	79,95
Ford Tourneo Custom/ VW Caravelle	Short	>10/2023	372212	79,95	VW Caddy Maxi/Ford Connect	long	>2022	372381	79,95
Ford Tourneo Custom/ VW Caravelle	long	>10/2023	372213	79,95	Volkswagen T4	Short	>1990	372402	79,95
Mercedes-Benz Vito/Viano	Short	>2015	372397	79,95	VW T6.1/T6/T5 ¹	Short	2003-2024	372403	79,95
Renault Trafic/Opel Vivaro	Short	2002-2014	372398	79,95	VW T6.1/T6/T5 ²	Short	2003-2024	372404	79,95
Renault Trafic/Opel Vivaro	Short	>2015	372399	79,95	Volkswagen ID.Buzz	Short	>2023	372203	79,95
					NEW Volkswagen ID.Buzz	long	>2024	372204	79,95
					NEW Volkswagen Multivan	Short	>2021	372207	79,95
					Volkswagen Multivan	long	>2021	372208	79,95



Tailgate/rear doors (for vehicles with short and long wheelbase)

Vehicle type	YOC	Parts	Art. no.	Price	Vehicle type	YOC	Parts	Art. no.	Price
Citroën Spacetourer/Opel Vivaro/Peugeot Expert/ Toyota Proace	>2017	1	372358	29,95	Volkswagen Caddy	2004-2020	1	372378	29,95
Fiat Ducato/Citroën Jumper/Peugeot Boxer	2006-2014	2	372362	29,95	Volkswagen Caddy/ Ford Connect	>2022	1	372380	29,95
Fiat Ducato/Citroën Jumper/Peugeot Boxer	>2015	2	372363	29,95	Volkswagen Transporter 4	>1990	1	372382	29,95
Ford Transit	2006-2014	2	372365	33,95			1	372384	29,95
Ford Transit	>2015	2	372367	33,95			2	372385	29,95
Mercedes-Benz Vito/ Viano/Pössl Campstar/ Vanstar	>2015	1	372372	29,95	Volkswagen 6.1/T6/T5 ¹	2003-2024	1	372383	29,95
Renault Trafic/Opel Vivaro	2002-2014	2	372375	29,95	Volkswagen 6.1/T6/T5 ²	2003-2024	1	372210	29,95
Renault Trafic/Opel Vivaro	>2015	2	372377	29,95	Ford Tourneo Custom	>10/2023	1	372214	29,95
					Ford Transit Custom	>10/2023	2	372205	29,95
					Volkswagen ID.Buzz	>2023	1	372209	29,95
					Volkswagen Multivan	>2021	1		



¹ Panel van, Multivan Star, California Beach >06/2010 with hardboard paneling. ² Panel van, Multivan, California with comfort trim

Thermal mats with magnetic fastening

- Side thermal mats magnetically attached, front securely wedged in place with struts and sun visor
- 7-layer Isoflex material (PVC)
- The ideal privacy screen


- Black interior, reflective exterior
- Fastening via magnets
- Insulation against heat and cold

- For vehicles with short and long wheelbases



Driver's cab, 3-piece set

Vehicle type	YOC	Art. no.	Price
Citroën Spacetourer/Pössl Campster/Vanster	>2017	372359	139,-
Fiat Ducato	1993-2006	372408	139,-
Fiat Ducato	2006	372390	139,-
Ford Tourneo/Transit Custom, VW Caravelle/Transporter	>2023, >2024	372305	139,-
Ford Transit	>2015	372376	139,-
Mercedes-Benz Sprinter	>2006	372393	139,-
Volkswagen Crafter	2006-2017	372406	139,-
Volkswagen Crafter	>2017	372389	139,-
Mercedes-Benz Vito/V-Klasse/Pössl Campstar/Vanstar	>2015	372373	139,-
Renault Trafic	2004-2014	372407	139,-
Renault Trafic/Opel Vivaro	>2015	372374	139,-
Volkswagen Caddy	2012-2020	372409	139,-
Volkswagen Caddy/Ford Connect	>2022	372364	139,-
Volkswagen Transporter 3	1979-1992	372304	139,-
Volkswagen Transporter 4	1990-2003	372405	139,-
Volkswagen Transporter 5/6/6.1	2003-2024	372366	139,-
Volkswagen Multivan	>2021	372303	139,-




Premium suction cups

- With screw function
- Suction cup diameter 55 mm
- Quick and easy to screw on
- With a tab for easy removal from the disc
- For eyelets up to max. 15 mm diameter

Pack of 10 37335 9,95

Suction cups

- Without screw function
 - Ø 50 mm
 - For eyelets up to max. Ø 11 mm
- 10 pieces, gray 37011 8,95
10 pieces, black 37012 8,95



Do It Yourself Kit Make your own thermal mat

Use the enclosed foil to create a template, place it on the material and cut it out. Staple the edges of the thermal mat and finish them with binding tape. Insert the suction cups, and you're done.

(We recommend using the 14 mm eyelet set, item no. 90211, to insert the suction cups.


Scope of delivery: 3.5 m Isoflex material (1.55 m wide), 30 suction cups, 30 m edging tape and 1 plastic film for making your template.

Black/silver 37487 74,95
Gray/Silver 37285 73,95




Thermo blackout mats with suction cup fastening

- 8 mm thick thermal mats
- UV protection and insulation against heat and cold
- Soft anti-condensation fabric
- Privacy screen
- Suction cups for screwing on for a strong hold
- Color: gray interior / silver exterior



Driver's cab, 3-piece set



Living space, 5-piece set

Vehicle type	YOC	Wheelbase	Art. no	Price
Fiat Ducato	1994-2001	short+long	372745	69,95
Fiat Ducato	2002-2005	short+long	372746	69,95
Fiat Ducato	2006-2014	short+long	372747	69,95
Fiat Ducato	>2015	short+long	372748	69,95
Ford Tourneo /Transit Custom / VW Transporter / Caravelle	>2023 >2024	-	372703	69,95
MB Vito / Viano / V-Class Pössl Campstar / Vanstar	>2015	short+long	372728	79,95
Mercedes-Benz Sprinter	2006-2018	short+long	372716	69,95
Volkswagen Crafter	2006-2017	short+long	372717	69,95
Mercedes-Benz Sprinter	>2018	short+long	372717	69,95
Volkswagen Caddy + Caddy Maxi	<2020	short+long	372719	69,95
Volkswagen Caddy 5 Caddy Maxi / Ford Connect	>2022	short+long	372741	79,95
Volkswagen Transporter 4	1990-2003	-	372713	69,95
Volkswagen T5 / 6 / 6.1	2003-2024	short+long	372710	69,95
Volkswagen Multivan	>2021	short+long	372720	79,95
Volkswagen ID.BUZZ	>2022	short+long	372725	79,95
Volkswagen Crafter	>2017	short+long	372718	69,95

Vehicle type	YOC	Wheelbase	Art. no	Price
Ford Tourneo Custom / Volkswagen Caravelle	>2023 >2024	Short	372704	119,-
Ford Tourneo Custom / Volkswagen Caravelle	>2023 >2024	long	372705	129,-
MB Vito / Viano / V-Class, Pössl Campstar / Vanstar	>2015	long	372729	119,-
Volkswagen Caddy	<2020	Short	372749	119,-
Volkswagen Caddy	<2020	long	372750	129,-
Volkswagen Caddy 5	>2020	Short	372742	119,-
Volkswagen Caddy 5 Maxi / Ford Connect	>2022	long	372744	129,-
Volkswagen Transporter 4	1990-2003	Short	372714	119,-
Volkswagen Transporter 4	1990-2003	long	372715	129,-
Volkswagen T5 / 6 / 6.1	2003-2024	Short	372711	119,-
Volkswagen T5 / 6 / 6.1	2003-2024	long	372712	129,-
Volkswagen Multivan	>2021	Short	372721	119,-
Volkswagen Multivan	>2021	long	372722	129,-
Volkswagen ID. BUZZ	>2023	Short	372726	119,-
 Volkswagen ID. BUZZ	>2024	long	372727	129,-



Dashboard cover Fiat Ducato

Perfect insulation in the driver's cab area, including footwell, 8 mm thick, includes packing bag, easy to install.

2002 - 2006	37432	134,-
2006 - 2014	37433	134,-
> 2015	37434	134,-



The image shows the Volkswagen T5.



tent bellowsinsulation for Volkswagen Transporter, Mercedes-Benz & Pössl Campster sleeping roofs

- Protection against extreme heat and cold
- For Reimo pop-up roofs Volkswagen California / California Beach
- With window and ventilation openings
- Fastening with included velcro discs and sewn-on velcro tape*

For Volkswagen T5/6 SWB, super-flat roof, high front	37396	465,-
For Volkswagen T5/6 SWB, super-flat rear roof high	37385	459,-
For VW T5/6 SWB, EasyFit roof front high up to 2020	37398	475,-
VW T6 SWB, EasyFit roof front high, for high scissors >2021	373981	475,-
For VW T5/6 LWB, super-flat roof rear + high front	37397	485,-
For Volkswagen Transporter 5/6 California from 2003 and California Beach from 6/2010	37389	475,-
For VW T5/6 LWB, EasyFit roof front high up to 2020	37388	475,-
VW T6 LWB, EasyFit roof front high, for high scissors >2021	373881	465,-
For Volkswagen T4 SWB, super-flat roof, high front	37395	585,-
For Volkswagen T4 California	37399	465,-
For MB Vito/Metris/V - Easyfit extra high front roof	373882	455,-
For Pössl Campster pop-up roof (>2016)	373883	495,-
NEW For VW Caddy 5 Maxi/Ford Connect 3, rear high	373801	445,-

NEW For Ford Custom/VW Transporter >2024, short wheelbase, Easyfit roof front up	373802	457,-
---	---------------	--------------

*for California + Beach: attachment with plug-in tabs

Climacover weather protection cover for Volkswagen Transporter 5/6 > 2003, Mercedes-Benz Vito/Metris & Pössl Campster

For pop-up roofs, front raised. IDReal protection against rain, snow, ice and dirt. With windows and ventilation openings.

Fits over the entire roof.

For short wheelbase, Easy Fit roof and California:

Normal scissors (<2020)	37391	545,-
High scissors (>2021)	373941	615,-
For long wheelbase, Easy Fit roof, (<2020)	37394	615,-
For short wheelbase, super-flat pop-up roof	37393	449,-
For short wheelbase, pop-up roof SCA 194	37360	569,-
For long wheelbase, Easyfit front high	373940	550,-
For Mercedes-Benz Vito/Metris/V-Easyfit - high scissors	373942	615,-
For Pössl Campster sleeping roof SCA 260 (>2016)	373943	615,-

Thermal curtains Cold protection / Heat protection for Fiat Ducato H2 from 2007

- Insulating material Isoflex material (PVC)
- Reflection of solar radiation
- Insulation against heat and cold
- Fastening with Velcro tape on the sides and top

Rear door thermal insulation with central access, H2, 1-piece	374700	219,-
---	---------------	--------------

Sliding door insulation with access on the right, H2, 1-part	374701	239,-
--	---------------	--------------





External insulating mat

- The cab windows remain free of snow, ice, and fog
- 3-layer insulated PVC material
- Additionally, 7 mm thick insulating foam
- Connection of both mats (driver's compartment and engine hood) through Velcro

Vehicle type	YOC	Art. no Driver's cab windows	Price	Art. no. Bonnet & doors	Price
Fiat Ducato Citroën Jumper Peugeot Boxer	94-01	37371	109,-	373710	119,-
	02-05	374351	109,-	374350	119,-
	06-14	373700	109,-	373720	119,-
	> 15	373700	109,-	3737000	119,-
Ford Transit Custom Tourneo Custom	12-23	374420	109,-	3744200	119,-
Ford Transit	86-99	-	-	3744320	119,-
Ford Transit	06-14	374423	109,-	374422	119,-
Ford Transit	> 14	374434	109,-	3744300	119,-
Iveco Daily	00-06	372300	109,-	3723000	119,-
Iveco Daily	06-14	372301	109,-	3723010	119,-
Iveco Daily	> 15	372302	109,-	3723020	119,-
MB Sprinter	96-06	37268	109,-	372682	119,-
MB Sprinter	06-14	372680	109,-	3726800	119,-
MB Sprinter	> 15	372681	109,-	3726810	119,-
Renault Master	05-10	374430	109,-	3744301	119,-
Renault Master	11-24	374431	109,-	3744310	119,-
Volkswagen T4	90-03	374491	109,-	-	-
Volkswagen T5	06-15	374501	109,-	374500	119,-
Volkswagen T6	15-24	374511	119,-	374510	119,-



External insulating mat

- 3-layer insulated PVC material
- UV protection and water resistance
- 10 mm thick insulating foam

Luxury window cover for the cab windshield. Also covers the side windows. Hooks onto the side doors. A viewing window is secured with Velcro and can be opened when needed. Includes storage bag.

Vehicle type	YOC	Item no.	Price
Citroën Spacetourer			
Campster/Vanstar (Pössl)	> 16	37460	149,90
Fiat Ducato	94 - 02	37438	149,90
Fiat Ducato	02 - 06	37435	149,90
Fiat Ducato	06 - 14	37436	149,90
Fiat Ducato	> 15	37437	149,90
Ford Transit	07 - 14	37442	149,90
Ford Transit	> 15	37443	149,90
Ford Tourneo/Transit Custom/ VW Transporter/Caravelle	>2023		
	>2024	37498	149,90
Mercedes-Benz Vito/ Campstar/Vanstar (Pössl)	> 15	37497	149,90
Mercedes-Benz Sprinter	06 - 14	37444	149,90
Mercedes-Benz Sprinter	> 15	37445	149,90
Renault Trafic	> 2015	37496	149,90
Renault Master	08 - 10	37446	149,90
Renault Master	10 - 14	37447	149,90
Renault Master	15 - 24	37448	149,90
Volkswagen Caddy 5	> 2021	37494	149,90
Volkswagen Multivan	> 2021	37495	149,90
Volkswagen Transporter 4	90 - 03	37449	149,90
Volkswagen Transporter 5	06 - 15	37450	149,90
Volkswagen Transporter 6	15 - 24	37451	149,90

X-treme Comfort – External insulation

- Window/door insulation
- Viewing window with Velcro closure
- Attachable hood cover
- 2-piece

Vehicle type	YOC	Item no.	Price
Fiat Ducato, Citroën Jumper, Peugeot Boxer	2007-2014	90796	389,-
Fiat Ducato, Citroën Jumper, Peugeot Boxer	> 2014	907961	459,-



Coverttech Insulation mats for cab and hood

- Eight layers, outer layers made of PVC
- UV-resistant
- Includes faux leather pannier
- Water-repellent
- Perfectly suited for low temperatures
- Very soft, ensuring a perfect fit on the vehicle
- Secure fastening with Velcro



Vehicle type	YOC	Item no. Cab windows	Price	Art. no. Bonnet & doors	Price
Fiat Ducato 230	94-01	90918	269,-	90927	269,-
Fiat Ducato 244	02-05	90919	269,-	90928	269,-
Fiat Ducato 250	06-15	909200	269,-	90929	279,-
Fiat Ducato	from 15	909200	269,-	909291	279,-
Ford Transit	06-14	90921	269,-	90930	279,-
Renault Master	05-10	90923	269,-	90932	279,-
Renault Master	11-24	909231	269,-	909321	279,-
Volkswagen T4	90-03	90925	269,-	—	—
Volkswagen T5/6	03-24	90926	269,-	—	—



Coverttech Insulation mats for fully integrated vehicles

- Eight layers, outer layers made of PVC
- Ideal thermal insulation in winter
- Prevents condensation from forming on the windows
- Includes faux leather pannier
- Water-repellent, UV-resistant
- Perfect for low temperatures
- Very soft, ensuring a perfect fit on the vehicle



Attachment with suction cups

Vehicle type	YOC	Item no.	Price
Carthago C-Line	> 2012	90911	389,-





X-Trem Jacket External insulation for Fiat Ducato, Peugeot Boxer, Citroën Jumper

- Excellent insulation properties
- Easy to roll up and store
- Optimal fixation with elastic straps
- Front ventilation slots are also covered
- Integrated magnets provide additional hold
- Moisture-resistant thermal padding
- With carrying bag

① All-Year All Season			
All-season cover with excellent insulation			
2007-2014	90797		279,-
> 2014	907971		285,-
② Lahti Winter			
Extra-thick, padded external insulation. Tested in Scandinavia and Lapland. Ideal thermal insulation for winter holidays.			
2007-2014	90798		345,-
> 2014	907981		345,-



CARBEST 


MULTIMEDIA

Smart TV powered by Android



- For a complete multimedia experience
- WiFi / DVB-S2 (SAT) / DVB-C (cable) / DVB-T2 with HD (Terrestrial)
- Wide viewing angle
- Android operating system
- On/off switch on the device
- Android 9 operating system
- Uploading and downloading program lists via USB
- Extra slim housing
- Frame width 12 mm

9~30 VOLT	100~240 VOLT	DVB-T2 DVB-S2 DVB-C	H.265 DVB-T2
HDMI	USB 2.0	CI SLOT	MPEG4
WLAN	SCART VGA	VIDEO TEXT	HEVC 10 BIT



VESA mount (100x100 mm)



ON/OFF switch



TV control panel



Scope of delivery

Screen format	18.5", 16:9 widescreen format, HD READY
Viewing angle	178° / 178°
Operating voltage	12 V DC / 24 V DC / 230 V AC
TV connections IN	1x HDMI, 2x USB 2.0, 1x VGA, 1x PC audio, 1x CI+ slot, 1x AV, 1x RJ45
TV connections OUT	1x coaxial, 1x headphones
Power consumption during operation/standby	<36 W / <0.5 W
Resolution (pixels)	1366 x 768
Contrast	3000:1
Brightness (cd/m²)	200
Energy efficiency	F
Dimensions (mm): Without base, WxHxD	436 x 259 x 43
Dimensions (mm): With base, WxHxD	436 x 304 x 160
Weight (without base)	1,9 kg
Scope of delivery	LED TV, stand, power supply 100-240 V, car adapter 12-30 V With cigarette lighter plug, remote control, instructions
Item no. / Price	49881 220,-

We reserve the right to make technical improvements or changes, as well as to supply a comparable product from another manufacturer or supplier. The illustrations are similar to the delivered products. Dimensions are approximate.

Latest generation Smart TV

- Android 13 operating system
- WiFi / DVB-S2 (SAT) / DVB-C (cable) / DVB-T2 with HD (terrestrial)
- Wide viewing angle
- Extremely slim case with a depth of 42 mm
- Screen mirroring from your smartphone or tablet
- Can also be controlled via smartphone app
- With time shift
- For 12 V / 24 V and 230 V systems
- 3 mm narrow frame, lower housing panel made of brushed stainless steel in matte black
- Upload and download program lists via USB
- OTA (over-the-air) software updates available for download in the TV settings (internet connection required)

9~30 VOLT	100~240 VOLT	DVB-T2 DVB-S2 DVB-C	H.265 DVB-T2
HDMI	USB 2.0	CI SLOT	MPEG4
WLAN 2.4 GHz	FULL HD	VIDEO TEXT	EPG




Connections

Device type	21.5" FULL HD	23.6" FULL HD
Screen format	16:9 widescreen format	
Viewing angle	178° / 178°	178° / 178°
Operating voltage	12 V DC / 24 V DC / 230 V AC	
TV connections IN	2x HDMI, AV-in, 2x USB, 1x CI+ slot, RJ45, TV tuner (1x DVB-T2, 1xDVB-T-S2	
TV connections OUT	1x coaxial, 1x headphones	
Power consumption during operation/standby	36 W / 0,5 W	
Resolution (pixels)	1920 x 1080	1920 x 1080
Contrast	4000:1	3000:1
Brightness (cd/m²)	180	180
Energy efficiency	E	E
Dimensions (mm): Without base, WxHxD	494 x 293 x 42	542 x 322 x 42
Dimensions (mm): With base, WxHxD	494 x 342 x 180	542 x 371 x 180
Weight (without base)	2,5 kg	2,7 kg
Scope of delivery	LED TV, stand, remote control, power supply unit 100 - 240 V, car adapter 9 V - 30 V with cigarette lighter plug, instructions	
Item no. / Price	49900 229,-	49901 249,-

We reserve the right to make technical improvements or changes, as well as to supply a comparable product from another manufacturer or supplier. The illustrations are similar to the delivered products. Dimensions are approximate.





Wall Mount – TV wall mount

- Knurled screws for quick fixation the correct TV position
- With locking mechanism for safe transport
- 2 joints, swivel and tilt
- For screens from 13 to 30 inches
- Load capacity up to max. 15 kg
- Hole pattern 75 and 100 mm (VESA)
- Material: aluminum
- Color: Glossy silver or black

① TV mount Simon Luxury


Secure locking during travel.
Arm length 175 mm each.
Length unfolded 430 mm. Weight: approx. 1 kg.

Silver	493960	69,95
Glossy black	493983	69,95

② Simon Luxus XL TV mount

Secure locking while driving.
Arm length 285 mm each.
Length unfolded 650 mm. Weight: approx. 1.4 kg.

Silver	493970	79,95
Glossy black	493984	79,95



Wall Mount – TV wall mount

- Knurled screws for quick fixation the correct TV position
- For screens from 13 to 30 inches
- Hole pattern 75 and 100 mm (VESA)
- Load capacity up to max. 15 kg
- Material: aluminum
- Color: Silver or matte black

① Wall Mount TV Holder S

Dimensions: 114 x 114 x 98 mm
Weight: 0.6 kg.

Silver	493962	29,95
--------	--------	-------

② Wall Mount TV Holder M

Dimensions: 116 x 152 x 81 - 235 mm
Weight: 0.8 kg.

Silver	493961	47,95
Black matte	493981	47,95

③ Wall Mount TV Holder L

Dimensions: 116 x 152 x 81 - 390 mm
Weight: 1 kg.

Silver	49396	49,95
Black matte	493982	49,95



Universal mobile phone/tablet Navigation mount

① Universal navigation and cell phone holder

With suction cup mounting, rotatable 360°. Material: ABS+PU. Color: Black. Dimensions: 12 x 10 x 7.5 cm. Weight: 0.1 kg

	46238	7,95
--	-------	------

② Universal tablet/mobile phone holder

For tablets with a maximum width of approx. 10-17.7 cm, 360° rotatable, for headrests, bicycles, tent poles, etc. For tubes with Ø 18 - 34 mm. Material: Aluminum and plastic. Weight: 0.3 kg

	462381	19,-
--	--------	------

Active DVB-T2 omnidirectional antenna

- Designed for mounting on the vehicle roof
- Integrated amplifier
- Concealed cable routing (through antenna base)

Antenna with state-of-the-art SMD technology. Excellent reception of digital terrestrial TV (DVB-T) and radio programs (DAB radio). Reception of local/regional FM radio signals. With built-in amplifier. Extremely wide frequency range. Weatherproof, rust-proof, with aluminum base.

Technical data:

Frequency ranges: FM 87.5–108 MHz, VHF 174–230 MHz, UHF 470–862 MHz, Beamwidth: vertical 90°/horizontal 360°, Output level: max. 108 dB V, Gain: 32 dB, Input voltage: DC 12/24 V, Operating voltage: 5 V DC, Connector: F-connector. Dimensions: Base diameter: 13 cm, Antenna diameter: 30 cm, Overall height: 20 cm

49410

99,95



Snipe mobile phone - Portable satellite antenna



- Perfect for mobile use: The antenna can be set up anywhere with a clear line of sight to the satellite.
- Single LNB, 4 satellites pre-programmed (Astra1, Astra2, Hotbird, Eutelsat 5W)
- 1-cable solution: Receiver connection and power supply to the antenna via 1 coaxial cable
- Integrated anti-theft protection (visual and acoustic)

Single-cable connection: Antenna connects to the controller, including power transmission, via a single coaxial cable. A metal eyelet allows for the attachment of a steel cable (not included) to prevent theft. An audible warning signal is also provided if the coaxial cable is removed without authorization. The robust plastic housing offers optimal protection against the elements. Satellite search time: approx. 180 seconds, power consumption: 30 W. Signal amplification:

31 dBi, receive power: 51 dBW, search angle: 15° - 90°/360°, dimensions approx.: Ø 450 mm, H 390 mm. Scope of delivery: Antenna including remote control, controller with bracket and power cable with cigarette lighter plug. 10 m coaxial cable, instruction manual. Weight: 7.6 kg.



49796

599,--



Convenient single-cable solution:

Receiver connection and antenna power supply are provided via 1 coaxial cable (10 m length).





MultiSat system X85 Twin + Skew


12V	Ø 85 CM	TWIN LNB	AUTO SKEW	GPS RECEIVER
10 SATELLITES PRE-PROGRAMMED	AUTOMATIC START-UP WHEN VEHICLE STARTS	SATELLITE SEARCH: APPROX. 180 SEC.	DiSEqC 1.0/1.1	COLOR: WHITE

- Automatic retraction when the engine starts
- Extremely robust, maintenance-free metal drive
- Super-easy operation, receive the desired satellite at the touch of a button

Technical data: 10 pre-programmed satellites, input frequency: 10.7 ~ 12.75 GHz, output frequency: 950 ~ 2,150 MHz, polarization: vertical and horizontal, elevation angle range: 0° ~ 145°, azimuth angle range: 390°, power supply: DC 12 volts, operating temperature: -20° C to +60° C. Scope of delivery: Multi-Sat antenna, controller, roof feed-through, mounting plate, LNB protective film, connection cable, screws, operating instructions.

SAT system Multisat 85 cm Twin LNB + AUTO SKEW, pre-installed satellites: **Turksat, Astra 2, Astra 3, Astra 1, Hotbird, Eutelsat 9, Astra 4, Thor, Eutelsat 5W, Hispasat**, compact yet powerful reception, satellite search time max. 180 seconds, software update via USB, dimensions when retracted: 110.5 x 86 x 18.4 cm, weight: approx. 14 kg

49633 1499,-



ASTRA 1



TravelSat 68 II + 80 II

Premium satellite systems with Bluetooth control

- **Bluetooth technology** for all antennas
- **Control via smartphone**
- **Easy software updates via app, no workshop required**
- **Powerful LNBs** for excellent TV reception even in remote areas
- **Durable rotating mechanism** with robust metal and aluminum parts for quiet operation



- **Technology:** Modern hardware and software technology, updatable and future-proof (HD and DVB-S2).
- **Control unit:** Compatible with all decoders (including Sky HD), reprogrammable without opening the box.
- **Positioning:** GPS-assisted, fast satellite search in 30–60 seconds. Automatic alignment at the touch of a button. Last position memory, acoustic warning when starting with the antenna open.
- **Details:** Aluminum mounting plate for secure attachment, durable steel/bronze gearbox for minimal maintenance.
- **Technical data:** 12 V / 27 W (max. 48 W when extending/retracting), -15°C to +50°C, CI slot and OSD.
- **Scope of delivery:** Outdoor antenna, control unit (without receiver), cable, roof feed-through, mounting plate, mounting materials, and instructions.



Travelsat II Ø 68 cm with Bluetooth Control and software updates conveniently via the app

Travelsat II Ø 68 cm, ASTRA Single System (for 1 receiver All other satellites can be selected via app or control panel. Cable length 5 meters.

Color: anthracite 496380 1399,-
Color: white 49638 1399,-

Travelsat II Ø 68 cm, ASTRA Twin system (for 2 receivers All other satellites can be selected via app or control panel. Cable length 5 meters.

Color: white 49639 1519,-

TWIN system: Second SAT connection for an additional digital or HD receiver, enabling independent program selection (receiver not included).

Service: SR-Mecatronic service network ensures fast repair or replacement, so that the Travelsat is quickly ready for use again.

Optional control panels: As an alternative to Bluetooth control, there are two control panels to choose from: the LED control panel with 7 pre-programmed satellites and the Comfort "Plus" LCD control panel with 15 pre-programmed satellites.



Travelsat II Ø 80 cm with Bluetooth

Travelsat II Ø 80 cm, ASTRA system with Bluetooth. All other satellites Selectable via app or control panel. Cable length: 5 meters.

Single system (for 1 receiver) with Bluetooth	49640	1439,-
Single system (for 1 receiver) with Bluetooth + skew	49641	1599,-
Twin system (for 2 receivers) with Bluetooth	49642	1661,-
Twin system (for 2 receivers) with Bluetooth + skew	49643	2019,-



LED control panel
7 pre-programmed satellites:
 Hotbird 13E, Astra 19, Thor, Sirius,
 Atlantic Bird, Hispasat, Astra 28.
 49724 149,-



Comfort "Plus" LCD control panel. 15 pre-programmed satellites and additional functions:
 Hotbird 13E, Astra 19E, Astra 28E, Eurobird 16E, Thor 1W, Sirius 5E, Atlantic Bird 5W, Hispa-sat 30W, Eurobird 9E, Eutelsat 7E, Eutelsat 10E, Amos 3W, Atlantic Bird 8W, Atlantic Bird 12W, Astra 23.5E.
 49725 179,-



NEW

3*
YEARS
WARRANTY



WiFive router

- 5G, 4G Cat19, 3G connectivity
- Up to 3,400 Mbit/s surfing speed
- Wall mount included
- For up to 150 end devices
- Dual and e-SIM router with WebUI user interface
- Equipment:
 - 4x 5G/4G connectors (SMA), 2x Wifi connectors (RP-SMA),
 - 1x LAN, 1x WAN, 2x integrated SIM card slots, 1x eSIM,
 - 1x LED status indicator for power, mobile data and WiFi

Experience high-speed internet in your motorhome, caravan, or at home! The WiFive router offers state-of-the-art technology for stable and ultra-fast browsing with download speeds of up to 3,400 Mbps. Thanks to its four MIMO antenna ports, you're always flexible – whether using a traditional SIM card or a digital connection. The LED status indicator keeps you informed about power supply, mobile data, and Wi-Fi activity at all times. Thanks to the included wall mount, the router can be securely screwed into place. Compatible antenna: 49159. Dimensions: W100 x H30 x D93.7 mm. Weight: 319 g.

Scope of delivery: WiFive router, 2x SIM card adapters, 1x LAN cable, 230V power supply, wall mount, mounting accessories.

49176

539,95

Technical data	
SIM slot	2 x micro SIM slots for mobile phone cards
Mobile network speed	5G Sub-6GHz SA/NSA: 2.4/3.4Gbps DL (4x4 MIMO), 900/550 Mbps UL (2x2); 4G LTE: Cat 19 1.6Gbps DL, Cat 18 200Mbps UL; 3G: 42 Mbps DL, 5.76Mbps UL
Card replacement	SIM card is inserted inside the housing
APN detection	Automatic detection
Operation	WebUI
WLAN	Wi-Fi 5
Wi-Fi connection	802.11b/g/n/ac Wave 2 (Wi-Fi 5) with data rates up to 867 Mbps, dual band, MU-MIMO, 802.11r Fast Transition, Access Point (AP), Station (STA) Wireless mesh network (802.11s), fast roaming (802.11r), relay, BSS transition management (802.11v), radio resource measurement (802.11k), captive portal
WLAN Repeating	
WLAN speed	Transmission rate up to 867 Mbit/s
Guest WLAN	Configurable
Automatic mode	Selectable
Data saving mode	Can be activated
Secure connections	Support for VPN, SSH, RMS connections
Updates	Regular
Voltage	9–50 V

**under optimal conditions (network reception and open terrain).



3*
YEARS
WARRANTY



WiFive RV Internet Antenna

- 5G/4G/WiFi internet antenna with integrated 4x4 MIMO and 2x2 WiFi antennas
- Suitable for various roof thicknesses on motorhomes and vans thanks to extendable threaded connections
- Stylish design in elegant matte black

The Carbest WiFive RV is a high-quality, high-performance 5G internet and WiFi antenna, suitable for motorhomes and campervans, in a stylish matte black finish. Compatible with all common routers with SMA connectors. It features four SMA connectors for 5G/4G ports and two RP-SMA connectors for WiFi. Supports 2.4 and 5 GHz. Cable length: 2 m. Splashproof (IP69K).

Thanks to extendable threaded connections, the antenna is suitable for various roof thicknesses (up to 70 mm). An additional adhesive pad facilitates installation. The silicone coating protects against splash-proof and moisture-resistant. Dimensions: Ø 182 x H 72 mm. Mounting hole approx. 18 mm. With threaded extension (38/85 mm). Approx. 23 mm. Weight: 700 g.

Scope of delivery: WiFive RV internet antenna, 2 m connection cable, 6 connector plugs, mounting pad, threaded extensions 38 / 85 mm, mounting material.

49159

149,--



Carbest WiFive Bundle: Router and internet antenna in a set

Scope of delivery: WiFive router, 2x SIM card adapters, 1x LAN cable, 230 V power supply, wall mount, WiFive RV internet antenna, 2 m connection cable, 6 connectors, mounting pad, threaded extensions 38 / 85 mm mounting accessories.

49176

669,--

* Our warranty conditions can be found on page 137.

Radio transmission for reversing systems

The reversing camera image can be wirelessly transmitted to a monitor via the radio system. Installation requires no cables, thus reducing installation time. It can be operated via 12V or 24V. The radio range is up to 10m, making it suitable even for larger motorhomes and caravans. It uses digital 2.4GHz radio transmission.

Scope of delivery: 1 receiver, 1 transmitter, incl. adapter for Carbest reversing systems.

47439

89,-



Brake light with integrated reversing camera for Fiat Ducato / Peugeot Boxer / Citroën Jumper and structurally identical vehicles > 2006

- High-resolution camera
- Plug & play installation
- Night mode with night vision IR LEDs
- 10 m connection cable included
- E9 certified



Connection cable included

Camera system	1/3 CMOS	Operating	From -20°C to +70°C
Resolution (HxV)	720x480 pixels	Power consumption	< 3 W
TV system	PAL	Built-in lens	2,6 mm
Protection class	IP68	Emark certified	E9
Viewing angle	160°	Connection cable, length	10 m
Horizontal resolution	600 TVL	Housing dimensions	approx. 26 x 5.5 cm
IR LEDs	6 LEDs	Item number	47800
Power supply	DC 12 V	Price	159,-



Cable entries

Safe routing of cables through roof and wall. For gluing with Sikaflex, including cable gland PG 13.5 for cable Ø of 6-12 mm.

- | | | |
|--|---------------|--------------|
| ① White, 1-fold (approx. L13 x D9.8 x H5.8 cm) | 85049 | 8,95 |
| ② Black, 1-fold (approx. L13 x D9.8 x H5.8 cm) | 850493 | 9,95 |
| ③ White, 2-fold (approx. L12.4 x D9.3 x H3.8 cm) | 850491 | 10,95 |
| ④ Black, 2-fold (approx. L12.4 x D9.3 x H3.8 cm) | 850494 | 11,95 |





EXCLUSIVE TECHNOLOGY FOR RECREATIONAL VEHICLES

Solar modules / Batteries and charging technology /
Inverters / Cool boxes and refrigerators /
Air conditioners / Heaters / TV and satellite systems /
Vehicle windows and roof hatches / Gas cookers /
Sanitary equipment / Vehicle lights and many other products.




*Our detailed warranty conditions can be found on page 137.

ALL PRODUCTS ON
WWW.CARBEST.DE





VEHICLE TECHNOLOGY



Car lift with 4 lifting supports

Weight approx. 50 kg

465100 2489,-

**Fully automatic 12V leveling system.
Perfect alignment of vehicle on uneven terrain.**



- Fully automatic leveling of vehicle
- For vehicles up to 5 tons, up to 2 tons per support
- 12 V power supply via on-board network
- Operation via cockpit control panel or by radio remote control
- Support base length 300 mm, extendable to 420 mm
- Load cap. per support 2000 kg
- Emergency operation if power failure
- Waterproof motors & connections

Technical data:

Load capacity per support 2000 kg, total support load 5000 kg, support base length 300 mm – extendable to 420 mm, sufficient ground clearance must be ensured. Operating current consumption approx. 16/18 A. Cable length from control box: to battery 5 m, to support leg 4 m, to control panel 8 m.

Please order the complete adapter set:

• For Fiat Ducato and similar vehicles Weight approx. 13 kg		
Fiat Ducato X244 year 2000-2006	465104	259,-
Fiat Ducato X244 Alko year 2000-2006	465105	259,-
Fiat Ducato X250/290 year 2007-2014	465102	259,-
Fiat Ducato X250/290 Alko year 2007-2014	465103	259,-
Fiat Ducato X290 > 2015	465113	259,-
Fiat Ducato X290 Alko > 2015	465112	259,-
Fiat Ducato X290 > 2015 (with spare tire below and tank in front of rear axle)	465116	255,-
• For Mercedes-Benz Sprinter Weight approx. 12.5 kg		
Rear-wheel drive > 2016 or 4x4 drive	465110	259,-
Front-wheel drive > 2020 Standard Chassis	465118	269,-
Front-wheel drive > 2020 with rear SLC chassis	465115	269,-
Front-wheel drive > 2020 with rear Alko chassis	465117	259,-

NEW

• For Ford Transit > 2014, Weight approx. 10 kg	465107	259,-
• For Iveco Daily > 2000	465108	259,-
• For Renault Master 3 > 2011	465109	259,-
• Universal adapter rear	465111	146,-

Basic and Premium air suspension systems for Fiat Ducato/PeugeotBoxer and Citroën Jumper > 2014, also for Fiat Ducato 8 (> 09/2021) and for Opel Movano > 2021

- 2-circuit system w/ compressor & separately adjustable air bellows
- Significant increase in ride comfort
- Increased lateral stability & better roadholding
- Custom-fit control element for Fiat Ducato
- Mounting takes place on rear axle

A dual-circuit system with central inflation of both air springs and subsequent independent reduction of air pressure in the left and right air springs. This allows for the rapid detection and compensation of wheel load differences. Air pressure can be monitored using the two pressure gauges in the interior. This not only increases your driving comfort but also significantly improves your safety while driving. Even with a heavier load, your motorhome can be steered safely and comfortably thanks to increased suspension travel and reduced body roll. Air pressure is controlled via the special Ducato control unit.

Scope of delivery: Additional air springs on the left and right with vehicle-specific connections, vehicle-specific control element with safety valves, 2 pressure gauges and switches, 12V compressor kit, Rilsan pipes, small hardware set for installation, specific and detailed installation instructions with illustrations for each step.

Basic 6" air suspension system



Recommended for vans or motorhomes w/ wheelbase 300 cm & 345 cm w/o motorcycle carrier.

① Without electronic parking brake	467631	675,-
② With electronic parking brake	467634	699,-

Air suspension system Basic 8"



Recommended for motorhomes with a wheelbase of 345 cm and 403 cm. Also suitable for vehicles with a rear garage or rear/motorcycle carrier and for heavier loads. For vehicles without an electronic parking brake.

467632	825,-
--------	-------

Air suspension system Premium 7.3"





Recommended for motorhomes with a wheelbase of 300 cm and 345 cm with rear garages or rear carriers. Also suitable for a wheelbase of 403 cm.

467630	1050,-
--------	--------



With load capacity certificate




Assembly illustration

On/off switch of the compressor (for filling both air bellows)



Illustration shows 467634

Reduction of air pressure in the right or left air bellows



Functional design of 467630

A NOTICE: For front-wheel drive vehicles only, with single or double leaf springs. Operating pressure between 1.8 bar and 4.0 bar.

Not suitable for vehicles:

- With level control
- With standard air suspension
- With AL-KO rear axle
- With load-dependent brake pressure regulator on axle 2

We recommend installation by a specialist workshop.



Carbest Energy Systems
Page 14 / 15

Cara-Move – powerful, semi-automatic maneuvering system




- Sturdy aluminum drive rollers
- Soft-start precision control
- Compact, sturdy, reliable
- Suitable for single and twin-axle caravans; for twin-axle caravans, 4 motors are required for all-wheel drive (2 x 920208)
- Convenient control via remote control

The manual caravan maneuvering aid moves single and twin-axle caravans up to a maximum total weight of 2250 kg. The rollers are extended and retracted manually. Power consumption on level ground: approx. 25 A. Max. power consumption (1100 kg single-axle caravan, 25% incline): 80 A, weight: 35 kg
Max. climbing ability according to total weight:
15% - 2500 kg, 20% - 2250 kg, 25% - 2000 kg


Scope of delivery: 2 motors, mounting bracket, remote control, battery disconnect switch (100 A), swing lever, mounting material, operating instructions
920208 999,--

Mounting accessories




Low-profile housing adapter plates
If your chassis frame height is less than 140 mm, these plates must be fitted to lower the assembly to the correct height of 185 mm.

Pair E6205 52,--



16 mm spacers
Use spacers to lower the maneuvering aid assembly if your chassis has a frame height between 140 and 185 mm.

Pair E6204 105,--



Narrow-track chassis adapter
These plates must be used if you have an AL-KO Vario III/AV chassis that has a frame thickness of less than 2.8 mm.

Pair E6206 69,--



Set of 8 screws M 10 x 100
Set of 8 extended clamping bolts for use with 16 mm spacers (E6204).

E6207 32,60



In some countries, the installation must be checked by a professional technician to comply with local regulations.



Caravan connector plug and adapter

 Clutch • 13-pin For extension cables with 13 connection pins 82223 9,-	 7-pin plug • Plastic housing On towing vehicle 82100 3,95	 13-pin connector • With locking mechanism Nickel-plated contacts 82106 8,95	 Short adapter From 7-pin or Multicon socket on the towing vehicle to 13-pin plug on the trailer 82107 9,95	 Trailer socket • 7-pin • Steel housing 821321 2,99
 Trailer socket • 7-pin • Plastic housing 821022 3,95	 Trailer socket • 13-pin With fog light switch-off on the car 82105 8,95	 Mini short adapter From 13 to 7 pins. Very compact design for cars with a 13-pin socket and trailers with a 7-pin plug. 82137 9,95	 Short adapter From 13-pin socket on the towing vehicle to 7-pin plug on the trailer 82108 7,95	

Caravan training wheels



Support wheels for trailer and caravan drawbars

- Telescopic
- Steel rim
- Load capacity up to 150 kg

- ① Sturdy solid rubber wheel
200 x 50 mm
927742 27,50
- ② Stable wheel with pneumatic tire 260 x 85 mm
92774 44,95



Impellers

	Size mm	Load	Rim	Tires	Weight	Item no.	Price
①	200 x 50	150 kg	Steel	Solid rubber	1,5 kg	91117	9,95
②	200 x 60	400 kg	Steel	Solid rubber	1,8 kg	91141	18,95
③	260 x 85	150 kg	Steel	Air	1,3 kg	91397	24,90
④	205 x 61	150 kg	Plastic	Plastic	0,9 kg	91324	29,90

Clamp for the support wheel

Designation	Tube Ø	Item no.	Price
Carbest clamp	48 mm	92778	7,95



Drawbar adapter for bike carrier

Mounting on the drawbar of caravans, folding caravans, or trailers. Adapter attachment with included U-bolts – no drilling required. Drawbar mounting: U-bolt + clamping plate with self-locking nuts. Maximum load capacity: 50 kg. Dimensions: 75.5 x 6 cm, Color: Matte Chrome. Weight: 4.4 kg

43996 45,-



Steel wheel clamp

For wheels up to 26.5 cm wide. Includes 2 keys. Dimensions: approx. 23 x 50 cm, weight: approx. 2.3 kg

913401 37,95



Universal U-lock

For securing couplings. Includes 2 keys. Weight approx. 2 kg.

925220 25,95



Box lock

For the attached caravan/trailer. Secures attached and detached caravans or trailers against theft. Sturdy sheet steel housing with disc-type security lock and 2 keys.

913611 19,95



Box lock

For use with a detached caravan/trailer. Sturdy sheet steel housing with disc-shaped safety lock and 2 keys.

91361 19,99



Tailgate opener - ventilation despite locking

- Close and lock the tailgate, leaving a ventilation gap.
- In this state, the tailgate can no longer be opened from the outside be opened
- Easy to install, no tools required.
- Made of solid, powder-coated metal



Suitable for: Volkswagen Caddy 2003 – 2020, Volkswagen Transporter 6/5/4 Mercedes-Benz Vito >2003, Mercedes-Benz Viano 2003 – 2014, Ford Tourneo Custom >2013

46309 22,90

① Electronic caravan scale with LCD display

Electronic scale for checking the permissible total weight of caravans or motorhomes with a maximum weight of 6000 kg. Maximum load per wheel: 1500 kg. 3 weighing programs, USB-C port, USB cable included. Color: Gray. Dims: W 7.2 x L 36 x H 4.7cm. Weight: 1.28 kg

912280 125,--



Application example
(delivery without scales)

② Loading ramp for digital caravan/motorhome scale

The Carbest loading ramp, compatible with electronic and digital caravan scales, offers a practical solution for checking the weight of your caravan or motorhome. The ramp makes it easier to stop on the scale and prevents slipping while driving onto it. It can also be used on uneven or soft ground. Fits model 912280. Dimensions: 26 x 32 cm, weight approx. 0.85 kg

912001 24,95

Support load scales

- Safe operation without spring
- Data collection throughout the entire loading process
- Easy handling

③ Aluminum support load scale
Plastic base.

Weighing range 50 to 100 kg
912250 15,95

④ Vertical load scale for all trailers with ball coupling.
Weighing range 50 to 100 kg
91225 11,95

⑤ Digital support load scale
Digital, easy-to-read display. Continuous measurement data acquisition during charging. Remains accurate even after extended use.

Measuring range up to 150 kg
912258 29,95



Spirit levels

⑥ Magnetic spirit level
With magnetic strips and 3 dragonflies, material: PP+TPR
912000 4,95

⑦ Caravan scales
with 2 spirit levels, magnetic
912271 3,95



Breakaway cables – length 1 m

For caravans and braked trailers, mandatory.

① With carabiner	913601	4,90
② With fork	913602	5,50

③ Safety eyelet

For attaching the breakaway cable. Screw-on coupling; retrofitting possible.
Mandatory in the Netherlands, Austria, and Switzerland.

913671	11,-
--------	------

Protective caps for trailer hitch

④ plastic, color black	913855	3,-
⑤ Plastic with retaining ring	913613	0,95



Caravan mirror with integrated blind spot mirror

① Very stable mount

Mirror glass: L 18 x H 12.5 cm

Projection: from 25 to 45 cm Weight: approx. 250 g

47346	36,95
-------	-------

② Variable gripper arm

Mirror glass: L 23 x H 15 cm

Reach: 40 cm

Weight: approx. 450 g

473004	19,95
--------	-------


③ Caravan Clip-on mirror

• Variable gripping arm

• E-mark certification available

Mirror glass: L 15 x H 11 cm. Projection: 35.7 cm. Weight: 284 g

473002	19,95
--------	-------



Wide-angle lens for better rear view

- Enlarges the field of vision
- People and obstacles behind the vehicle are easier to see
- Reduces the risk of rear-end collisions when reversing
- Easy to install

Moisten the smooth side of the lens and press onto the cleaned rear window. Holds very well, can be easily removed again.

Vehicle length up to 3 m	15 x 20 cm	47105	7,95
Vehicle length up to 5 m	20 x 25 cm	47106	10,95



Wide-angle mirror round

- Improves visibility in blind spots
- Sticks to the rearview mirror


Installation: Self-adhesive backing; simply sticks onto the rearview mirror.
Diameter 50 mm.

471002	2,99
--------	------



Carbest Universal Crank Support 600 kg

- Galvanized
 - Static load capacity 600 kg per support
 - Extension length: 497 mm
 - Weight: 3.5 kg
- 912324 65,--



Manual lifting supports incl. hand crank

- Crank support easy to operate with hand crank
- Height can be adjusted quickly and precisely thanks to pre-drilled holes and plug connections
- Load capacity up to 500 kg per support

Foot dimensions: 8.5 x 8.5 cm. Scope of delivery: 2 crank supports, manual hand crank, 2 universal adapters, mounting accessories. Weight: 6.6 kg.

Crank support 290 - 460 mm, 2 pieces **465321** 129,--
Crank support 330 - 530 mm, 2 pieces **465320** 159,--




4
PIECE

Plastic support block set including base plates

Height 30-42 cm, load capacity 750 kg per piece. With metal spindle. Stackable. Set of 4 including 4 base plates.

912064 42,90



4
PIECE



Aluminum support stand set

- Adjustable support stands
- Height adjustable from 28.5-43 cm
- 1000 kg load capacity per piece
- With metal spindle, stackable

Load capacity 1000 kg per piece.

Weight 3,2 kg

4 piece **912061** 49,90
2 piece **912060** 24,90

Suitable Carbest shims: Item no. 91187



①

4
PIECE



②

4
PIECE



③

4
PIECE



Combination of ②+③



④

4
PIECE



⑤

4
PIECE

Universal plasticshims

- For height compensation under support trestles or support feet
- Interlocking for greater height compensation
- Prevent sinking into soft ground
- Stable support thanks to a large contact surface
- Ideal complement for Carbest support stands, item no. 912061 / 912060

① With carrying handle, dimensions: 22.5 x 16.5 x 2 cm, weight 1.2 kg. Set of 4. **91186** 17,90

② Dimensions: 21 x 21 x 3.3 cm, weight 1.6 kg. Set of 4. **91187** 15,95

③ Plastic support plates, set of 4

- For crank supports
- Prevents the crank supports from sinking in
- Firmly connected to the supports **912322** 12,90

④ Support feet, set of 4

Plastic support plates, set of 4, for crank supports with metal pin in yellow. Can be perfectly combined with Caravan Pads 911951.


Dimensions: L 18 x W 14.3 x H 5 cm **91195** 13,95

⑤ Caravan Pads, Set of 4

Set consists of 4 stackable plastic support plates. Base for support feet, height adjustment 40-150 mm. Ideal for uneven terrain. Fits perfectly with support feet 91195. Dimensions: L 18 x W 14.5 x H 4.5 cm

911951 7,95

2
PIECE



Tire protection against flat spots during long periods of inactivity

Reduces wheel deformation during extended periods of inactivity. Suitable for wheels from 10" to 20". Dimensions: 44 x 20 x 4 cm **91528 15,95**



Wheel brake wedge set incl. wall bracket

• Made of sturdy, lightweight plastic
• Set of 2 wedges
Length: 22 cm, Height: 9.5 cm, Width: 9 cm. Color: Black.
925521 5,95


Plastic compensating wedges

These leveling wedges are ideal for leveling caravans or motorhomes on uneven ground. Color: grey.


Compensating wedges XL

The XL compensationThese leveling wedges are ideal for leveling large caravans or motorhomes with wide tires. Color: Grey

2
PIECE



2
PIECE



Model	Load capacity per axle	Dimensions L x W x H	Step heights	Material	ca.	Item no.	Price
① Compensating wedges - set of 2	2500 kg	52 x 17 x 11 cm	4 / 7 / 9 cm	Plastic	1,8 kg	914000	30,95
② Compensating wedges XL - set of 2	5000 kg	61 x 21,5 x 12 cm	4 / 7 / 10 cm	PP	2,4 kg	912554	29,99

Carrier bag and wall pocket for Ramps

Durable, water-repellent and easy to clean, suitable for leveling ramps with a maximum size of 61 x 21.5 x 12 cm, material: black polyester.

① Wall pocket for hanging two leveling ramps, e.g., in the rear garage. With four eyelets for wall mounting. **912556 12,95**

② Carrier bag with long carrying handle and Velcro closure. **912555 7,99**

①



②



Sand ladders including carrying bag, set of 2

Made of durable, hard-wearing plastic. Maximum grip, maximum load capacity: 10 tons. With side slots for securing with straps. Includes carrying bag. Dimensions: 105.8 x 30.00 x 5.5 cm, color: black.

Set of 2 **915122 95,-**



Universal mounting kit for sand ladders, set of 2

• Can be used universally on roof racks or vehicles
• Suitable for 1 or 2 sand plates

Ideal for attaching Carbest sand ladders 915122. One or two sand ladders can be mounted one above the other. For external mounting on the vehicle, we recommend two mounting kits. With the optional adapter screw (part no. 44622, 2 pieces), mounting on a lashing rail is also possible. (Sand ladders not included)

Set of 2 **915123 34,95**



Mirror protectors for motorhomes/camper vans

For Fiat Ducato (also suitable for Ducato 8 > 09/2021).

Not suitable for Fiat Ducato > 2025

Citroën Jumper, Peugeot Boxer > 2006 (X250 and X290)

• **Material plastic, high gloss lacquered**

• **Perfect fit**

• **Self-adhesive**

Protects the mirror from damage or conceals existing damage.

Available in white or black. Two pieces per set.

Long version for semi-integrated and alcove motorhomes.

Short version for panel vans.

① **Black:**

Short version

45813

69,95

Long version

45814

69,95

② **White:**

Short version

45815

69,95

Long version

45816

69,95



Bike Cover - Bicycle cover for the caravan drawbar

- For 2-3 bikes
- Waterproof seams

With inner strap for securing. Waterproof seams. Material: Polyester. Includes carrying bag. Color: Black. Weight: approx. 0.8 kg

440756

29,95



Tire cover

- 3-layer insulating material
- Reflective to reduce heat build-up
- 2 eyelets for fastening

Color: Silver

90494

11,95



Bike Cover - Bike cover for motorhomes

- Includes bag for warning sign with flap
- Waterproof with waterproof seams
- Elastic band with hooks

Waterproof seams. Material: Polyester. Includes carrying bag. Color: Black.

For 2-3 wheels, weight 1.2 kg

440754

39,-

For 4 wheels, weight 1.4 kg

440755

46,-



Protective cover

- Includes protective bag

For the drawbar, made of weatherproof PVC, with sturdy fastening straps.

Fits all standard drawbars. Dimensions: 86 x 60 cm

90508

5,95



Door sill protectors for Volkswagen Transporter 6.1/6/5 > 2004

- Effectively protects the sills and paintwork in the heavily used entry area of the vehicle from dents and scratches
- Self-adhesive

2-piece set. Material: ABS plastic, black. **45860** **42,-**

Door sill protection for Fiat Ducato > 2004 and Fiat Ducato 8 > 09/2021

- Effectively protects the sills and paintwork in the heavily used entry area of the vehicle from dents and scratches
- Self-adhesive

2-piece set. Material: ABS plastic, black. **45861** **42,-**

Step mat, black

- For manual and electric steps
- Ideal for motorhomes and caravans
- Quick installation
- Easy to clean
- Durable

Suitable for steps measuring 38 x 40 cm to 45 x 40 cm. Reliably protects your interior from dust and dirt. Includes 2 springs for mounting. Weight: 0.18 kg

516100 **14,99**



Bumper protection made of high quality stainless steel

For Citroën Spacetourer 2017, Citroën Jumpy > 2017, Toyota Verso III > 2017, Toyota Proace III > 2017, Opel Zafira Life > 2019, Opel Vivaro > 2019, Peugeot Expert > 2017, Peugeot Traveller > 2017

- | | | |
|--|--------------|-------------|
| ① Brushed stainless steel, short wheelbase | 45830 | 78,- |
| ② Brushed black stainless steel, short wheelbase | 45831 | 96,- |

For Volkswagen Caddy/Caddy Maxi > 2020

- | | | |
|---------------------------|--------------|-------------|
| ① Brushed stainless steel | 45847 | 70,- |
|---------------------------|--------------|-------------|

For Volkswagen Transporter 6.1/6, Caravelle & Multivan > 2015

- | | | |
|---|--------------|-------------|
| ① Brushed stainless steel (single door) | 45841 | 65,- |
| ② Brushed black stainless steel (single door) | 45842 | 80,- |

For Volkswagen Transporter 5, Caravelle & Multivan 2003-2015, Volkswagen Transporter 6/6.1 > 2015

- | | | |
|--------------------------------------|---------------|-------------|
| NEW ① Brushed stainless steel | 458433 | 56,- |
| ③ Stainless steel Black | 458444 | 56,- |

For Volkswagen Multivan > 6/2021

- | | | |
|---------------------------|--------------|-------------|
| ① Brushed stainless steel | 45822 | 61,- |
|---------------------------|--------------|-------------|

For Volkswagen ID.BUZZ > 2022

- | | | |
|---------------------------|--------------|-------------|
| ① Brushed stainless steel | 45819 | 57,- |
|---------------------------|--------------|-------------|

For Mercedes-Benz Vito W447 2014

- | | | |
|---------------------------------|--------------|-------------|
| ① brushed stainless steel | 45833 | 57,- |
| ② Stainless steel Black brushed | 45834 | 68,- |

For Fiat Talento > 2016, Opel Vivaro III 2014-2019, Renault Trafic III > 2014

- | | | |
|---------------------------|--------------|-------------|
| ① Brushed stainless steel | 45839 | 62,- |
| ③ Stainless steel Black | 45840 | 55,- |

For Ford Tourneo/Transit Custom > 2023 and Volkswagen Caravelle/Transporter > 2024

- | | | |
|--------------------------------------|---------------|--------------|
| NEW ① Brushed stainless steel | 458177 | 56,90 |
| ③ Stainless steel Black | 458188 | 56,90 |

For Volkswagen Crafter > 2017 Van

- | | | |
|---------------------------|--------------|-------------|
| ① brushed stainless steel | 45846 | 82,- |
|---------------------------|--------------|-------------|

For Mercedes-Benz Sprinter 2006-2018, Volkswagen Crafter 2006-2017 Van

- | | | |
|-------------------------|--------------|-------------|
| ③ Stainless steel black | 45836 | 59,- |
|-------------------------|--------------|-------------|

For Mercedes-Benz Sprinter > 2018

- | | | |
|---------------------------|--------------|-------------|
| ① Brushed stainless steel | 45837 | 61,- |
|---------------------------|--------------|-------------|



① Brushed stainless steel



② Black brushed stainless steel



③ Black stainless steel



Image shows 421745

Driver's cab additional beds

- 7 cm cold foam mattress + 1 cm MDF board
- Cover (polyester) removable and washable
- 2-fold foldable (weight approx. 11 kg)
- Color: Gray




Image shows item 421743



Order at the same time: **Carrying bag (fits all beds)**



Image shows item 421748



Can be folded up in less than 30 seconds.



Image shows 421748

Vehicle type	Bed dimensions when open	Bed dimensions folded	Item no.	Price
Fiat Ducato (also Ducato 8), Peugeot Boxer, Citroën Jumper >2002	160 x 74 x 8 cm	80 x 74 x 16 cm	421742	215,-
Volkswagen Transporter 6.1/6/5/4	149 x 64 x 8 cm	74,5 x 64 x 16 cm	421743	215,-
Volkswagen Crafter, MAN TGE >2017	160 x 74 x 8 cm	80 x 74 x 16 cm	421744	225,-
Mercedes-Benz V-Class, Vito Tourer >2014	146 x 70 x 8 cm	70 x 73 x 16 cm	421745	225,-
Mercedes-Benz Sprinter >2018	160 x 74 x 8 cm	80 x 74 x 16 cm	421746	225,-
Renault Trafic, Fiat Talento, Nissan NV300, Opel Vivaro >2002	144 x 70 x 8 cm	72 x 70 x 16 cm	421747	225,-
Ford Transit Custom >2013, Ford Tourneo / Transit Custom (>2023)	152 x 65 x 8 cm	76 x 65 x 16 cm	421748	225,-
Citroën Spacetourer/Jumpy, Peugeot Expert/Traveller, Toyota Proace, Opel Zafira, Fiat Scudo >2015	140 x 70 x 8 cm	70 x 70 x 16 cm	421749	225,-
① Optional accessories: Carrying bag (fits all beds)			421750	49,95



Mattress pad

- Prevents condensation
- Highly elastic fabric made from PE threads
- Ensures good climate control under the mattress


The pressure-elastic and breathable fabric made of PE threads acts like an invisible climate zone. The mattress underlay provides pressure relief and provides support for the intervertebral disc. Can be cut to size. Available in 10 and 15 mm thicknesses.

W 80 x L 200 x H 1.0 cm	93936	39,95
W 120 x L 200 x H 1.0 cm	93938	64,95
W 140 x L 200 x H 1.0 cm	93939	89,95
W 80 x L 200 x H 1.5 cm	939360	59,95
W 120 x L 200 x H 1.5 cm	939380	89,95
W 140 x L 200 x H 1.5 cm	939390	119,-

Lift beds for Fiat Ducato, Peugeot Boxer, Citroën Jumper, and Mercedes-Benz Sprinter

- Complete set including mattress
- Space-saving sleeping option
- Extra-light aluminum profiles (weight approx. 35 kg)
- Load capacity up to max. 400 kg
- Max. 6-7 amps, power consumption 12 V during operation
- No adjustment necessary, lengths self-align
- Infinitely adjustable height
- Mechanism integrated into the frame under the slatted frame
- Slatted frame with slat caps minimizes noise while driving

The drop-down bed is distinguished by its high-quality workmanship and intuitive assembly. It is infinitely height-adjustable. Its extra-light weight (approx. 35 kg) is achieved through the use of sturdy aluminum profiles. The static load capacity is 400 kg. The operating speed is 33 mm/second, with a power consumption of only 7 A and a 12 V input. The maximum stroke is 900 mm. Slat caps for the slatted frame are included for optimal reduction of mechanical noise during travel.



Includes
mattress with
air mesh

① Drop-down bed with cable pull for Fiat Ducato, Peugeot Boxer, Citroën Jumper >2015 (L2+3)

Scope of delivery:

- 1 fold-down bed 1680 x 1147 mm
- 1 mattress 1640 x 1107 x 85 mm
- 1 trolley on the right, 1 trolley on the left
- 2 front bed fastenings, 2 bed rails
- 1 fixing point at the rear left
- 1 fixing point at the rear right
- 2 front mounting plates
- 1 electrical component (motor)

NEW Manual with cable pull, frame color: black

93966 1399,-

Electrically with cable pull. Frame color: Black


93957 1599,-

② Drop-down bed with rails for Mercedes-Benz Sprinter

- 1 drop-down bed 1853 x 1400 mm
- 1 mattress 1813 x 1400 x 110 mm
- 1 trolley on the right, 1 trolley on the left
- 1 front bed attachment on the left
- 1 front bed attachment on the right
- 2 bed rails
- 1 rear left fixing point,
- 1 fixing point at the rear right
- 1 mounting plate, front right
- 1 mounting plate front left
- 1 electrical component (motor)

Electrically operated with CE certificate

(must not be operated while driving.) 93958 1919,-



Includes
mattress with
air mesh





Seat cover for Fiat Ducato

- Premium quality
- Faux leather, color gray-beige
- For driver and passenger seats

Seat cover for Fiat Ducato >2007 with foam headrest cap

943562 119,-

Seat cover for Fiat Ducato >2014

943563 109,-

Armrest cover

>2007, 1 pair

943564 29,90



Integral protective cover for Fiat Ducato, Ford seats >2014 and Volkswagen Transporter 6.1 California

- High-quality, very elegant design
- Cover in imitation leather and microfiber
- For driver and passenger seats
- Zipper on the back cushion
- With foam headrest cap



Foam headrest cap

① Faux leather beige/microfiber grey. 1 pair

Faux leather beige/microfiber grey. 1 pair Fiat Ducato >2007

943560 238,-

Volkswagen T6.1 California >2015 (no image)

943554 229,-229,-

Faux leather black/microfiber gray

Fiat Ducato > 2014 (without headrest cap)

943561 238,-

Volkswagen T6.1 California >2015 (no image)

943555 209,-

Ford >2014

943565 212,-

(Scope of delivery: 2 seat covers with integrated headrest, 4 covers for the armrest.)



Stretchable 33 to 66 cm

Universal felt seat organizer

- Suitable for driver and passenger seats - Additional storage space
- Keeps your vehicle tidy
- Easy to attach to the headrest with Velcro
- Flexible fixation thanks to elastic straps on the armrests
- Additional security with hooks under the seat
- 7 pockets in different sizes
- Large bag also suitable for laptop

Material: felt Color: Anthracite Dimensions: W42 x H76 cm.

Weight: approx. 0.35 kg

919172

19,95



Storage nets in 4 sizes

- Versatile applications
- Elastic mesh
- Quickly and easily attached

These storage nets provide secure support for your belongings. Available in 4 sizes.

Includes: storage net, frame and mounting hardware. Color: Black.

Storage net S W 20 x H 26.5 cm

461945 9,95

Storage net M W 27 x H 26.5 cm


461946 12,95

Storage net L W 35 x H 26.5 cm


461947 14,95

Storage net XL W 45 x H 26.5 cm

461948 16,95



Robust profile frame



3 sizes available: S, M, and L

Aluminum storage compartments including elastic net

- Stable aluminum frame and elastic mesh
- Shelves are pre-assembled & can be attached directly
- 6 holes in aluminum profile for easy wall mounting

Create additional storage space in your vehicle for your belongings. The storage compartments are available in 3 sizes with a pre-installed net. (Mounting hardware included). Aluminum frame and net color: Black.

Storage compartment S W 33.5 x H 18.5 x D 8 cm

461942 24,95

Storage compartment M W 39 x H 20 x D 8 cm

461943 29,95

Storage compartment L W 45 x H 22.5 x D 8 cm

461944 34,95

Window pockets for Ford Tourneo / Transit Custom (>2023), Pössl Campster / Citroën Spacetourer and identical models

- Attachment without screws & removable at any time
- Extra storage space
- Blackout function
- Robust, durable material

Rear left and right side window pockets. Provides more storage space inside. With two external mesh pockets, carrying handle, and blackout function. Material: 100% polyester. Maximum load capacity: 5 kg



Ford Tourneo Custom >2023



Pössl Campster / Citroën Spacetourer

① For Ford Tourneo Custom >2023 (with interior trim)

Rear left Dimensions: approx. L81 x H43 x W14 cm	919189	99,95
Rear right Dimensions: approx. L75 x H43 x W14 cm	919190	99,95

② For Pössl Campster / Citroën Spacetourer, Peugeot Traveller, Opel Zafira Life, Toyota Proace Verso, all length M (L2).

Dimensions: L66 x H41 x W18 cm		
rear left	919175	59,95
rear right	919176	59,95



Premium window bag for Volkswagen Caddy 5 Maxi >2020

For attachment to window panes

- Weight lossmbare bag with handle
- Ffor rear side window
- Attachment of the bag to the panel with magnet + clips

2-piece set consisting of a panel for attaching to a window pane and a bag. Color: Black (Maximum load capacity: 5 kg).

Rear left	919181	160,-
Rear right	919182	160,-



Similar image



Utensil bagsystem as window covering

For attachment to sturdy window panels using Velcro. The window panel pockets can be easily combined:

① large bag with thermal inner pocket 28 x 48 x 9 cm	919162	54,95
② medium bag, 45 x 26 x 6 cm	919161	42,95
③ small bag, 36 x 20 x 5 cm (not shown)	919160	26,95

④ Window panels For darkening and holding the window pockets

All VW T5/T6 KR station wagons without comfort trim and California Beach/Multivan Startline KR until 2009.

Left 9191680	79,-	Right 9191681	89,-
---------------------	-------------	----------------------	-------------

(VW T5/6 LR in preparation)

Mercedes-Benz Vito "long" without Comfort trim, glazed

Left 9191684	89,-	Right 9191685	89,-
---------------------	-------------	----------------------	-------------

Renault Trafic KR, and similar vehicles such as Opel Vivaro,

Nissan NV 300, Fiat Talento glazed, without comfort trim

Left 9191686	89,-
---------------------	-------------



Window pocket CAMPER BAG

- Blackout, privacy and storage space in one
- fastening with suction cups
- Jremovable at any time

NEW

The window pocket for the rear side windows serves as both a privacy screen and a blackout blind, while also offering practical storage space. It consists of a sturdy panel and a robust bag with a carrying handle, which attaches quickly and easily to the panel using Velcro and straps. It can be attached. Inside, the bag can be divided into compartments using dividers. It can be divided into up to four compartments. Color: Black, max. load capacity 5 kg.



Large zippered pocket

Divided inner compartments



The back panel is attached to the bag with straps and Velcro.

Back panel with suction cups for optimal adhesion to the glass.

Vehicle models	Short wheelbase / rear right		Short wheelbase / rear left		long wheelbase / rear right		Long wheelbase / rear left	
Volkswagen T5 / 6 / 6.1 (2003 – 2024)	919201	139,–	919200	139,–	919203	139,–	919202	139,–
Ford Tourneo / Transit Custom (>2023)	919197	139,–	919196	139,–	919199	139,–	919198	139,–
VW Transporter (>2024)								
Ford Tourneo Custom (>2023)	919192	139,–	919191	139,–	919194	149,–	919193	149,–
VW Caravelle (>2024)								
Volkswagen Caddy Life >2021	919209	139,–	919208	139,–	919304	139,–	919305	139,–
Volkswagen ID Buzz >2021	919205	139,–	919204	139,–	919207	139,–	919206	139,–
Mercedes Vito Tourer / V-Class >2014	919309	139,–	919308	139,–	919306	139,–	919307	139,–
Renault Traffic >2014	919217	139,–	919375	139,–	919219	139,–	919218	139,–
Stellantis Group: Peugeot – Traveller Citroën – Spacetourer Toyota – Verso Opel – Zafira Fiat – Ulysse	919374	139,–	919373	139,–	919372	139,–	919371	139,–



Driver's cab carpet

- Perfect fit
- Protects the interior from dirt and wear
- Non-slip underside
- Bordered edges
- Color: anthracite – striped
- Material: Synthetic fiber (190 g/m²)

NEW



The illustration shows item no 51728



Vehicle type	Item no.	Price
Fiat Ducato / Peugeot Boxer / Citroën Jumper 2002–2006	51730	54,95
Fiat Ducato / Peugeot Boxer / Citroën Jumper 2006–2014	51731	54,95
Fiat Ducato / Peugeot Boxer / Citroën Jumper >2014	51732	54,95
Volkswagen Transporter 4 >9/1995	51733	54,95
Volkswagen Transporter 5 >2003	51734	54,95
Volkswagen Transporter 6.1 / 6 >2015	51735	54,95
Volkswagen Crafter / MAN TGE >2018	51737	54,95
Ford Tourneo Custom (>2023) (manual transmission)	51728	54,95
Ford Tourneo Custom (>2023) (automatic)	51729	54,95
Ford Transit Custom (>2023) /		
VW Transporter (>2024) (manual transmission)	51741	54,95
Ford Transit Custom (>2023) / VW Transporter (>2024) (automatic)	51742	54,95
Custom Ford Transit >2014 (handbrake on the left)	51743	54,95
Custom Ford Transit >2014 (handbrake on the right)	51744	54,95
Mercedes Benz Sprinter / Volkswagen Crafter 2006–2018	51738	54,95
Mercedes Benz Sprinter >2018	51739	54,95
Renault Traffic / Nissan NV 300 / Fiat Talento >2014	51740	54,95

Driver's cab entrance mat sets

High-quality entry mat sets to protect the vehicle interior from moisture and dirt.

set of 2 = 2 cab mats

set of 3 = 2 mats cab + 1 mat sliding door

set of 4 = 2 mats cab + 2 mats sliding door

Vehicle type	① Color Gray with black edging		Color: Anthracite striped (set of 2)	
Volkswagen ID Buzz			51815	19,95
Volkswagen Transporter 4			51801	19,95
Volkswagen Transporter 6/6.1			51802	19,95
VW Multivan (>2021), California >2024			51804	19,95
Mercedes Vito/Viano >2014	516013 (set of 3)	59,95	51813	19,95
Citroën Spacetourer >2016	516012 (set of 4)	69,95	51689	18,95
Fiat Ducato >2006			51806	19,95
Fiat Ducato >2014			51808	19,95
Volkswagen Crafter >2018			51800	19,95
Mercedes Sprinter 2014–2018			51811	19,95
Mercedes Sprinter >2018			51800	19,95
Ford Transit >2014			51809	19,95
Ford Transit Custom >2016	516015 (set of 2)	49,95	51810	19,95
Ford Tourneo / Transit Custom (>2023), VW Transporter (>2024)			51819	15,95




Carpets for Campster / Vanster / Campstar / Vanstar from Pössl, Citroën Spacetourer, Peugeot Traveller, Mercedes Vito and similar models

Carpets for the footwell under the dashboard, door sills, trunk, and living area.
Material: Synthetic fiber 1900 g/m² in grey and anthracite, each with black stripes.

Anthracite




Gray



Carpet for	For Citroën Spacetourer, Peugeot Traveller, Pössl Campster			For Citroën Spacetourer, Peugeot Traveller, Pössl Vanster			For Mercedes Benz Vito, Pössl Campstar			For Mercedes Benz Vito, Pössl Vanstar		
	Color Gray	Color anthracite	Price	Color Gray	Color anthracite	Price	Color Gray	Color anthracite	Price	Color Gray	Color anthracite	Price
① Driver's cab	51686	51687	53,95	51032	51033	51,95	51700	51701	53,95	51714	51715	53,95
② Driver's cab entry (2 pcs.)	51688	51689	18,95	51688	51689	15,95	51702	51703	18,95	51702	51703	18,95
③ Living space Entry		51699	20,95	51698	51699	20,95	51704	51705	20,95	51704	51705	20,95
Living space without rails	51690	51691	53,95	516000	516001	39,-	51706	51707	55,95	51720	51721	55,95
④ Living space with rails	51692	51693	61,95	516002	516003	59,95				51722	51723	63,95
Trunk without rails		51695	46,95	516004	516005	39,-		51711	52,95	51724	51725	53,95
⑤ Trunk with rails		51697	56,95	516006	516007	55,95	51712	51713	59,95	51726	51727	63,95

Cab carpets

① PREMIUM Floor mats Soft PVC



- 10 mm thickness
- Hygienic
- Easy to clean
- 100% PVC, recyclable
- Anti-slip back
- Antistatic
- Color: Black

② BASIC floor mats Needle felt




- Top side made of needle felt
- Edges bound – no fraying
- Backing with non-slip plastic structure
- Color: Anthracite

③ PLUS floor mats Needle felt velour



- Top made of dense needlefelt velour
- Backing with non-slip rubber granulate
- Edges bound – no fraying possible
- Color: mottled anthracite

④ EXQUISIT floor mats Velour



- High quality top made of soft velour w/ noble look
- High quality edging
- Non-slip rubber back
- PU back coating for even more insulation
- Color: Black

Vehicle type	Year of manufacture	① PREMIUM		② BASIC		③ PLUS		④ EXQUISITE	
Fiat Ducato / Peugeot Boxer / Citroën Jumper	1994 – 2002	515803	53,95			51561	89,95	516018	135,–
Fiat Ducato / Peugeot Boxer / Citroën Jumper	2002 – 2006	515802	44,95	51622	38,95	51567	77,95	516017	135,–
Fiat Ducato / Peugeot Boxer / Citroën Jumper	2006 – 2014	515801	39,95	51673	39,95	515711	77,95	516051	137,–
Fiat Ducato / Peugeot Boxer / Citroën Jumper	>2014	515800	33,95	51674	39,95	515711	77,95	516051	137,–
Opel Movano	>2021	515800	33,95	51674	39,95	515711	77,95	516051	137,–
Volkswagen Caddy / Volkswagen Caddy Maxi	2008 – 2020					515712	71,95		
Volkswagen Caddy / Volkswagen Caddy Maxi	>2020					516019	69,95		
Volkswagen Transporter 4	>9/1995			51625	40,95	51557	89,95	516022	135,–
Volkswagen Transporter 5	>2003			51626	40,95	51579	77,95	516025	137,–
Volkswagen Transporter 6.1/6	>2015	515805	37,95	51578	32,95	51579	77,95	516025	137,–
VW Multivan / Volkswagen California	>2021			516357	39,95				
Volkswagen Crafter / MAN TGE	>2018					516026	77,95		
MB Sprinter / Volkswagen Crafter	2006 – 2018	515806	53,95	51634	40,95	516030	83,95		
MB Sprinter / Volkswagen LT	1996 – 2006					516031	83,95	51602	135,–
MB Sprinter	>2018			516039	39,95	516028	77,95	516029	137,–
Renault Trafic / Nissan NV 300 / Fiat Talento	>2014					51581	77,95	516032	135,–
Opel Vivaro B	2014 – 2019					51581	77,95	516032	135,–
Mercedes-Benz Vito / V-Class/Pössl Campstar /Vanstar	>2014			516341	35,95			516021	135,–
Ford Transit	2000 – 2013			51627	39,95				
Ford Transit (Handbrake on the left)	2004 – 2006			51629	34,–				
Ford Transit (Handbrake on the left)	2006 – 2013			516351	39,95	515731	89,95	516034	135,–
Ford Transit Custom	>2014			516352	39,95	516035	77,95	516036	137,–
Ford Tourneo / Transit Custom	>2023			516352	39,95				
CitroënSpacetourer/Jumpy/Peugeot Traveller/Expert/ Toyota Proace Verso/Pössl Campster/Vanster	>2016			516353	39,95	516037	77,95		
Opel Vivaro C/Zafira Life >2020 / Fiat Scudo/ Ulyssee >2022	>2020			516353	39,95	516037	77,95		

NOTE: Dimensions are adjusted for 2 single seats in the cab, not suitable for double bench seats.



12 V Vacuum cleaner

- 4 m cable
- Extensive accessories
- Filter completely removable
- Easy to clean
- No dust bag required

The 12V vacuum cleaner features a new, modern design. The filter is completely removable for easy cleaning. A comprehensive accessory package is included: extension tube, floor nozzle, crevice tool, round brush, and mattress/upholstery brush. Power: 150W / 4.0 kPa. Dimensions: L 40 x H 14 x W 10.5 cm. Weight: 1.3 kg. Material: ABS + PC. Filter: Stainless steel + PU foam.

Color: Black

804275

42,95



Cordless vacuum cleaner

- Charging option 230 V + USB
- 2 levels adjustable

Technical specifications: 14.8 V 200 W motor, maximum runtime 30 min, 2 speed settings. Includes round tube, floor brush, crevice nozzle, upholstery nozzle, and rotary brush. Also includes 230 V charging station and USB charging cable. Dimensions: L 45.5 x Dimensions: 10.5 cm high x 6.5 cm wide. Weight: 0.8 kg, Color: Silver-grey

804276

99,95



12V

Travel hair dryer 12V / 210W

- For 12 V cigarette lighter
- Foldable handle
- Cable 1.4 m

Dimensions: open 15.5 x 6 x 11.8 cm / folded 9.5 x 6 x 11.8 cm

Weight: approx. 0.3 kg.

804195

17,95

Travel hair dryer 230 V / 700 W

- With fold-down handle, compact to store
- With eyelet for hanging
- Slot attachment included

Despite its low power consumption of only 700W, this 230V hairdryer delivers ample power, adjustable in two stages. Dims: L 16 x W 7 x H 16 cm, Package dims: 19 x 11 x 7 cm.

Weight 0.35 kg

804199

12,95



230V

700 WATT

① Camping washing machine Fay 230 V / 250 W

- Replaces hand washing
- 1.8 kg capacity
- Compact and easy to store

Wash time selectable via dial. Filling hose included. Transparent housing for monitoring. Lid spring facilitates filling and emptying. Drum and housing made of polypropylene. Carrying handle at the back. Weight approx. 4.5 kg.

Dimensions approx. 34 x 34 x 47 cm

91913

76,95

② Terminal block

Aluminum strip with 4 sliding plastic clamps. For holding rods with a maximum diameter of... 0 2 cm. For screw mounting, including screws and wall plugs..

Dimensions: L 70 x W 5.5 x D 7.5 cm

91881

7,-

③ BEN can holder

For transporting open beverage cans or bottles. Mounts to vertical surfaces or simply hangs on. Variable clamp system – foldable.

Gray

462190

4,95


Black

462210

4,95



②



③

Steps



Model	ca.	W x H x D	ca.	ca.	Item no.	Price
① Folding steel step	150 kg	48/61,5 x 23 x 40 cm	48 x 30 x 8,5 cm	Approx. 4.6 kg	91184	34,90
② Foldable step Large, non-slip step surface	130 kg	37 x 24 x 31 cm	38 x 37 x 5 cm Folded height only 5 cm	Approx. 2.1 kg	91185	17,95
③ Plastic step, foldable	150 kg	41,5 x 27,5 x 25,2 cm	51,5 x 28 x 8,5 cm	Approx. 1.5 kg	91194	22,95



Double step made of aluminum

• Foldable, step height: 19.5/38 cm



Double step made of steel

• Foldable, step height: 20/40 cm

Model	ca.	W x H x D	ca.	ca.	Item no.	Price
①	150 kg	26 x 38 x 23 cm	51 x 75 x 7 cm	3,5 kg	91182	78,90
②	150 kg	50 x 40 x 59 cm	50 x 82 x 7 cm	5 kg	91189	49,95

Plastic steps



Model	Dimensions W x H x D	ca.	ca.	Art. no	Price
① Medium	50 x 23 x 34,5 cm	150 kg	1,2 kg	912389	11,90
② Large	58 x 24,5 x 39,5 cm	150 kg	1,5 kg	912380	13,95
③ Double step XL	70 x 37 x 60 cm	150 kg	4 kg	912040	32,95


Single and double steps

- Very sturdy steel construction
- Non-slip thanks to rubber pads
- Ideal for motorhomes and caravans
- Load capacity up to 150 kg

Model	W x H x D	ca.	Art. no.	Price
① Single step black	38 x 25 x 39 cm	2,3 kg	912051	27,95
② Double Step Black	38 x 38,1 x 63,4 cm	4,3 kg	912050	44,95
③ Single step grey	38 x 25 x 39 cm	2,3 kg	912031	22,95
④ Double step grey	38 x 38,1 x 63,4 cm	4,3 kg	91203	39,95
⑤ Double step with Handrail Grey	64 x 37,5 x 43 cm	5,0 kg	912026	37,95
⑥ Single step with Handrail Grey	36 x 25,5 x 44 cm	3,2 kg	912025	29,95
⑦ Supports for steps	35 x 23 cm	0,16 kg	912033	3,95
⑧ Sink protection (4 pcs) for ③ + ④			912039	9,95
⑨ Step end caps 4 pieces, for ③ + ④			912036	2,20



ca. 6 cm



Compact aluminum folding ladder with a maximum height of 2.1 m.

- Material: Lightweight aluminum
- Load capacity up to max. 150 kg

With 6 steps. Dims when open: 210 x 45 x 6 cm.
Dims when closed: 210 x 6 x 6 cm.
Weight approx. 3.8 kg

44005

89,90



Escali – the multi-functional ladder with a maximum height of 3.2 m

- Ideal for loading the roof box or for cleaning the caravan and motorhome.
- 11-stage, extended height max. 3.20 m!
- Compactly foldable, it fits easily into the trunk or rear garage.
- Loadable up to max. 150 kg, weight app. 9.1 kg

Safety note: According to TÜV regulations, the Escali multi-function ladder must extend 70 cm above the stop height!


Escali multifunction ladder

Approved according to EN 131-6.

Pack size: Height approx. 77 cm, width approx. 44/46 cm

440130

149,-





① Thermal cover for gas cylinders

- Protection from cold and direct sunlight
- With Velcro fastener
- 3-layer

For 5 kg gas cylinder
75480 12,50

FFor 11 kg gas cylinder
75481 13,50



Gas cylinder transport trolley

② Alu Carry up to 50 kg

With extra-strong wheels. Telescopic folding handle. Load capacity approx. 50 kg. Dimensions when folded: H72 x W48 x D6 cm. Max. height including telescopic handle: 98 cm. Weight: approx. 5.5 kg 92488 52,-

③ Foldable transport trolley, up to 35 kg

Suitable for 11 kg gas cylinders, Load capacity: 35 kg. Plastic with extendable handle and 2 wheels. Dimensions approx.: H41 x W42 x D38 cm. Packed dimensions approx.: H41 x W42 x D8 cm. Weight: approx. 2.5 kg 92491 26,95



④ Rubber tensioner with metal hook

- Pack of 20

Length 38 cm 442202 12,90
Length 53 cm 442203 13,95



⑤ Magnetic Level indicator

Displays gas level and room temperature using liquid crystals. Operates at room temperatures of 12°–30°C.

75154 6,50



⑥ Family High-Visibility Vest Set

4-piece set, 1 x XXL, 1 x XL (EN ISO 20471: 2013), 2 x Universal (EN 1150: 1999) including practical protective bag. 471285 11,-



⑦ Reserved sign

For freestanding use. For motorhomes and caravans. Dims: 61.5 x 30 cm. Weight: 0.5 kg. 47085 9,95



Portable High-performance compressor

- Ideal for off-road or camping use
- Sufficient power even for larger tires

Premium Mini Compressor For tires, buoyancy aids, and inflatable boats. Features: 12 volts, 360 watts, pressure 10 bar/150 PSI, delivery rate 90 liters/min. Integrated thermal protection switch and robust metal housing. Scope of delivery: Compressor with carrying case, valve adapters, battery clamps for direct connection to the battery (cable length 3 m), and 8 m tire inflation hose.

474081 99,90



Securing bar for rear garage

- Telescopic
- For securing loads

Material: Aluminum. Diameter: 25.3 mm (25/28 mm), telescopic length: 91–175 cm. Weight: 1.0 kg 445051 27,95



Electronic Parking disc

Electronic parking disc with E-mark, approved for road use. Mounts to the inside of the windshield. It is adhesive-mounted and features an illuminated display. Automatic parking time recording starts approximately one minute after the vehicle is parked; the parking time can be set automatically or manually. The display includes an illuminated screen and a second screen (showing date, time, and battery status). Integrated SOS light. Battery operated with a CR2450 battery (not included). Order a CR2450 battery at the same time (item no. 81482).

912003

19,95



Insert in small strips to reduce vibration

X-Trem® Self-adhesive noise regulator Sound insulation

- Excellent noise reduction and sound insulation
- Self-adhesive with strong surface adhesion
- Odorless, without bitumen, petroleum or asphalt
- Heat reflective

Temperature resistant from -30°C to +80°C

100 x 50 cm GP* 29,00/1 sqm


50098

14,50

500 x 40 cm GP* 24,95/1 sqm

50099

49,90



Slatted door for bathrooms and toilets

- Plasticroller shutter door
- with handle strip at both ends

Maximum height 198 cm, maximum width 100 cm, both can be shortened. Slat width approx. 32 mm. Scope of delivery: louvered door, floor glides, 2 x 90° guide rails (100/20 cm) each for top and bottom, 2 m magnetic strip.

Roller door H198 x W100 cm,

Silver	53046	283,-
Black	53049	297,55



Roller shutter door complete set

- For constructing an upward-opening roller shutter door
- For maximum door size of 100 cm height and 60 cm width
- Enables opening even in confined spaces
- Complete with cuttable roller shutter, rails and cover plate


The guide rails, roller shutter mat, and access panel can be cut to the desired door size and cabinet depth. Material: Plastic.

Scope of delivery roller shutter door set:

- 1 x Roller shutter mat with handle strip, H 100 x W 60 cm,
- 4 x Guide rails for screwing on, L 100 cm
- 4 x 90° guide rails for screwing on,
- 1 x Entry panel, L 100 cm.

Silver	53044	109,-
Beige textured*	53045	109,-
Matte Black	53047	110,-

*Silver guide rails





Service flaps with lock

Includes 2 keys. UV-resistant ABS.

External dimension L151 x H166 mm,
assembly dims L107 x H122 mm

30002 9,90

External dimension L193 x H165 mm,
assembly dims L149 x H120 mm

30003 10,90



Inspection openings with screw caps

Mounting rings made of ABS. The lid is screwed on with a coarse thread. UV-resistant and corrosion-free.

Outer diameter 198 mm, clear opening Ø 151 mm

30007 9,50

Outer diameter 250 mm, clear opening Ø 180 mm

30008 13,50



Height when
unfolded:
66.3 to 70.3 cm



folded

Lifting table frame in black

- Folding mechanism
- Simple height adjustment
- Can be fixed to the floor
- Length 60 cm, foot width 59.3 cm
- Load capacity up to 100 kg

Black height-adjustable table frame with a folding mechanism operated by a lever. Allows for easy height adjustment from a table to a bed frame. Can also be fixed to the floor. Length: 60 cm, base width: 59.3 cm, height: 30.3 cm / 70.3 cm, weight: 8.5 kg. Scope of delivery: Height-adjustable table frame (without tabletop), including floor fixings.

57011 139,-




Table column

- For freestanding tables with removable table column
- Easy to store, tilt- and wobble-proof
- Tabletop can be incorporated into the lying surface
- Column height approx. 70 cm, diameter approx. 6 cm, weight approx. 1.5 kg

① Chrome

57031 19,95

Mounting rosettes

② for screw mounting

57036 6,70

③ to indentation

57038 6,90

12V



Switch: Light and fan



Twin exhaust fan



Variable extraction opening



Base Exhaust hood – Stainless steel

Stainless steel housing, with 2 x 1.5 W LED lighting (2 x 80 lumens), warm white (3000 Kelvin), suction capacity: 98m³/h, 12 V, for motorhomes and caravans only. Noise level: 70 dB, dimensions: W 460 x D 280 x H 50 mm. Weight: 1.8 kg

31852 116,-

Warranty conditions

We provide a manufacturer's warranty for all „Carbest“ products.

Reimo Reisemobil-Center GmbH, Boschring 10, D-63329 Egelsbach (hereinafter referred to as „Reimo“ or „we“), provides a 3-year warranty on the „Carbest“ products. By way of derogation from the above, Reimo provides a 7-year warranty on LiFePO4 lithium batteries sold under its own „Carbest“ brand. In addition, Reimo provides a 25-year warranty on rigid solar panels with aluminium frames sold under the „Carbest“ brand.

The warranty period will start to run on the relevant invoice date. The geographical scope of our warranty extends to the territory of the Federal Republic of Germany.

If any material defects or manufacturing defects are found in your purchased products during the warranty period, we will provide you with one of the following services at our discretion as part of the warranty:

- **We will repair the goods free of charge; or**
- **We will exchange the goods for an equivalent product free of charge.**

Reimo will acquire ownership of any original parts that are replaced within the scope of the above warranty services.

You will acquire ownership of the new parts or replacement parts.

Any repairs or replacements provided under the warranty will not entitle you to extend or restart the relevant warranty period.

If you wish to make a warranty claim, please contact the dealer from whom you purchased the product in question or Reimo directly as the warrantor:

Reimo Reisemobil-Center GmbH
Boschring 10
D-63329 Egelsbach
Tel.: +49 6150 8662-310

The warranty will not apply if any defects other than material defects or manufacturing defects are found. Furthermore, warranty claims will be rejected if any damage is caused by:

- **normal wear and tear;**
- **improper and non-intended use of the product;**
- **improper operation, installation, assembly, commissioning or operation contrary to the relevant instructions for use and/or installation, especially if instructions for maintenance and care or warnings are not observed;**
- **failure to observe any safety precautions;**
- **use of force (e.g. beating);**
- **self-repairs;**
- **use of any non-original parts or any parts not approved by the manufacturer;**
- **environmental factors (e.g. heat, humidity);**
- **circumstances for which the manufacturer is not responsible (e.g. natural disasters, accidents); or**
- **improper transportation**

In order to make a warranty claim, you must allow us to examine the case in question (e.g. by sending us the goods). Please use secure packaging to ensure that the goods are not damaged during transport.

In order to make a warranty claim, you must enclose a copy of the invoice with the shipment of the goods. This will enable us to check whether the warranty conditions are met. If you do not enclose a copy of the invoice, we may refuse to provide services under the warranty.


If your warranty claim is legitimate, you will not incur any shipping costs (i.e. we will reimburse you for any shipping costs incurred to send us the goods. Includes shipping within the Federal Republic of Germany only).

Please note:

This manufacturer's warranty provided by Reimo will not restrict any statutory warranty rights that you may be able to assert against Reimo / a dealer in the event of defects; you may exercise the relevant rights free of charge.

This manufacturer's warranty shall have no bearing on any statutory warranty rights that you may hold against Reimo. On the contrary, this manufacturer's warranty serves to consolidate your legal position.

If any of your purchased items are defective, you may always assert your statutory warranty rights against Reimo, regardless of whether the defects are covered by the warranty or whether a claim is asserted under the warranty.



(Last updated: March 2024 / Rev.1.5_03.2024)

TERMS AND CONDITIONS

Part I: General Provisions

1. Scope

1.1 The deliveries and services of Reimo Reisemobil-Center GmbH are subject to the following terms and conditions. Our terms and conditions apply exclusively. Any deviating, conflicting or supplementary terms and conditions of the customer shall not apply, unless we explicitly approve their validity. This applies even if we unreservedly provide the customer with a delivery or service despite being aware of the customer's terms and conditions.

1.2 Unless explicitly specified otherwise in the following clauses, our terms and conditions apply both to "traders", as defined in Section 14 of the German Civil Code (BGB), and to legal persons incorporated under public law or investment funds incorporated under public law, as well as to "consumers", as defined in Section 13 BGB. A "consumer" means any natural person who enters into a legal transaction for purposes that predominantly are outside the consumer's trade, business or profession. A "trader" means a natural or legal person or a partnership with legal personality who or which acts in exercise of their trade, business or profession when entering into a legal transaction.

2. Conclusion of Contract

2.1 Our offers shall be subject to change. If the customer makes an offer to enter into a contract by placing an order, the relevant contract shall only be established when we accept the offer.

2.2 If an order is placed via our website (www.reimo.com), the following provisions shall apply to the conclusion of the contract in addition to those specified in Section 2.1 above:

The presentation of items on our website shall not constitute a binding offer to enter into a purchase contract. The customer may select goods on our website and place them in the virtual shopping cart by clicking on the shopping cart symbol. By clicking the "Buy now" button to submit an order via our website, the customer shall make a legally binding offer to purchase the goods in the shopping cart. The customer may view and change the relevant data at any time before submitting the order.

The customer shall receive an automated email from us to confirm receipt of the order. The automatic confirmation of receipt shall merely document the fact that we have received the customer's order; it shall not mean that we accept the customer's offer to enter into a contract. The contract shall only be concluded when we submit a declaration of acceptance, which shall be sent as an order confirmation in a separate email. Any contracts facilitated via our website shall be concluded in German.

2.3 If the items ordered by the customer cannot be delivered (e.g. because they are not in stock), we shall not issue a declaration of acceptance. In such cases, a contract shall not be concluded. We shall immediately inform the customer and reimburse any consideration we have already received.

2.4 All agreements made between us and the customer when entering into the contract shall be fully documented in writing in the contract, including these terms and conditions. Our employees shall not be authorised to make any verbal agreements that depart from the contract or supplement its provisions.

2.5 We reserve the right to make insignificant changes to components, the design, the colour or other details as part of technical developments, provided such changes are reasonable for the customer, taking into account the interests of both parties. In particular, any such changes must not lead to a reduction in value or an impairment of use.

2.6 Due to the use of natural raw materials, all weight specifications shall be within the usual tolerances of +/- 5%.

3. Prices and Terms of Payment

3.1 Prices and terms of payment for contracts with consumers

3.1.1 The prices indicated for consumers on our website or in brick-and-mortar shops and any other prices offered to consumers shall be gross prices quoted in EUROS ex works plus any additional shipping costs that may be indicated. If an order is placed via our website, the respective shipping costs shall be specified on our website.

3.1.2 If a consumer places an order via our website, we shall offer the following payment methods: PayPal, credit card (MasterCard or Visa) or *Sofortüberweisung*. If we enter into a contract with a consumer in a brick-and-mortar shop, the purchase price must be paid in cash or by EC card upon delivery.

3.2 Prices and terms of payment for contracts with traders

3.2.1 If we make a trader an offer, the prices offered shall be net prices quoted in EUROS ex works, unless stated otherwise. If applicable, the statutory rate of value added tax shall be shown separately on our invoice in the amount applicable at the time the contract is concluded.

3.2.2 The following terms of payment apply to contracts with traders: Our invoices shall be payable without deductions within 30 days of receipt. If payment is received within 8 days of invoicing, we shall grant a 2% discount for early payment. We shall grant a 3% discount for cash payments, advance payments and successful payment collection based on a SEPA direct debit mandate.

3.3 General terms of payment for consumers and traders
Regardless of whether the customer is a consumer or a trader, the following terms of payment shall also apply:

3.3.1 If the customer defaults on payment, we shall be entitled to charge default interest at the applicable statutory rate. We also reserve the right to assert further claims due to the delay.

3.3.2 The customer shall only be entitled to offset our claims against their own counterclaims – or to assert a right of retention – if their counterclaims are legally established, undisputed or recognised by us. However, this restriction does not apply to any counterclaims held by the customer due to defects or the partial non-fulfilment of the contract, provided the claims are based on the same contractual relationship as our claims. The right to offset any claims arising from the exercise of the consumer's right of withdrawal, as described in Section 13 below, also remains unaffected.

3.3.3 If the terms of payment are not met or if it becomes apparent that our claim to the purchase price is jeopardised by the customer's solvency after entering into the contract, we shall be entitled to refuse performance in accordance with the statutory provisions and, if the customer neither pays the purchase price nor provides security within a reasonable period set by us, we shall be entitled to withdraw from the contract (Section 321 BGB). If the goods have already been delivered or the service has been provided, payment shall be due immediately in the above cases. We shall also be entitled to reclaim the goods in the above cases and to retain them until the purchase price has been paid in full.

3.3.4 In the case of contracts for the delivery of complete vehicles, the following also applies: If a delivery date is agreed more than four months after the conclusion of the contract, and if our suppliers increase their prices during this period after the conclusion of the contract for reasons not attributable to us, we shall be entitled to pass on these increased costs to the customer and to adjust our price accordingly. We shall immediately inform the customer.

4. Delivery and Service Deadlines

4.1 The delivery times specified by us shall be calculated from the time of our order confirmation. We shall only adhere to our delivery and service deadlines if the customer properly fulfils their own obligations in a timely manner.

4.2 In cases of force majeure, particularly in the event of strikes, lawful lockouts, official orders, natural disasters, epidemics or pandemics, the contracting party affected shall be released from the obligation to deliver the goods or accept delivery for as long as the event persists. We agree to inform the customer immediately about the occurrence and expected duration of such events. If such an event persists for longer than three months, each party shall be entitled to withdraw from the contract. In such cases, any consideration that has already been provided shall be refunded immediately.

4.3 If we default on a delivery or service due to slight negligence, our obligation to compensate for any damage caused by the delay (compensation in addition to performance) shall be limited to a maximum of 5% of the net purchase price of the delayed delivery. Our liability for culpable injury to life, limb or health remains unaffected. Our liability for compensation in lieu of performance shall be governed by the provisions of Section 5 of these terms and conditions.

4.4 The delivery of goods is also subject to the provisions of Section 8 (see Part II below).

5. Liability

5.1 We shall be liable in accordance with the statutory provisions if the customer asserts any claims for damages based on intent or gross negligence, including intent or gross negligence on the part of our legal representatives or vicarious agents – or based on the culpable breach of an essential contractual duty. Essential contractual duties are those which must be observed to achieve the purpose of the contract and on the observance of which the customer may regularly depend. If we are not guilty of intent or gross negligence, our liability for damages in the above cases shall be limited to the foreseeable degree of damage that typically occurs.

5.2 In the case of liability for culpable injury to life, limb or health, the statutory provisions shall remain unaffected; the same applies to cases of mandatory liability under the German Act on Liability for Defective Products (ProdHaftG).

5.3 Unless otherwise stipulated above, we shall not be liable for any damages regardless of the legal nature of the claim in question. In case of default, our liability shall also be subject to the limitations described in Section 4.3 above.

5.4 The above provisions shall apply accordingly if the customer demands com-

ensation of wasted expenses instead of claiming compensation for damages in lieu of performance.

5.5 If our liability for damages is excluded or limited, this shall also apply with regard to the personal liability of our legal representatives and vicarious agents.

6. Information Provided by Telephone

Any information provided by telephone shall generally be non-binding and without guarantee if we offer an assessment after the matter in question is described by telephone, verbally or in writing and if we have no opportunity to conduct a detailed inspection of the item to which the information relates.

7. Data Protection

Data protection is very important to us. Our customers' data is therefore protected, treated confidentially and not passed on to third parties. We use our customers' contact details to send them information about our company, products and services at irregular intervals by email, telephone or post. Our customers may object to this at any time by sending an informal email to fachhandel@reimo.com or by clicking on the unsubscribe link in the email.

Part II: Special Provisions for Deliveries of Vehicles, Accessories and Spare Parts

8. Special Orders and Custom-Made Vehicles

A deposit of 25% of the purchase price shall be due when a contract is established for special vehicle orders; a deposit of 40% of the purchase price shall be due when a contract is established for custom-made vehicles. Any custom-made vehicles shall be manufactured according to the plans and measurements provided by the customer. The customer shall be solely responsible for the correctness of such measurements.

9. Delivery and Transfer of Risk

9.1 Our deliveries shall be made ex works. The risk of accidental loss or deterioration shall be transferred to the customer, at the latest, when the goods are handed over to the customer. If we ship the goods at the customer's request, the risk shall be transferred to the customer when the goods are handed over to the freight carrier or another person instructed to transport the goods. The statutory transfer of risk in the event of default in acceptance remains unaffected. If the customer is a consumer, the risk in the cases described in the third sentence above shall only be transferred to the customer as soon as the goods are handed over to the freight carrier or another person instructed to transport the goods if the customer has instructed the freight carrier or the other person to carry out the shipping and we have not previously named the transporting person to the customer.

9.2 Unless stated otherwise, any parts ordered via our website shall be delivered within 5 working days.

9.3 We shall be entitled to make partial deliveries if they are requested by the customer or if they are reasonable for the customer. If partial deliveries are explicitly requested by the customer, the additional shipping costs shall be borne by the customer; otherwise, we shall bear the additional shipping costs incurred.

9.4 If the customer requests a different design of the purchased item before it is delivered, the delivery period shall be interrupted until an understanding is reached on the required design; if necessary, the deadline shall be extended by the time required to implement the different design.

9.5 If an agreed, non-binding delivery date is exceeded by more than 6 weeks in the case of a contract for the delivery of vehicles, the customer shall be entitled to set us a reasonable grace period for delivery. If we do not deliver the purchased item by the end of the grace period, the customer may withdraw from the contract by means of a written declaration and/or demand compensation in lieu of performance under the legal requirements.

10. Conditions of Acceptance for the Delivery of Vehicles

10.1 If the customer fails to accept a purchased item within 14 days of being notified of its availability, or if the customer refuses to accept the delivery despite not being entitled to refuse acceptance, we shall be entitled to withdraw from the contract and/or to demand compensation due to non-performance after a reasonable grace period set by us.

10.2 In the latter case, we shall be entitled to claim 15% of the purchase price as compensation for damages – without prejudice to the possibility of demanding a greater amount for the damage that is actually incurred. The customer reserves the right to prove that we have incurred significantly less or no damage.

11. Retention of Title

11.1 The goods shall remain our property until the purchase price has been paid in full. By way of derogation from the first sentence, the following shall apply if the customer is a trader: The goods shall remain our property until all claims arising from the business relationship between us and the customer, including any additional claims, have been settled in full. The retention of title shall remain in effect even if some of our claims are included in a current account and the balance has been determined and recognised.

11.2 The customer shall not be permitted to pledge any goods subject to retention of title or assign them as security. We must be immediately notified of any seizures or other third-party interventions. If the third party is unable to reimburse us for the judicial and extrajudicial costs of averting the intervention in question, the customer shall be liable for the damage we incur.

11.3 The customer shall store any goods subject to retention of title for us free of charge. The customer must insure them against common risks such as fire, theft and water with the usual degree of coverage. The customer hereby assigns to us any compensation claims held against insurance companies or any other parties liable for compensation due to any damage of the type described above; the assigned claims shall correspond to the amount of the customer's own claims.

11.4 If the customer fails to meet their payment obligations, we shall be entitled to withdraw from the contract and demand the return of the goods subject to retention of title under the legal requirements.

11.5 If the customer is a trader, the following provisions also apply:

11.5.1 The customer shall be entitled to process and sell any goods subject to retention of title in accordance with the following provisions:

11.5.2 The customer hereby assigns to us any claims arising from the resale of goods subject to retention of title corresponding to the final amount invoiced for our own claims (including VAT); this shall also apply proportionately if the goods are processed, mixed or combined with other items and we acquire co-ownership in the amount of their invoice value. In the latter case, we shall be entitled to a fraction of the respective purchase price claim arising from the resale in the ratio of the invoice value of our goods subject to retention of title to the total invoice value of the item in question. If the customer sells the claim as part of real factoring, the customer shall assign to us the claim held against the factor that replaces it. We shall accept the assignment.

11.5.3 We shall not collect any assigned claims as long as the customer meets their payment obligations. The customer shall remain entitled to collect the claims. However, the customer shall no longer be authorised to collect the claims if the customer defaults on payment or if an application is filed for insolvency proceedings in relation to the customer's assets. In such cases, we may ask the customer to notify us of the assigned claims and the debtors, to provide all information required to collect the receivables, to hand over the associated documents, and to inform the debtors that the claims have been assigned to us.

11.5.4 By processing goods subject to retention of title, the customer shall not acquire ownership of the new item pursuant to Section 950 BGB. Any such processing shall be done for us in such a way that we shall be considered the manufacturer in accordance with Section 950 BGB; however, this shall not result in any liabilities for us. If any goods subject to retention of title are processed, mixed or combined with other items, we shall acquire co-ownership of the new item in the ratio of the value of the goods subject to retention of title to the total value of the goods. The customer shall no longer be authorised to process goods subject to retention of title in the ordinary course of business if the customer stops making payments or if an application is filed for insolvency proceedings in relation to the customer's assets.

11.5.5 We agree to release the securities to which we are entitled if their value exceeds the claims to be secured by more than 20%. We shall be responsible for choosing the securities to be released.

12. Warranty for Contracts of Sale

12.1 In the event of defects, the customer may assert their statutory warranty rights under Section 434 *et seq.* BGB; however, the customer may only assert claims for damages to the extent specified in Section 5 (see Part I above).

12.2 If the customer is a trader, the following provisions also apply:

12.2.1 The customer shall only be able to assert any warranty claims after properly fulfilling their obligation to inspect the goods and report defects in accordance with Section 377 of the German Commercial Code (HGB). The customer shall be obliged to inspect the purchased items as soon as they are received. Any defects must be reported immediately. Otherwise, the goods shall be deemed to have been accepted in perfect condition, unless the defect was not apparent during the inspection. Any installed parts shall not be replaced or repaired if damage would have been detected upon careful inspection prior to installation. Any hidden defects that were not apparent during a proper inspection must be reported as soon as they are discovered. Any defects must always be reported in writing.

12.2.2 If a purchased item is defective and the defect is properly reported by the

customer, we shall be able to choose whether to deliver a replacement or make a repair. We shall acquire ownership of any replaced parts. The place of subsequent performance shall be our registered office. The customer shall only be entitled to withhold payments due to a defect to an extent that is appropriate in relation to the defect and in relation to the cost of rectifying the situation.

12.2.3 The customer shall only be entitled to assert any warranty claims if the customer can prove that the goods were defective when the risk was transferred. In particular, we shall not be liable for any damage caused by improper use, incorrect assembly, inadequate or incorrect maintenance, or any damage caused by natural wear and tear or unauthorised changes to purchased items (e.g. self-assembly, installation of equipment and accessories).

12.2.4 The warranty period applicable to claims for defects shall be 12 months from the delivery of the item in question. By way of derogation from the above, the statutory warranty period of two years shall apply to any claims for damages due to intentional or grossly negligent breaches of duty or culpable injury to life, limb or health. The statutory limitation period in the case of recourse against the supplier (recourse by a trader) remains unaffected.

12.3 We shall only assume any guarantees if this is explicitly stated for the selected product. The details of each guarantee can be found in the relevant guarantee conditions. Any guarantees shall apply in addition to statutory warranty rights.

13. Agreements on Returns for Traders

If the customer is a trader, the following applies with regard to returns: Unless there is a warranty claim, any goods may only be returned with our prior, written consent; the returned goods must be accompanied by a copy of the invoice. In such cases, the return shipping costs must be borne by the customer. Unless otherwise agreed, the customer shall also be obliged to pay 15% of the purchase price in such cases.

14. Cancellation Right for Consumers

If the customer is a consumer who enters into a contract with us via our website, the customer shall be entitled to cancel their order under the following conditions:

Cancellation policy

The customer shall be entitled to cancel the contract within fourteen days without stating their reasons for doing so. The fourteen-day cancellation period shall begin on the day the goods are handed over to the customer or a third party designated by the customer, excluding the carrier. In the case of a contract for several goods that are requested by the customer as part of a single order and that are delivered separately, the fourteen-day cancellation period shall begin on the day the last goods are handed over to the customer or a third party designated by the customer, excluding the carrier. In order to exercise the cancellation rights described above, the customer must send us a clear statement (e.g. a letter sent by post, fax or email) regarding their decision to withdraw from the contract; we can be contacted as follows: Reimo Reisemobil-Center GmbH, Lieferzentrum, Alt. Retouren, Am Rotbühl 17-19, D-64331 Wetterstadt; Fax: +49 6150 8662-329; Tel.: +49 6150 8662367; Email: shop@reimo.com. The customer may use the attached cancellation form template, but this is not mandatory. In order to meet the deadline, the customer must merely submit the statement outlining their intention to cancel the contract before the end of the cancellation period.

Ramifications of cancellation

If the customer cancels the contract, we shall reimburse any payments received from the customer, including shipping costs (except for any additional costs incurred if the customer does not choose our cheap standard shipping); we shall make the refund immediately – and at the latest within fourteen days of receiving notification of their intention to cancel the contract. We shall make the refund with the same payment method used by the customer for the original transaction, unless alternative arrangements are explicitly agreed with the customer; under no circumstances shall the customer be charged any fees for the refund.

We may refuse to make a refund until we have received the returned goods or until the customer has provided evidence to prove that the goods have been returned, whichever comes first.

The customer must return or hand over the goods immediately – and at the latest within fourteen days of notifying us of the cancellation of the contract. The deadline shall be met if the customer sends the goods before the end of the fourteen-day period. The costs directly associated with the return shipment shall be borne by the customer. If goods cannot be sent by parcel and cannot be returned normally by post, we shall offer to collect the goods from the customer at our expense. The customer must only pay for any depreciation of the goods if the loss of value is caused by the use of the goods in a manner that is not necessary to check their quality, properties and functionality.

Part III: Special Provisions for Services Involving Work Performed on Items not Procured by Us

15. Customer's Obligation to Cooperate

15.1 If the customer places an order for the provision of services involving work performed on items not procured by us, the customer must make the vehicle available to us at the agreed time in a condition suitable for performing the work.

15.2 If the vehicle needs to be cleaned before the work specified in the order can be performed – and if the cleaning is done by us, we shall be entitled to invoice the customer for this.

15.3 In the case of orders involving assembly, the vehicle must be in factory or standard condition and must be delivered in a completely empty state. We shall not be liable for any moving parts found in the vehicle contrary to this agreement, unless the customer can prove that they are guilty of intent or gross negligence. An additional charge shall be incurred for any work required to create or compensate for this condition (e.g. damaged vehicle).

15.4 In the case of orders involving assembly and repair, the cost estimate may be exceeded by up to 15% if any unforeseen circumstances arise during the work and we are unable to consult the customer at short notice. The customer's rights pursuant to Section 649 BGB shall otherwise remain unaffected.

15.5 Unless otherwise agreed, we shall immediately dispose of any removed parts free of charge.

16. Collection and Acceptance

16.1 The customer shall be obliged to collect the object of the order no later than one week after receiving notification that the order is complete. The customer shall be obliged to formally accept the work performed in accordance with the contract. Unless otherwise agreed, the formal acceptance procedure with the customer shall take place at our registered office. The customer may not refuse acceptance due to insignificant defects.

16.2 In the event of non-acceptance, we shall be entitled to assert our statutory rights without restriction. In particular, we shall be entitled to charge the usual local storage costs. If the customer defaults on acceptance, the risk shall be transferred to the customer.

17. Warranty for Services Involving Work Performed on Items not Procured by Us

If any service involving work performed on items not procured by us proves to be inadequate, the customer shall be able to assert their statutory warranty rights; however, the customer shall only be able to assert any claims for damages to the extent specified in Section 5 above. The warranty period shall be one year from acceptance. By way of derogation from the above, the statutory warranty period shall apply to any claims for damages due to intent, gross negligence or culpable injury to life, limb or health.

Part IV: Final Provisions

18. Place of Jurisdiction and Applicable Law

18.1 If the customer is a merchant, a legal person incorporated under public law or an investment fund incorporated under public law, the courts at our registered office shall be the place of jurisdiction for any disputes arising from or in connection with the contract. This agreement on the place of jurisdiction applies exclusively to the customer. We shall also be entitled to take legal action against the customer at their general place of jurisdiction.

18.2 These terms and conditions are subject to the law of the Federal Republic of Germany to the exclusion of the United Nations Convention on Contracts for the International Sale of Goods (CISG). If the customer is a consumer whose habitual residence is located in a country other than Germany at the time the order is placed, however, the application of the mandatory legal provisions of the country in question shall remain unaffected by the choice of law identified in the first sentence.

19. Dispute Resolution for Consumer Contracts

19.1 The European Commission has created an online dispute resolution platform that serves as a point of contact for the out-of-court settlement of disputes with consumers in relation to contractual obligations arising from online contracts. This is available here: <http://ec.europa.eu/consumers/odr/>.

19.2 We are neither obliged nor willing to participate in dispute resolution proceedings before a consumer arbitration board under the German Act on Alternative Dispute Resolution in Consumer Matters (VSBG).

20. Severability Clause

If any provisions of these terms and conditions prove to be ineffective, this shall have no bearing on the effectiveness of the remaining provisions. Any ineffective provisions shall be replaced by the statutory provisions.

Last updated: November 2024

THE WORLD OF **REIMO**[®]



DEVELOPMENT, MANUFACTURING & DISTRIBUTION

of roofs, benches and furniture lines for industrial partners for over 45 years at our location in germany



>25.000 ACCESSORIES

by campers for campers



>6.500 REIMO DEALER

worldwide, including in your area



>40.000 m² STORAGE AREA

in the Rhine-Main region enable
fast shipping of goods



>25
YEARS OF
EXPERIENCE

12V 230V
>4.000

PRODUCTS
IN OUR RANGE

3/7
YEARS
WARRANTY


>70
COUNTRIES AROUND
THE WORLD USE
CARBEST
PRODUCTS


>6.500
RETAILERS
WORLDWIDE

REIMO REISEMOBIL-CENTER GMBH

Carbest is a registered trademark of Reimo Reisemobil-Center GmbH, Boschring 10, 63329 Egelsbach. Copyright: Reimo Reisemobil-Center GmbH.

Subject to change without notice. All products shown without decorations. Subject to printing errors, omissions, and technical changes/updates. All information is provided without warranty. The permissible tolerance for technical specifications is +/- 5%. Some illustrations show extras and decorations that are not included in the scope of delivery. All prices are in euros and include VAT. All rights reserved. Reproduction and use in electronic media, even in part, are permitted only with the express permission of Reimo Reisemobil-Center GmbH.

As of 4/2026



www.carbest.de